Form 3160-3 (December 1990)

D STATES


SUBMIT IN TRIPLICATE* (Other instructions on

reverse side)

Form approved. Budget Bureau No. 1004-0136 Expires: December 31, 1991

			RTMENT OF T						5. LEASE DESIGNATION A U-69451	
APPLICATION FOR PERMIT TO DRILL OR DEEPEN								6. IF INDIAN, ALLOTTEE C N/A	OR TRIBE NAME	
la. TYPE OF WORK	DRI	LL 🖾	DEEPI	EN 🗆					7. UNIT AGREEMENT NAM Drunkards Wash U	TU-67921X
b. TYPE OF WELL OIL WELL	GAS WELL	X OTHER		SINGL ZONE		MULTIPLE ZONE			8. FARM OR LEASE NAME USA 06-207	WELL NO.
2. NAME OF OPERATOR RIVE		CORPORAT	TION						9. API WELL NO.	
	So. 100		Utah 84501 (8876				10. FIELD AND POOL, OR V Drunkards Wash	WILDCAT
4. LOCATION OF WELL At surface At proposed prod. zone		n clearly and in acc L, 928' FEL 263	ordance with any State requir	ements.*)	CUN,	EIDENT	IAL		11. SEC.,T.,R.,M., OR BLK. NE/NE, Sec. 6, 115 SLB&M	
		TION FROM NEA S southwest	REST TO WN OR POST OF	TCE*					12. COUNTY OR PARISH CARBON	UTAH
15. DISTANCE FROM PR LOCATION TO NEAL PROPERTY OR LEAS (Also to nearest drig. u	REST SE LINE, FT.	825	•	16, NO, OF ACRE 152	es in lease 28.24 acres			17. NÖ. OF TO THI	ACRES ASSIGNED IS WELL 160 acres	
18. DISTANCE FROM PR LOCATION TO NEA DRILLING, COMPLE APPLIED FOR, ON T.	ROPOSED REST WELL, ETED, OR	2330	,	19. PROPOSED D	рертн 720'		:		Rotary	
21. ELEVATIONS (Show			6637' W	ngradea	1 AR			22.	APPROX. DATE WORK WILL April 1998	START*
23.			PROPOSED CA	SING AND C	EMENTING	PROGRAM				
SIZE OF HOLE	GRADE, S	SIZE OF CASING	WEIGHT PER FOO	T SETTI	NG DEPTH		_	QUANTI	TY OF CEMENT	
14"	<u> </u>	12-3/4"	Conducto							
11"		8-5/8"	24 #/ft	37	2'	137 sks. G+2	2% CaC	Cl+1/4# pe	er sack flocel	
7- 7/8"		5-1/2"	17 #/tt	37		306 sks 50/5 G" thixotrop		+8% gel -	+2% CaCl+10%exte	nder. 75 sks

CONFIDENTIAL




IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen, give data present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical de ths. Give blowout preventer program, if any.

SIGNED _	Don		Hamilton	TITLE	Permitting Specialist	October 15, 1997
(This space	for Federal o	or State office	use)			
PERMIT N	o	43-0	07-30391		APPROVAL DATE	
Application CONDITION	on approval	does not w	arrant or c pedderat Applica ANY: Action is Neces	bloom files or e		ch would entitle the applicant to conduct operations thereon.
APPROVE	DRV X	المحدور	44 11-VV	TITLE _	BRADLEY G. HILL	DATE 4/13/18
ATTROVE		300	CALL OF THE PARTY	*See Ins	ECLAMATION SPECIALIST III tructions On Reverse Side	

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency or the United States any false, fictitious or frau dulent statements or representations as to any matter within its jurisdiction.

T15S, R9E, S.L.B.&M.





= SECTION CORNERS LOCATED

BASIS OF ELEV; U.S.G.S. 7-1/2 min QUAD (PINNACLE PEAK)

RIVER GAS CORP.

WELL LOCATION, USA 6-207, LOCATED AS SHOWN IN THE NE 1/4 NE 1/4 OF SECTION 6, T15S, R9E, S.L.B.&M. CARBON COUNTY, UTAH.



THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY WE OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND, BELLEF.

STEWART

REGISTRATION NOT 144102

ATE OF UT

TRI STATE LAND SURVEYING & CONSULTING

38 WEST 100 NORTH - VERNAL, UTAH 84078 (801) 781-2501

 SCALE:
 1" = 1000'
 SURVEYED BY:
 DS BG

 DATE:
 9/25/97
 WEATHER:

 NOTES:
 FILE #




COPY

RIVER GAS CORPORATION

UTAH OPERATIONS 1305 South 100 East Price, Utah 84501 Bus. (435) 637-8876 FAX (435) 637-8924

CONFIDENTIAL



October 15, 1997

Mr. Eric Jones Petroleum Engineer Bureau of Land Management 82 E. Dogwood Moab, Utah 84532

RE: Application for Permit to Drill-USA 6-207, NE/NE, Sect.6 T15S, R09E, SLB & M, Carbon County, Utah

Dear Eric:

Enclosed is the original of the Application for Permit to Drill (APD) for the above named well. Included with the APD is the following information:

Exhibit "A"- Survey plat of the proposed well site;

Exhibit "B" - Proposed Location Map with Pipeline, Power, and Road Access;

Exhibit "C" - Drilling Site Layout;

Exhibit "D" - On-site Inspection Checklist;

Exhibit "E" - Production Site Layout;

Exhibit "F" - Typical Road Cross-section;

Exhibit "G" - BOP Diagram;

Exhibit "H"- Typical Wellhead Manifold;

Please accept this letter as River Gas Corporation's written request for confidential treatment of all information contained in and pertaining to this permit application, if said information is eligible for such consideration.

Thank you very much for your timely consideration of this application. Please feel free to contact me if you have any questions.

Sincerely,

Don S. Hamilton

Don S. Hamilton Permit Specialist

cc: Mr. Don Stephens, BLM, Price, Utah

Mr. Chuck Snute, Texaco

Mr. R.A. Lamarre, Texaco

Mr. Gee Lake, Jr., Dominion Resources

Mr. John Baza, DOGM

Mr. Terry Burns, River Gas Corporation

<u>UT-060-3160-1</u> December, 1992

Bureau of Land Management Moab District Application for Permit to Drill On-Site Inspection Checklist

Company River Gas Corporation

Well No. 06-207

Location: Sec. 6, T 15 S, R 9 E,

Lease No. UTU-69451

On-Site Inspection Date:

<u>8-22-97</u>

All operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas Orders, the approved plan of operations and the conditions of approval. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished to the field representative to ensure compliance.

A. DRILLING PROGRAM

1. Surface Formation and Estimated Formation Tops:

Surface formation: Upper Mancos Shale Estimated top of Ferron Formation: 3,060'

2. <u>Estimated Depth at Which Oil, Gas, Water or Other Mineral Bearing Zones are Expected to be Encountered</u>

Depth

Formation

Expected Oil Zones: none

Expected Gas Zones: Ferron Coal Interval: 3,080'-3,230'

Expected Water Zones: 3,080'-3,230'

Expected Mineral Zones: none

All fresh water and prospectively valuable minerals encountered during drilling will be recorded by depth and will be cased and cemented. When possible, water flow rates will be measured and samples will be taken and analyzed. All oil and gas shows will be tested to determine commercial potential.

3. <u>Pressure Control Equipment</u>- include schematics of the BOP and choke manifold, and describe testing procedures: Quick Test is contracted to test the manifold, blind rams, and B.O.P to 2000 psi. Surface casing is tested to 1 psi/ft. See attachment.

BOP systems will be consistent with API RP 53 and Onshore Oil and Gas Order No. 2. Pressure tests of the surface casing and all BOP equipment potentially subject to pressure will be conducted before drilling the surface casing shoe. Blowout preventer controls will be installed prior to drilling the surface casing shoe and will remain in use until the well is completed or abandoned. Ram preventers shall be inspected and operated each trip (no more than once a day is necessary), and annular preventers shall be inspected and operated weekly to ensure good mechanical working order. These inspections shall be recorded in the drilling log and in the daily drilling report.

- 4. <u>Casing Program and Auxiliary Equipment</u> include casing size, weight, grade, thread and coupling, setting depth and condition (new or acceptably reconditioned): Approximately 3720' of 5 ½",17#/ft,N-80,LT&C production casing will be installed.
- Cement-include the cement type, density, yield, additives and amount used in setting each
 casing string. Also include the anticipated cement fill-up. If stage cementing, describe
 techniques: See cement design.
- 6. <u>Mud Program and Circulating Medium</u>- include mud components and weights. When air drilling, also include: length and location of blooie line; description of the auto ignitor; description of the deduster equipment; and amounts, types and characteristics of stand-by mud: Hole will be drilled with air.
- Coring, Logging and Testing Program: Bulk Density, Gamma, Neutron Density, Resistivity and Caliper logs will be ran.
 Initial opening of drill stem test tools will be restricted to daylight hours.
- 8. <u>Abnormal Conditions, Bottom Hole Pressures and Potential Hazards</u>- include anticipated bottomhole pressure and/or pressure gradient: No abnormal conditions are anticipated. Formation is slightly over-pressured. Estimated BHP:1552 psi.
- 9. Any Other Aspects of this Proposal that should be Addressed:

B. THIRTEEN POINT SURFACE USE PLAN

The dirt contractor will be provided with an approved copy of the surface use plan of operations before initiating construction.

1. Existing Roads:

- a. Proposed route to location (submit a map depicting access and well location).
- b. Location of proposed well in relation to town or other reference point: 8.4 miles southwest of Price, Ut.
- c. Contact the County Road Department for use of county roads. The use of San Juan County roads will require an encroachment permit from the San Juan Road Department.
- d. Plans for improvement and/or maintenance of existing roads:
- e. Other:

Planned Access Roads:

- a. Location (centerline): Along existing Jeep trail approx: 930' FNL, 500' FEL
- b. Length of new access top be constructed: 1050'
- c. Length of existing roads to be upgraded: N/A
- d. Maximum total disturbed width: 60'
- e. Maximum travel surface width: 25'
- f. Maximum grades: 8%

- g. Turnouts: N/A
- h. Surface materials: In-place residual of Mancos Shale.
- i. Drainage (crowning, ditching, culverts, etc): Roads will be crowned with bar ditches on both sides & 3 culverts placed along new road.
- j. Cattleguards: N/A
- k. Length of new and/or existing roads which lie outside the lease boundary for which a BLM right-of-way is required: N/A
- Other:

Surface disturbance and vehicular travel will be limited to the approved location access road. Any additional area needed must be approved by the Area Manager advance.

If a right-a-way is necessary, no surface disturbing activities shall take place on the subject right-of-way until the associated APD is approved. The holder will adhere to conditions of approval in the Surface Use Program of the approved APD, relevant to any right-of-way facilities.

If a right-of-way is secured, boundary adjustments in the lease or unit shall automatically amend this right-of-way to include that portion of the facility no longer contained within the lease or unit. In the event of an automatic amendment to this right-of-way grant, the prioron-lease/unit conditions of approval of this facility will not be affected even though they would now apply to facilities outside of the lease/unit as a result of a boundary adjustment. Rental fees, if appropriate shall be recalculated based on the conditions of this grant and the regulations in effect at the time of an automatic amendment.

If the well is productive, the access road will be rehabilitated or brought to Resource (Class III) Road Standards within 60 days of dismantling the rig. If upgraded, the access road must be maintained at these standards until the well is properly abandoned. If this time frame cannot be met, the Area Manager will be notified so that temporary drainage control can be installed along the access road.

- 3. <u>Location of Existing Wells</u>-on a map, show the location of all water, injection, disposal, producing and drilling wells within a one mile radius of the proposed well, and describe the status of each: See Attachment "B"
- 4. Location of Production Facilities:

a. On-site facilities: See Attachment "E"

b. Off-site facilities: none

c. Pipelines: N/A

All permanent (in place for six months or longer) structures constructed or installed (including oil well pump jacks) will be painted a flat, nonreflective color to match the standard environmental colors, as determined by the Rocky Mountain Five-State Interagency Committee. All facilities will be painted within six months of installation. Facilities

required by comply with the Occupational Safety and Health Act (OSHA) may be excluded. Colors will be as follows:tan

All site security guidelines identified in 43 CFR § 3163.7-5 and Onshore Oil and Gas Order No. 3 Colors will be as follows: tan

If a gas meter run is constructed, it will be located on lease within 500 feet of the wellhead. The gas flowline will be buried from the wellhead to the meter and will be buried downstream of the meter until it leaves the pad. Meter runs will be housed and/or fenced. The gas meter shall be calibrated prior to first sales and shall be calibrated quarterly thereafter. All gas production and measurement shall comply with the provisions of 43 CFR § 3162. 7-3, Onshore Oil and Gas Order No. 5, and American Gas Association (AGA) Report No. 3.

If a tank battery is constructed on this lease, it will be surrounded by a dike of sufficient capacity to contain 1 ½ times the storage capacity of the largest tank. All loading lines and valves will be placed inside the berm surrounding the tank battery. All oil production and measurement shall conform to the provisions of 43 CFR § 3162.7-3 and Onshore Oil and Gas Order No. 4

Production facilities on location may include a lined or unlined produced water pit as specified in NTL-2B. If water is produced from the well, an NTL-2B application must be submitted.

5. Location and Type of Water Supply:

All water needed for drilling purposes will be obtained from (describe location and/or show on a map): PRWID

A temporary water use permit for this operation will be obtained from the Utah State Engineer in Price, Utah at (801) 637-1303.

Water obtained on private land, or land administered by another agency, will require approval from the owner or agency for use of the land.

6. Source of Construction Material:

Pad construction material will be obtained from (if the source is Federally owned, show location on a map): Private owner in East Price.

The use of materials under BLM jurisdiction will conform to 43 CFR 3610.2-3.

7. <u>Methods of Handling Waste Disposal:</u>

Describe the methods and locations proposed for safe containment and disposal of waste material, e.g. cuttings, produced water, garbage, sewage, chemicals, etc.

The reserve pit will be lined with (native material, bentonite, synthetic material): Pit will be lined with native material unless designated otherwise by BLM officers prior to construction.

The reserve pit will be located: on the south end of the location, and the pit walls will be sloped at no greater than 2 to 1.

The reserve pit shall be located in cut material, with at least 50% of the pit volume being below original ground level. Three sides of the reserve pit will be fenced before drilling

starts. The fourth side will be fenced as soon as drilling is completed, and shall remain until the pit is dry. As soon as the reserve pit has dried, all areas not needed for production will be rehabilitated.

Trash must be contained in a trash cage and hauled away to an approved disposal site as necessary but no later than at the completion of drilling operations.

- 8. Ancillary Facilities: Garbage Containers and Portable Toilets
- 9. Well Site Layout depict the pit, rig, cut and fill, topsoil, etc. on a plat with a scale of at least 1" = 50'.

All well, whether drilling, producing, suspended, or abandoned, will be identified in accordance with 43 CFR 3162.6.

Access to the well pad will be from: North

The blooie line will be located: on the south end of the location, at least 100 feet from the well head.

To minimize the amount of fugitive dust and spray escaping from the blooie pit, the following blooie line deflection method will be employed: Water injection.

10. Plans for Restoration of the Surface:

The top 6 inches of topsoil material will be removed from the location and stockpiled separately on: Adjacent land.

Topsoil along the access road will be reserved in place adjacent to the road.

Immediately upon completion of drilling, all equipment that is not necessary for production shall be removed.

The reserve pit and that portion of the location not needed for production will be reclaimed.

Before any dirt work to restore the location takes place, the reserve pit must be completely dry.

Reclaimed roads will have the berms and cuts reduced and will be closed to vehicle use.

All disturbed areas will be recontoured to replicate the natural slope.

The stockpiled topsoil will be evenly distributed over the disturbed area.

Prior to reseeding, all disturbed areas, including the access roads, will be scarified and left with a rough surface.

Seed will be broadcast or drilled between Sept. and Nov., or at a time specified by the BLM. If broadcast, a harrow or some other implement will be dragged over the seeded area to assure seed coverage.

The following seed mixture will be used:

BLM-recommended mixture.

The abandonment marker will be one of the following, as specified by BLM:

- 1) at least four feet above ground level,
- 2) at restored ground level, or
- 3) below ground level.

In any case the marker shall be inscribed with the following: operator name, lease number, well name and surveyed description (township, range, section and either quarter-quarter or footages).

Additional requirements:

11. Surface and Mineral Ownership: BLM

12. Other Information:

a. Archeological Concerns: None that RGC is aware of.

The operator is responsible for informing all persons in the area who are associated with this project that they will be subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are uncovered during construction, the operator is to immediately stop work that might further disturb such materials, and contact the authorized officer (AO). Within five (5) working days, the AO will inform the operator as to:

- whether the materials appear eligible for the National Register of Historic Places;
- the mitigation measures the operator will likely have to undertake before the site can be used (assuming in situ preservation is not necessary); and
- a time frame for the AO to complete an expedited review under 36 CFR 800.11 to confirm, through the State Historic Preservation Officer, that the findings of the AO are correct and that mitigation is appropriate.

If the operator wishes, at any time, to relocate activities to avoid the expense of mitigation and/or the delays associated with this process, the AO will assume responsibility for whatever recordation and stabilization of the exposed materials may be required. Otherwise, the operator will be responsible for mitigation costs. The AO will provide technical and procedural guidelines for the conduct of mitigation. Upon verification from the AO that the required mitigation has been completed, the operator will then be allowed to resume construction.

- Threatened and Endangered Species Concerns; No
- c. Wildlife Seasonal Restrictions (yes/no): See EIS
- d. Off Location Geophysical Testing: N/A
- e. Drainage crossings that require additional State or Federal approval: N/A
- f. Other: N/A

13. Lessee's or Operator's Representative and Certification

Representative:

Name: Don S. Hamilton

Title: Permitting Specialist

Address: 1305 South 100 East

Price, Utah 84501

Phone No: (435)637-8876

Certification:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which currently exists; that the statements make in this APD package are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by RGC and its contractors and subcontractors in conformity with this APD package and the terms and conditions under which it is approved. I also certify responsibility for the operations conducted on that portion of the leased lands associated with this application, with bond coverage being provided under BLM bond no. S304604. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

Don S. Hamilton Signature

Signature

Permit Specialist

Title

10/13/97

Date

C. REQUIRED APPROVALS, REPORTS AND NOTIFICATIONS

Required verbal notifications are summarized in Table 1, attached.

<u>Building Location</u>- Contact the Resource Area, Natural Resource Protection Specialist at least 24 hours prior to commencing construction of location.

Spud- The spud date will be reported to the Resource Area Office 24 hours prior to spudding. Written notification in the form of a Sundry Notice (Form 3160-5) will be submitted the District Office within 24 hours after spudding, regardless of whether spud was made with a dry hole digger or big rig.

<u>Daily Drilling Reports</u>- Daily drilling reports shall detail the progress and status of the well and shall be submitted to the District Office on a weekly basis.

Monthly Reports of Operations- In accordance with Onshore Oil and Gas Order No. 1, this well shall be reported on Minerals Management Service (MMS) Form 3160, "Monthly Report of Operations," starting the month in which operations commence and continuing each month until the well is physically plugged and abandoned. This report will be filed directly with MMS.

<u>Sundry Notices</u>- There will be no deviation from the proposed drilling and/or workover program without prior approval from the Assistant District Manager. "Sundry Notices and Reports on Wells: (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3162.3-2. Safe drilling and operating practices must be observed.

<u>Drilling Suspensions</u>- Operations authorized by this permit shall not be suspended for more than 30 days without prior approval of the Authorized Officer. All conditions of this approval shall be applicable during any operations conducted with a replacement rig.

<u>Undesirable Events</u>- Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be immediately reported to the Resource Area in accordance with requirements of NTL-3A.

<u>Cultural Resources</u>- If cultural resources are discovered during construction, work that might disturb the resources is to stop, and the Area Manager is to be notified.

<u>First Production</u>- Should the well be successfully completed for production, the Assistant District Manager, Minerals Division will be notified when the well is placed in producing status. Such notification may be made by phone, but must be followed by a sundry notice or letter not later than five (5) business days following the date on which the well is placed into production.

A first production conference will be scheduled as soon as the productivity of the well is apparent. This conference should be coordinated through the Resource Area Office. The Resource Area Office shall be notified prior to the first sale.

Well Completion Report- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted to the District Office not later than thirty (30) days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs, core descriptions, core analysis, well test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. Samples (cuttings and/or samples) will be submitted when requested by the Assistant District Manager.

<u>Venting/Flaring of Gas-NTL-4A</u> allows venting/flaring of gas during the initial well evaluation period not to exceed 30 days or 50 MMcf. Venting/flaring beyond the initial test period threshold must be approved by the District Office.

<u>Produced Water- Produced waste water may be confined to an unlined pit for a period not to exceed 90 days after initial production.</u> During the 90 day period, an application for approval of a permanent disposal method and location, along with the required water anlysis, will be submitted to the Assistant District Manager for approval pursuant to NTL-2B.

<u>Off-Lease Measurement, Storage, Commingling- Prior approval must be obtained from the Assistant District Manager for off-lease measurement, off-lease storage and/or commingling (either down-hole or at the surface).</u>

<u>Plugging and Abandonment</u>- If the well is completed as a dry hole, plugging instructions must be obtained from the BLM, Moab District Office prior to initiating plugging operations. Table 1 of this document provides the after-hours phone numbers of personnel who are authorized to give plugging instructions.

A "Subsequent Report of Abandonment" (Form 3160-5) will be filed with the Assistant District Manager, Minerals Divisions within thirty (30) days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Upon completion of approved plugging, a regulation marker will be erected in accordance with 43 CFR 3162.6. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the Area Manager or his representative, or the appropriate surface managing agency.

TABLE 1 NOTIFICATIONS

Notify <u>Don Stephens</u> of the <u>Price</u> Resource Area, at (435)636-3608 for the following:

- 2 days prior to commencement of dirt work, construction or reclamation;
- 1 day prior to spudding;
- 50 feet prior to reaching surface and intermediate casing depths;
- 3 hours prior to testing BOPE;
- 12 hours prior to reaching kickoff point depth (if applicable).

If the person at the above number cannot be reached, notify the Moab District Office at (435) 259-6111. If unsuccessful, notify one of the people listed below.

Well abandonment operations require 24 hour advance notice and prior approval. In the case of newly drilled dry holes, verbal approval can be obtained by calling the Moab District Office, Branch of Fluid Minerals at (435) 259-6111. If approval is needed after work hours, you may contact the following:

Eric Jones, Petroleum Engineer

Office: (435) 259-6111

Home: (435) 259-2214

If unable to reach the above individuals, please call:


Lynn Jackson,

Office: (435) 259-6111

Chief, Branch of Fluid Minerals

Home: (435) 259-7990


RIVER GAS CORPORATION



TYPICAL ROAD CROSS-SECTION

NOT TO SCALE


DIVERTER HEAD




RIVER GAS CORP.


(1) 2" 5M FLANGED CHOKE (2) 2" 5M GATE VALVE (FLANGED) (3) 2" 5M STUDDED CROSS (4) 2" 5M GATE VALVE (FLANGED) (5) 2" 5M FLANGED CHOKE (6) 2" 5M GATE VALVE (FLANGED) (7) 2" 5M GATE VALVE (FLANGED) (8) 2" 5M GATE VALVE (FLANGED) (9) 3000# GAUGE

NOTE: NUMBER 8 GATE VALVE SITS ON TOP OF MANIFOLD BETWEEN STUDDED CROSS AND 3000# GAUGE.




MANIFOLD






RG@

River Gas Corporation
U.S.A. #6-207
SEC.6, T15S, R9E, S.L.B.&M.
TOPO "A"






River Gas Corporation Pinnacle Peak Quad 7.5 Sect.6,T15S,R9E,SLB&M USA 6-207

USA 06-207

Universal Transverse Mercator North 12 NAD83 (Conus)



1998dril.cor 12/2/1997 Pathfinder Office™ **™ Trimble**

APPROXIMATE LAYOUT OF RIG & EQUIPMENT (NOT TO SCALE)

Form 3160-3 1 (December 1990)


SUBMIT IN TRIPIZATE* (Other instructions on reverse side)

Form approved.

Budget Bureau No. 1004-0136 Expires: December 31, 1991

UNITED STATES					
DEPARTMENT OF THE INTERIOR					
DUDEALL OF LAND MANAGEMENT					

·		DEPARTMI BUREAU	ENT OF THE IN	TERIOR MENT					5. LEASE DESIGNATION AT U-69451 6. IF INDIAN, ALLOTTEE O	
APPLICATION FOR PERMIT TO DRILL OR DEEPEN									N/A	K IKIBE NAME
la. TYPE OF WORK	DRILL		DEEPEN						7. UNIT AGREEMENT NAM Drunkards Wash U	TU-67921X
b. TYPE OF WELL OIL WELL	GAS WELL X	OTHER		SINGLE ZONE	X	MULTIPLE ZONE			8. FARM OR LEASE NAME, USA 06-207	WELL NO.
2. NAME OF OPERATOR RIVE		RPORATION							9. API WELL NO.	
3. ADDRESS AND TELE 1305		Price, Utah	84501 (801)	637-8876	5				Drunkards Wash	VILDCAT
4. LOCATION OF WELL At surface At proposed prod. zone	(Report location cle 825' FNL, 9	arly and in accordance v 28' FEL	with any State requirements.*)						NETNE, Sec. 6, 175 SLB&M	S, R9E,
14 DISTANCE IN MILE	8.4 miles so		WN OR POST OFFICE*				_	<u> </u>	12. COUNTY OR PARISH CARBON	UTAH
15. DISTANCE FROM PI LOCATION TO NEA PROPERTY OR LEA (Also to nearest drig. u	REST SE LINE, FT.	825'	16. NO	OF ACRES IN L 1528.24				17. NO. OI TO TH	FACRES ASSIGNED HIS WELL 160 acres	
18. DISTANCE FROM PI LOCATION TO NEA DRILLING, COMPL APPLIED FOR, ON T	REST WELL, ETED, OR	2330'	19. PR	OPOSED DEPTH				20. ROTARY	Y OR CABLE TOOLS Rotary	
21. ELEVATIONS (Show	w whether DF,RT,GF	R,etc.)						22.	APPROX. DATE WORK WILL April 1998	START*
23.			ROPOSED CASING	AND CEME	NTING P	ROGRAM				
SIZE OF HOLE	GRADE, SIZE	OF CASING	WEIGHT PER FOOT	SETTING DE	PTH			QUANT	TTY OF CEMENT	
14"	1	2-3/4"	Conductor	25 '						
11"	8	3-5/8"	24 #/ft	372'					er sack flocel	
7- 7/8"		5-1/2"	17 #/tt	3720'		06 sks 50/5 3" thixotrop		+8% gel	+2% CaCl+10%exte	ender. 75 sks



IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen, give data present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical de 1ths. Give blowout preventer program, if any.


 SIGNED Doz	<u>. d.</u>	Hamilton	TITLE_	Permitting Specialist	DATE	October 1:	5, 1997 —————	
(This space for Fede	eral or State offic	e use)						
PERMIT NO.	9	3-007- 50391		APPROVAL DATE				-
Application appro	oval does not v	varrant or certify that the applic	cant holds legal o	r equitable title to those rights in the subject lease which Assistant Field Manager,	would entitle the	applicant to co	nduct operations th	ereon.
CONDITIONS OF						APR	9 1998	
APPROVED BY _	/s/ Br 	rad D. Palmer	TITLE	Resource Management	DATE	mr1\		
								

*See Instructions On Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency or the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

CONDITIONS OF APPROVAL ATTACHED

T15S, R9E, S.L.B.&M.






= SECTION CORNERS LOCATED

BASIS OF ELEV; U.S.G.S. 7-1/2 min QUAD (PINNACLE PEAK)

RIVER GAS CORP.

WELL LOCATION, USA 6-207, LOCATED AS SHOWN IN THE NE 1/4 NE 1/4 OF SECTION 6, T15S, R9E, S.L.B.&M. CARBON COUNTY, UTAH.



THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY WE OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELLEF.

STEWART &

REGISTERATION NOT 144162

TRI STATE LAND SURVEYING & CONSULTING

38 WEST 100 NORTH - VERNAL, UTAH 84078 (801) 781-2501

SCALE: 1" = 1000' SURVEYED BY: DS BG

DATE: 9/25/97 WEATHER:

NOTES: FILE #

2 of 3

RIVER GAS CORPORATION
Drunkards Wash
USA 06-207
Lease U-69451
NENE Section 06, T. 15 S., R. 9 E.
Carbon County, Utah

CONDITIONS OF APPROVAL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that River Gas Corporation is considered to be the operator of the above well and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for this well is provided by UT-0829 (Principal - River Gas Corporation) via surety consent as provided for in 43 CFR § 3104.2.

This office will hold the aforementioned operator and bond liable until the provisions of 43 CFR § 3106.7-2 continuing responsibility are met.

This permit will be valid for a period of one year from the date of approval. After permit termination, a new application must be filed for approval.

All lease operations will be conducted in full compliance with applicable regulations (43 CFR § 3100), Onshore Oil and Gas Orders, lease terms, notices to lessees, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions and the approved plan will be made available to field representatives to insure compliance.

A. DRILLING PROGRAM

- 1. The BOP system shall be rated to 2M as proposed. Installation, testing and operation of the system shall be in conformance with Onshore Oil and Gas Order No. 2.
- 2. Air drilling must be done in accordance with Onshore Oil and Gas Order No. 2, III.E. As a minimum use of a rotating head, spark arresters, blooie line, float valve, and automatic igniter is required.
- 3. In accordance with the proposal, cement for the 8-5/8" and 5-1/2" casing shall be circulated to surface. If the cement does not circulate, a CBL or other appropriate tool must be run to determine the top-of-cement.
- 4. Any fluid bearing zones or lost circulation zones encountered while drilling will be isolated behind casing and cement.
- 5. The action requires approval of the State of Utah, Division of Oil, Gas and Mining prior to drilling.

B. SURFACE USE

- 1. The following appendices are attached for your reference. They are to be followed as conditions of approval:
 - BG-1, Surface Disturbance Mitigation for Critical Winter Range
 - BG-2, Critical Winter Range Browse Hand Planting
 - BG-3, Winter Restrictions on High Value and Critical Winter Range
 - SM-1, Seed Mixture for Production Facilities
 - SM-2, Seed Mixture for Final Reclamation
- 2. Whether the mud pit shall be lined will be determined at the time of construction.
- 3. Within six months of installation, surface structures shall be painted in the following flat, earth tone colors: Olive Black (5WA20-6) and/or Grisaille (2C23-5). These Fuller O'Brien colors are for reference only. Any brand of paint may be used provided the colors match. Any facilities that must be painted to comply with OSHA standards are exempt.
- 4. Prior to reseeding, a soil sample from this site shall be tested for electrical conductivity, SAR (Sodium Absorption Ratio), macronutrients (N, P, K) and DTPA micronutrients (Fe, Zn, Cu, Mg, Ca, Cr, Ni). Soil is to be tested at a certified soils lab. Based on the soil test results, BLM will determine if fertilizer is to be applied. If it is determined that fertilizer is necessary, commercial fertilizer with a formula of 16-16-8 is to be applied at a rate of 200 pounds per acre. The rate may be adjusted depending on soil test results.

GENERAL CONSTRUCTION

- 1. Operator shall contact the Price BLM Office at least forty-eight hours prior to the anticipated start of construction and/or any surface disturbing activities. The BLM may require and schedule a preconstruction conference with the operator prior to the operator commencing construction and/or surface disturbing activities. The operator and the operator's contractor, or agents involved with construction and/or any surface disturbing activities associated with the project, shall attend this conference to review the Conditions of Approval and plan of development. The operator's inspector will be designated at the pre-drill conference, and is to be given an approved copy of all maps, permits and conditions of approval before the start of construction. The BLM will also designate a representative for the project at the preconstruction conference.
- 2. The operator shall designate a representative(s) who shall have the authority to

- 2. The operator shall designate a representative(s) who shall have the authority to act upon and to implement instructions from the BLM. The operator's representative shall be available for communication with the BLM within a reasonable time when construction or other surface disturbing activities are underway.
- 3. Any cultural and/or paleontological resource (historic or prehistoric site or object) discovered by the operator, or any person working on his behalf, on public land is to be immediately reported to the Price BLM Office. The operator will suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the Price BLM Office. An evaluation of the discovery will be made by the BLM to determine appropriate actions to prevent the loss of significant cultural or scientific values. The operator is responsible for the cost of evaluation of any site found during construction. The BLM will determine what mitigation is necessary.
- 4. During project construction, surface disturbance and vehicle travel shall be limited to the approved location and access routes. Any additional area needed must be approved by the Price BLM Office prior to use.
- 5. The operator must provide a trash cage for the collection and containment of all trash. The trash shall be disposed in an authorized landfill. The location and access roads shall be kept litter free.
- 6. Vegetation removal necessitated by construction shall be confined to the limits of actual construction. Removed vegetation will be stockpiled for use in reclamation or removed from the construction site at the direction of the BLM.
- 7. Erosion control structures such as water bars, diversion channels and terraces will be constructed to divert water and reduce erosion of the disturbed area. For most soil types, the following spacings shall be used:

Slope	Spacing
2%	200 feet
2-4%	100 feet
4-5%	75 feet
>5%	50 feet

In addition, water bars shall be constructed into the access road at all curves, significant grade changes, and as determined necessary by a registered professional engineer. Water bars should be sloped with the grade and cut to a minimum 12-inch depth below the surface. The grade of the water bar should be two percent greater than the grade of the road.

ROAD CONSTRUCTION

- 8. Operator shall provide an inspector under the direction of a registered professional engineer (PE) at all times during road construction. A PE shall certify (statement with PE stamp) that the road was constructed to the required Bureau of Land Management (BLM) road standards.
- 9. Road construction or routine maintenance activities are to be performed during periods when the soil can adequately support construction equipment. If such equipment creates ruts more than 6 inches deep, the soil is deemed too wet to adequately support construction equipment.
- 10. The operator is responsible for maintenance of all roads authorized through the lease or a right-of-way. Construction and maintenance shall comply with Class III or Class II Road Standards as described in BLM Manual Section 9113 and the Moab District Road Standards, except as modified by BLM. Maintenance may include but is not limited to grading, applying gravel, snow removal, ditch cleaning, headcut restoration/prevention.
- 11. Topsoil from access roads is to be wind rowed along the uphill side of the road. When the well is plugged and the road rehabilitated, this soil will then be used as a top coating for the seed bed.
- 12. Erosion-control structures such as water bars, diversion channels, and terraces will be constructed to divert water and reduce soil erosion on the disturbed area. Road ditch turnouts shall be equipped with energy dissipators as needed to avoid erosion. Where roads interrupt overland sheet-flow and convert this runoff to channel flow, ditch turnouts shall be designed to reconvert channel flow to sheet flow. Rock energy dissipators and gravel dispersion fans may be used, or any other design which would accomplish the desired reconversion of flow regime. As necessary cut banks, road drainages, and road crossings shall be armored or otherwise engineered to prevent headcutting.

PAD CONSTRUCTION

- 13. During the construction of the drill pad, suitable topsoil material is to be stripped and conserved in a stockpile on the pad. The depth of topsoil to be salvaged will be will generally be two to six inches. If you have questions about how much topsoil to remove, please call the Price BLM Office. If stockpiles are to remain for more than a year, they shall be seeded with the seed mixture in appendix SM-1, attached.
- 14. Generally, drill pads are to be designed to prevent overland flow of water from entering or leaving the site. The pad is to be sloped to drain spills and water into

the reserve pit. The drill pad shall be designed to disperse diverted overland flow and to regulate flow velocity so as to prevent or minimize erosion.

REHABILITATION PROCEDURES

Site Preparation

15. The entire roadbed and drill site should be obliterated and brought back to the approximate original contour. Drainage control is to be reestablished as necessary. All areas affected by road construction are to be recontoured to blend in with the existing topography. All berms are to be removed unless determined to be beneficial by BLM. In recontouring the disturbed areas, care should be taken to not disturb additional vegetation.

Seedbed Preparation

- 16. An adequate seedbed should be prepared for all sites to be seeded. Areas to be revegetated should be chiselled or disked to a depth of at least 12 inches unless restrained by bedrock.
- 17. Ripping of fill materials should be completed by a bulldozer equipped with single or a twin set of ripper shanks. Ripping should be done on 4-foot centers to a depth of 12 inches. The process should be repeated until the compacted area is loose and friable, then shall be followed by final grading.
- 18. After final grading, the stockpiled topsoil shall be spread evenly across the disturbed area.

<u>Fertilization</u>

- 19. Commercial fertilizer with a formula of 16-16-8 is to be applied at a rate of 200 pounds per acre to the site. The rate may be adjusted depending on soil.
- 20. Fertilizer is to be applied not more than 48 hours before seeding, and shall be cultivated into the upper 3 inches of soil.
- 21. Fertilizer is to be broadcast over the soil using hand-operated "cyclone-type" seeders or rotary broadcast equipment attached to construction or revegetation machinery as appropriate to slope. All equipment should be equipped with a metering device. Fertilizer application is to take place before the final seeding preparation treatment. Fertilizer broadcasting operations should not be conducted when wind velocities would interfere with even distribution of the material.

Mulching

22. When it is time to reclaim this location, the Price BLM Office will determine whether it will be necessary to use mulch in the reclamation process.

Reseeding

- All disturbed areas are to be seeded with the seed mixture required by the BLM. 23. The seed mixture(s) shall be planted in the fall of the year (Sept-Nov), in the amounts specified in pounds of pure live seed (PLS)/acre. There shall be no noxious weed seed in the seed mixture. Seed will be tested and the viability testing of seed shall be done in accordance with State law(s) and within 12 months prior to planting. Commercial seed will be either certified or registered seed. The seed mixture container shall be tagged in accordance with State law(s) and available for inspection by the BLM. Seed is to be planted using a drill equipped with a depth regulator to ensure proper depth of planting where drilling is possible. The seed mixture shall be evenly and uniformly planted over the disturbed area. (Smaller/heavier seeds tend to drop to the bottom of the drill and are planted first. Appropriate measures should be taken to ensure this does not occur.) Where drilling is not possible, seed is to be broadcast and the area raked or chained to cover the seed. Woody species with seeds that are too large for the drill will be broadcast. When broadcasting the seed, the pounds per acre noted below are to be increased by 50 percent. Reseeding may be required if a satisfactory stand is not established to the surface rights owner's specifications. Evaluation of the seeding's success will not be made before completion of the second growing season after the vegetation becomes established. The Price BLM Office is to be notified a minimum of seven days before seeding a project.
- 24. The disturbed areas for the drill site and road must be seeded in the fall of the year, immediately after the topsoil is replaced. The prescribed seed mixture is attached as appendix SM-2.

General

26. Prior to the use of insecticides, herbicides, fungicides, rodenticides and other similar substances, the operator must obtain from BLM, approval of a written plan. The plan must describe the type and quantity of material to be used, the pest to be controlled, the method of application, the location for storage and disposal of containers, and other information that BLM may require. A pesticide may be used only in accordance with its registered uses and within other agency limitations. Pesticides must not be permanently stored on public lands.

PRICE COALBED METHANE PROJECT AREA

PROPONENT: River Gas Corporation WELL #: USA 6-207

BG-1: SURFACE DISTURBANCE MITIGATION FOR CRITICAL WINTER RANGE (BLM-38 and FEIS Chapter 2. Alternative D, pg. 2-47)

Pg. 1 of 1

The subject permit application is proposed within critical winter range (FEIS) and subject to BLM-38 requiring acre for acre mitigation for surface disturbance on critical winter range. The following condition, which serves to replace BLM-38, comes from a cooperative agreement between the River Gas Corporation, BLM-Price Field Office, the Utah Division of Wildlife Resources and the National Fish and Wildlife Foundation, under which the River Gas Corporation agrees to the following:

1. Contribute \$1,250.00 (1996 dollars) for each Federal interest well (Federal surface and or subsurface ownership) permitted and drilled by RGC (or on behalf of RGC by its contractor) on big game critical winter range as depicted in the FEIS Price Coalbed Methane Project Area. (Wells meeting the above criteria for which payment will be required, will be referred to as "subject wells".) This contribution will be adjusted annually for inflation based on the Consumer Price Index (CPI), see Section II.C.6. for the reference source used for the determination of the CPI and the date in which this annual adjustment will go into effect.

Since this mitigation program is designed to address impacts of all big game critical winter range surface disturbance (roads, well pads, pipelines, etc.), contributions will be required regardless of the success or failure of the subject well to produce.

- a. The recorded date for spudding for each subject well (the first boring of a hole during the drilling of a well) will serve as the reference date triggering the requirement for the mitigation contribution.
- b. Contributions will be submitted (in the form of an RGC Corporate check, cashiers check or wire transfer) directly to the National Fish and Wildlife Foundation by the 30th of each month for all subject wells spudded in the preceding month.
- c. All contributions will be made payable to the "National Fish and Wildlife Foundation re, Proj 97-260" and reference the "Price Field Office Wildlife Habitat Impact Mitigation Fund (RGC)".

PRICE COALBED METHANE PROJECT AREA

PROPONENT: River Gas Corporation WELL #: USA 6-207

BG-2: CRITICAL WINTER RANGE BROWSE HAND PLANTING (BLM-22)

Pg. 1 of 1

One of the two browse species lists (checked below) are to be hand planted at the prescribed application rate and according to the following prescribed methods on critical winter range areas that are undergoing long term reclamation. This would include all pipeline corridors, berm around edge of drill pads, miscellaneous disturbed areas associated with construction such as staging areas for equipment, sidecast on road cuts, along side upgraded or new roads up to and including borrow ditch and in the termination of redundant access roads being closed. This planting shall be completed in the first planting window following completion of construction and on all other disturbed areas upon final reclamation.

Planting Methods:

Planting shall be accomplished using a labor force with specific experience in landscape restoration, hand planting methods and handling and care of browse tubling and or bareroot stock plants.

Browse plants to be utilized can be bareroot stock or tubling stock plants of 1 year old age class or greater.

Browse seedling protectors will be used to provided protection from browsing ungulates for two years. Seedling protectors will be of an open mesh rigid design that will break down when exposed to sunlight and that measures a minimum of 12 inches in length and 4 inches in diameter.

Planting shall be completed in the spring (March 1- April 1) and or fall (November 1- December 1) planting windows.

Browse plants shall be stored and handled in such a manner as to maintain viability, according to the type of browse stock being used.

Planting Species and Application Rate:

<u>Species</u>	[_X_] Sagebrush-Grass Plants Per Acre	[] Pinyon-Juniper
Wyoming Sagebrush (Gordon Creek)	100	50
Fourwing Saltbush (Utah seed source collected at	100	50
or above 5,000 feet elevation) True Mountain Mahogany (Utah seed source)	0	50
Antelope Bitterbrush (Utah seed source)	0	50
Total	200	200
Suitable Substitutions:		
Prostrate Kochia	yes	yes
Whitestem Rubber Rabbitbrush	no	yes
Utah Serviceberry	no	yes
Winterfat	yes	no

PRICE COALBED METHANE PROJECT AREA

PROPONENT: River Gas Corporation WELL #: USA 6-207

BG-3: WINTER RESTRICTIONS ON HIGH VALUE AND CRITICAL WINTER RANGE (BLM-37, FEIS, Chapter 2, Alternative D, pg. 2-48, see also Decision Record pg. 2 paragraph 4) Pg. 1 of 2

Restrictions on Construction Phase Activity: Prohibit construction phase activity, described below, on big game high value and critical winter range during the period (December 1 - April 15) without regard for land ownership.

This condition would not apply to normal maintenance and operation of producing wells, described below. On nonfederal lands (where the federal government does not have either surface or subsurface ownership) RGC would be allowed to conduct construction phase activity if needed to avoid breech of contract or loss of lease rights. In the event construction phase activity proceeds into the winter closure period on non federal interest lands, RGC would make available appropriate documentation to UDWR, upon request.

Construction Phase Activity: Construction phase activity is considered to include all work associated with initial drilling and construction of facilities through completion, including installation of pumping equipment, connection with ancillary facilities and tie-in with pipelines necessary for product delivery.

RGC would not be allowed to initiate construction activity unless it is reasonable to believe that such work can be finished to a logical stopping point prior to December 1 of that year. Specific activities considered to be covered by the seasonal closure include all heavy equipment operation including but not limited to the following:

- Mobilization/Demobilization or operation of heavy equipment (crawler tractor, front end loader, backhoe, road grader, etc.)
- -Construction activity (road construction or upgrading, pad, pipeline, powerline, ancillary facilities, etc.),
- -Drilling activity (operator would not propose or initiate drilling activity if the project could not reasonably be expected to be finished to a logical stopping point by the December 1 date of that year.
- -Seismic operation, detonation of explosives

This seasonal closure would not apply to reconnaissance, survey/design and/or flagging of project work or other similar activity not requiring actions listed for heavy equipment operation.

<u>Production Phase:</u> A CBM well is considered to be in production phase when the well and ancillary facilities are completed to the point that they are capable of producing and delivering product for sale. It is noted that heavy equipment operation may be necessary in the performance of maintenance and operation of producing wells.

Restriction on Non Emergency Workover Operations: RGC is required to schedule non-emergency workover operations (defined below) on big game high value winter range outside the December 1 to April 15 date of the seasonal closure. RGC will be required to submit Sundry notices to BLM (or notification to UDWR on non-federal interest wells) in advance of workover operations proposed between December 1 and April 15. Sundry notices submitted as emergency work, may require independent corroboration by BLM geologist/petroleum engineers prior to work proceeding. Should BLM object to the emergency designation of the sundry notice, BLM would make notification of the objection within five working days of receipt of the sundry notice. In the absence of such notification or in the event of corroboration with the sundry notice, RGC would be permitted to proceed with the workover operation.

Non-emergency Workover Operations: Workover operations to correct or reverse a gradual loss of production over time (loss of production of five percent or less over a 60 day period) is considered to be routine or non-emergency workover operations and would not be permitted during the December 1 to April 15 time frame.

BG-3: WINTER RESTRICTIONS ON HIGH VALUE AND CRITICAL WINTER RANGE (BLM-37, FEIS, Chapter 2, Alternative D, pg. 2-48, see also Decision Record pg. 2 paragraph 4) Pg. 2 of 2

Emergency Workover Operations: Emergency work over operations are defined as downhole equipment failure problems or workover operation necessary to avoid shut in of the well or to avoid an immediate safety or environmental problem. Loss of production greater than five percent within a 60 day period is indicative of pump failure and will be treated as an emergency workover operation.

SM-1

BLM SEED MIXTURES FOR THE PRICE COALBED METHANE PROJECT

Seed mixtures have been developed for general land types throughout the project area. They are based on erosion control, forage production, elevation, soils, vegetation communities and average annual precipitation zones. The mixtures show the plant species and the pounds per acre of pure live seed (PLS) to be planted.

The following seed mixture will be planted along service road borrow ditches, around the edge of drill pads with a production well, and surrounding other production and maintenance facilities. The purpose for this seeding is to provide a "green strip" buffer to minimize fire hazards and prevent invasion and establishment of noxious weeds in areas that will receive continued disturbance for the life of these project areas.

Green Strip Areas

Common Plant Name	Scientific Name	Pounds per acre/ PLS*
Forage kochia	Kochia prostrata	2
Wyoming big sagebrush	Artemisia tridentata wyomingensis	1
	var. Gordon Creek	
Douglas low rabbitbrush	Chiysothamnus viscidiflorus	1
Yellow sweetclover	Melilotus officinalis	1
Small burnet	Sanguisorba minor	1
Bottlebrush squirreltail	Elymus elymoides	1
Intermediate wheatgrass	Thinopyrum intermedium	1
	Total	8

SM-2

BLM SEED MIXTURES FOR THE PRICE COALBED METHANE PROJECT The following seed mixture is for areas that will receive final reclamation. Areas would be planted to protect them from soil erosion and to restore forage production.

Sagebrush/Grass Areas

NOTES:	
--------	--

		
Common Name	Scientific Name	Pounds per acre/PLS*
<u>Grasses</u>		
Indian ricegrass	Oryzopsis hymenoides	2
Squirreltail	Elymus elymoides	2
Thickspike wheatgrass	Elymus lanceolatus	1
Crested wheatgrass	Agropyron desertorum	1
Western Wheatgrass	Pascopyrum smithii	1
<u>Forbs</u>		
Lewis flax	Linum perenne lewisii	1
Palmer penstemon	Penstemon palmerii	1
Small burnet	Sanguisorba minor	1
a 1 1		
Shrubs		
Forage kochia	Kochia prostrata	1.5
Whitestem rabbitbrush	Chrysothamnus nauseosus albicauli	<u>s</u> 1
Fourwing saltbush	Atriplex canescens	2
Wyoming big sagebrush	Artemesia tridentata	1.5
	Total	16

C. REQUIRED APPROVALS, REPORTS AND NOTIFICATIONS

Required verbal notifications are summarized in Table 1, attached.

<u>Building Location</u>- Contact the Resource Area, Natural Resource Protection Specialist at least 48 hours prior to commencing construction of location.

<u>Spud</u>- The spud date will be reported to the Price BLM Office 24 hours prior to spudding. Written notification in the form of a Sundry Notice (Form 3160-5) will be submitted to the Moab BLM Office within 24 hours after spudding, regardless of whether spud was made with a dry hole digger or big rig.

<u>Daily Drilling Reports</u>- Daily drilling reports shall detail the progress and status of the well and shall be submitted to the Moab BLM Office on a weekly basis.

Monthly Reports of Operations - In accordance with Onshore Oil and Gas Order No. 1, this well shall be reported on Minerals Management Service (MMS) Form 3160, "Monthly Report of Operations," starting the month in which operations commence and continuing each month until the well is physically plugged and abandoned. This report will be filed directly with MMS.

Sundry Notices - There will be no deviation from the proposed drilling and/or workover program without prior approval. "Sundry Notices and Reports on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR § 3162.3-2. Safe drilling and operating practices must be observed.

<u>Drilling Suspensions</u>- Operations authorized by this permit shall not be suspended for more than 30 days without prior approval of the Authorized Officer. All conditions of this approval shall be applicable during any operations conducted with a replacement rig.

<u>Undesirable Events</u>- Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be immediately reported to the Price BLM Area in accordance with requirements of NTL-3A.

<u>Cultural Resources</u>- If cultural resources are discovered during construction, work that might disturb the resources is to stop, and the Area Manager is to be notified.

<u>First Production</u>- Should the well be successfully completed for production, the District Office will be notified when the well is placed in producing status. Such notification may be made by phone, but must be followed by a sundry notice or letter not later than five (5) business days following the date on which the well is placed into production.

A first production conference will be scheduled as soon as the productivity of the well is apparent. This conference should be coordinated through the Price BLM Office. The Price BLM Office shall be notified prior to the first sale.

Well Completion Report- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted to the Moab BLM Office not later than thirty (30) days after completion of the well or after completion of operations being performed, in accordance with 43 CFR § 3162.4-1. Two copies of all logs, core descriptions, core analyses, well test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. When requested, samples (cuttings and/or samples) will be submitted to the District Office.

Venting/Flaring of Gas- Gas produced from this well may not be vented/flared beyond an initial, authorized test period of 30 days or 50 MMcf, whichever first occurs, without the prior, written approval of the authorized officer. Should gas be vented or flared without approval beyond the authorized test period, the well may be ordered shut-in until the gas can be captured or approval to continue the venting/flaring as uneconomic is granted. In such case, compensation to the lessor shall be required for that portion of the gas that is vented/flared without approval and which is determined to have been avoidably lost.

Produced Water - Produced waste water may be confined to an unlined pit for a period not to exceed 90 days after initial production. During the 90 day period, an application for approval of a permanent disposal method and location, along with the required water analysis, will be submitted to the Moab BLM Office for approval pursuant to Onshore Oil and Gas Order No. 7.

Off-Lease Measurement, Storage, Commingling - Prior approval must be obtained from the Moab BLM Office for off-lease measurement, off-lease storage and/or commingling (either down-hole or at the surface).

<u>Plugging and Abandonment</u>- If the well is completed as a dry hole, plugging instructions must be obtained from the Moab BLM Office prior to initiating plugging operations.

A "Subsequent Report of Abandonment" (Form 3160-5) will be filed with the Moab BLM Office within thirty (30) days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Upon completion of approved plugging, a regulation marker will be erected in accordance with 43 CFR § 3162.6. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the Price BLM Office, or the appropriate surface managing agency.

NOTIFICATIONS


Notify Don Stephens at the BLM, Price Area Office in Price, Utah, at (801) 636-3608, or at home (801) 637-7967 for the following:

- 2 days prior to commencement of dirt work, construction and reclamation;
- 1 day prior to spudding;
- 50 feet prior to the surface casing setting depth; -
- 3 hours prior to testing BOPE

If the person at the above number cannot be reached, notify the Moab District Office at (801) 259-6111. If unsuccessful, contact one of the people listed below.

Well abandonment operations require 24 hour advance notice and prior approval. In the case of newly drilled dry holes, verbal approval can be obtained by calling the Moab District Office, Branch of Fluid Minerals at (801) 259-6111. If approval is needed after work hours, you may contact the following:

Eric Jones	, Petroleum Engineer	•	259-6111 259-2214
Gary Torre	s, Petroleum Engineer	•	587-2141 587-2705



APD RECEIVED: 10/16/97	API NO. ASSIGNED: 43-007-30391
WELL NAME: USA 6-207 OPERATOR: RIVER GAS CORP (N1605)	-
PROPOSED LOCATION:	INSPECT LOCATION BY: / /
NENE 06 - T15S - R09E SURFACE: 0825-FNL-0928-FEL BOTTOM: 0825 -FSL -0928-FEL	TECH REVIEW Initials Date
CARBON COUNTY FX/(DRUNKARDS WASH FIELD (048)	Engineering
LEASE TYPE: FED	Geology
LEASE NUMBER: U - 69451	Surface
PROPOSED PRODUCING FORMATION: FRSD	
RECEIVED AND/OR REVIEWED: // Plat // Bond: Federal[/ State[] Fee[] (Number	LOCATION AND SITING: R649-2-3. Unit:
COMMENTS:	
STIPULATIONS: (1) FEDERAL MAPE	OVAL
	la _l us -




OPERATOR: RIVER GAS CORP (N1605)

FIELD: DRUNKARDS WASH (048)

SEC. TWP, RNG: 31 & 33, T14S, R9E, 5 & 6, T15S, R9E

COUNTY: CARBON UAC: R649-2-3 DRUNKARDS WASH





Michael O. Leavitt Governor Ted Stewart Executive Director James W. Carter

1594 West North Temple; Suite 1210 Box 145801 Salt Lake City, Utah 84114-5801 801-538-5340 801-359-3940 (Fax) Division Director 801-538-7223 (TDD)

April 14, 1998

River Gas of Utah, Inc. 1305 South 100 East Price Utah 84501

USA 06-207, 825' FNL, 928' FEL, NE NE, Re:

SEC. 6, T. 15 S., R. 9 E., Carbon County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-007-30391.

Sincerely,

John R. Baza

Associate Director

Til Hunt

ls

Enclosures

cc: Carbon County Assessor

Bureau of Land Management, Moab District Office

Operator:	River Gas Corporation		
Well Name & Number: USA 06-207			
API Number:	I Number: 43-007-30391		
Lease: U-69451			
Location: <u>NE NE</u>	Sec. 6 T. 15 S. R. 9 E	_	

Conditions of Approval

- 1. General
 - Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for Permit to Drill.
- 2. Notification Requirements
 Notify the Division within 24 hours following spudding the well or commencing drilling operations. Contact Jim Thompson at (801)538-5336.

Notify the Division prior to commencing operations to plug and abandon the well. Contact John R. Baza (801)538-5334.

- 3. Reporting Requirements
 All required reports, forms and submittals shall be promptly
 filed with the Division, including but not limited to the
 Entity Action Form (Form 6), Report of Water Encountered
 During Drilling (Form 7), Weekly Progress Reports for
 drilling and completion operations, and Sundry Notices and
 Reports on Wells requesting approval of change of plans or
 other operational actions.
- 4. State approval of this well does not supercede the required federal approval which must be obtained prior to drilling.

STATE OF UTAH DIVISION OF OIL, GAS AND MINING ENTITY ACTION FORM - FORM 6

OPERATOR	River Gas Corporation
ADDRESS	1305 South 100 East
	Price UT 84501

PERATOR ACCT.	NILAS
PERATOR ACCT.	NO 1000

Administrative Asst.

Phone No. (435)637-8876

Date

Title

ACTION	CURRENT	NEW	API NUMBER	WELL NAME		WELL LOCATION		SPUD DATE	EFFECTIVE		
CODE	ENTITY NO.	ENTITY NO.			QQ	sc	TP	RG	COUNTY		DATE
A	99999	12375	43-007-30390	USA 05-206	NW/NW	5	158	9E	CARBON	5/22/98	
WELL 1	WELL 1 COMMENTS: Entity adoled "Drunkards Wash U/non P.A.") fee CONFIDENTIAL										
											
A	99999	12376	43-007-30391	USA 06-207	NE/NE	6	15S	9E	CARBON	5/18/98	
WELL 2 (A 99999 12376 43-007-30391 USA 06-207 NE/NE 6 15S 9E CARBON 5/18/98 WELL 2 COMMENTS: Entity added "Drunkards Wash U/non P.A." CONFIDENTIAL										
						l I					
WELL 3 (COMMENTS:										
WELL 4 (COMMENTS:	_									
}											
WELL 5 COMMENTS:											
ACTION CODES (See Instructions on back of form) A - Establish new entity for new well (single well only) B - Add new well to existing entity (group or unit well) Laurie A. Tryon Signature											

NOTE: Use COMMENT section to explain why each Action Code was selected.

D - Re-assign well from one existing entity to a new entity

E - Other (explain in comments section)

C - Re-assign well from one existing entity to another existing entity

Form 3160-5 (June 1990)

12.

UNITED STATES DEPARTMENT F THE INTERIOR BUREAU OF THE ANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT,

FORM APPROVED			
Budget Bureau No. 1004-0135			
Expires: March 31, 1993			

_					
5.	Lease Design	ation	and	Serial	No.
	TITTI CO	151			

	010	-U) T J	1		
٠.	If Indian,	Allottee	or	Tribe	Name

ose Affication for Ferivit for such proposars	N/A		
SUBMIT IN TRIPLICATE	7. If Unit or CA, Agreement Designation Drunkards Wash UTU67921X		
1. Type of Well	7		
Oil Gas Well Other	8. Well Name and No. Utah 06-207		
2. Name of Operator			
River Gas Corporation	9. API Well No. 43-007-30391		
3. Address and Telephone No.			
1305 South 100 East Price, Utah 84501 (801)637-8876	10. Field and Pool, or Exploratory Area Drunkards Wash		
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)			
905 ENIT 000 EET	11. County or Parish, State		
825' FNL, 928' FEL	Carbon County, Utah		
NE/4, NE/4, Sec. 6, T15S,R9E, SLB&M	, ,		

TYPE OF SUBMISSION		TYPE OF ACTION	
□ Notice of Intent□ Subsequent Report□ Final Abandonment Notice	Abandonment Recompletion Plugging Back Casing Repair	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off	
	 		

(Note: Report results of multiple completion on Well Completion or


13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Other Weekly Report

The USA 6-207 was spudded on 5/18/98.

fraudulent statements or representations as to any matter within its jurisdiction.

CONFIDENTIAL



Conversion to Injection

Dispose Water

14. I hereby dertify that the foregoin	se is true and correct			•
$\sim 10^{-1}$		trative Assistant	Date5/18/98	
(This space for Federal or State office	ceuse)			
Approved byConditions of approval, if any:	Title	Date		
Title 18 U.S.C. Section 1001, makes				


STATE OF UTAH

DIVISION OF OIL, GAS AND M	INING
,	5. Lease Designation and Serial Number:
	U-69451
SUNDRY NOTICES AND REPORTS (
	N/A
Do not use this form for proposals to drill new wells, deepen existing wells, or to reente	
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for s	Didikards Wash O10-07721X
1. Type of Well: OIL GAS X OTHER:	8. Well Name and Number:
	USA 06-207
2. Name of Operator:	9. API Well Number:
River Gas Corporation	43-007-30391
3. Address and Telephone Number:	10. Field or Pool, or Wildcat:
1305 South 100 East, Price, UT 84501	(801)637-8876 Drunkards Wash
4. Location of Well	
Footages: 825' FNL, 928' FEL	County: CARBON
QQ, Sec., T., R., M.: NE/4, NE/4, SEC. 6, T15S, R09E, SLB&M	State: UTAH
	NATURE OF NOTICE, REPORT, OR OTHER DATA
NOTICE OF INTENT (Submit in Duplicate)	SUBSEQUENT REPORT (Submit Original Form Only)
☐ Abandon ☐ New Construction	☐ Abandon * ☐ New Construction
☐ Repair Casing ☐ Pull or Alter Casing	☐ Repair Casing ☐ Pull or Alter Casing
☐ Change of Plans ☐ Recomplete	☐ Change of Plans ☐ Reperforate
☐ Convert to Injection ☐ Reperforate	☐ Convert to Injection ☐ Vent or Flare
☐ Fracture Treat or Acidize ☐ Vent or Flare	☐ Fracture Treat or Acidize ☐ Water Shut-Off
☐ Multiple Completion ☐ Water Shut-Off	Other Weekly Report
□ Other	
Approximate date work will start	Date of work completion

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

SEE ATTACHED

CONFIDENTIAL



			1		 				
13.		,	// _						
		\mathcal{A}							
			aune	Iru					
Name & Signature: _	Laurie Try	б <u>п_/</u>	Janue	- 1'7		Title:	Administrative Asst.	Date:	5/22/98
	(

(This space for state use only)

DAILY WELL REPORT

River Gas Corporation USA 6-207 825' FNL, 928' FEL NE/NE, Sec.6,T15S,R9E CARBON COUNTY, UTAH SURVEYED ELEVATION: 3720'

API# 43-007-30391

DRILLING CONTRACTOR: Pense Bros Rig#11

PAGE 1

Day 1. 5/19/98. Current Depth: 420'. Present Operations: Nipple Up BOP's. Drilling Fluid: Air. Total rotating hrs: 4 ½. Drilled in 24 hrs: 420'. Drilled in 0' to 23.1 with 14" tri-cone bit#1. Drilled in 23.1 to 420' with 11" hammer bit#2. 7a.m. to 7a.m.Moved & set up equipment, prepare to spud. Spud@2:05 p.m. 5/18/98. Drill conductor hole to 23.1'. POOH & set 23.1' of 12 ¾" conductor Nipple up to drill 11" hole. Drill to 420'. Rig up Dowell. Mix & pump surface cement. Rig down Dowell. WOC.

Day 2. 5/20/98. Current Depth: 2060'. Present Operations: Drilling @2060'. Total rotating hrs: 16 ½. Drilled in 24 hrs: 1640'. 7a.m. to 7a.m. Wait on cement. Nipple up BOP's. Test BOP's. Nipple up flowline. Wait for mud tanks. Rig up to drill 7-7/8" hole. GIH, drill cement, drill to 700'. Drilling.

Day 3. 5/21/98. Current Depth: 3290'. Present Operations: Drilling@3290'. Total rotating hrs:34.5. Drilled in 24 hrs:1230'. Drilled in 420' to 2510' with 7-7/8" hammer bit#3. 7a.m. to 7a.m. Drilling. Trip out. Setting drill collars. Tripping in. Drilling w/tri-cone @2510'. Drilling.

Day 4. 5/22/98. Current Depth:3525'. Present Operations: Pulling out of hole to log. Drilled in 24 hrs: 235'. Drilling fluid: Fresh Water gel. Drilled in 2510' to 3525' with 7-7/8" tri-cone Smith F-47 bit#4. 7a.m. to 7a.m. Drilling. Clean hole. Pull up to 2200'. Mix mud. Trip in. Circulate on bottom. Short trip up. Trip in and circulate to bottom. Circulate. Tripping out to log. **TD Time & Date 5/21/98** @12:00 p.m.

Day 5. 5/23/98. Current Depth: 3525'. Present Operations: Waiting to run long string. Drilled in 24 hrs: 0'. 7a.m. to 7a.m Tripping out. Waiting on loggers to arrive & rig up. Logging. Rig released.

Day 6. 5/24/98. Current Depth: 3525'. Present Operations: Ran 5 ½" production casing. Prepare for casing scraper run. 7a.m. to 7a.m. Rigged up workover rig, spot catwalk & pipe rack & unloaded 5-1/2" casing. Change pipe rams to 5-1/2" casing rams. Tally & ran 5-1/2" production casing. Cement. Rig down Dowell. Change handling tools from casing to tubing & prepare for casing scraper run. Shut well in for the night.

DIVISION OF OIL, GAS AND MINING

CONFIDENTIAL

SPUDDING INFORMATION

Name of Company: RIVER GAS CORP.
Well Name: USA 06-207
Api No. 43-007-30391
Section <u>6</u> Township <u>15S</u> Range <u>9E</u> County <u>CARBON</u>
Drilling Contractor PENSE BROS
Rig #_11_
SPUDDED:
Date 5/18/98
Time
How_ROTARY
Drilling will commence
Reported by GREG MUELLER
Telephone #
Date: <u>5/20/98</u> Signed: <u>JLT</u>



STATE OF UTAH

	OTATE OF OTAT	
D	IVISION OF OIL, GAS AND MI	NING 5. Lease Designation and Serial Number:
		U-69451
SUNDRY NO	TICES AND REPORTS O	
		N/A
	drill new wells, deepen existing wells, or to reenter p FOR PERMIT TO DRILL OR DEEPEN form for such	
		h proposals. Drunkards Wash UTU-67921X 8. Well Name and Number:
	JIHER.	USA 06-207
2. Name of Operator:		9. API Well Number:
3. Address and Telephone Number:	Gas Corporation	43-007-30391 10. Field or Pool, or Wildcat:
•	outh 100 East, Price, UT 84501 (8	
4. Location of Well	01	ONTIDENTIAL
Footages: 825' FNL, 92	U,	UNFIDENTIAL county: CARBON
QQ, Sec., T., R., M.: NE/4, NE/4, S		State: UTAH
11. CHECK APPROPR	HATE BOXES TO INDICATE N	IATURE OF NOTICE, REPORT, OR OTHER DATA
	OF INTENT	SUBSEQUENT REPORT
☐ Abandon	in Duplicate) New Construction	(Submit Original Form Only)
☐ Repair Casing	☐ Pull or Alter Casing	☐ Repair Casing ☐ Pull or Alter Casing
☐ Change of Plans	☐ Recomplete	☐ Change of Plans ☐ Reperforate
☐ Convert to Injection	☐ Reperforate	☐ Convert to Injection ☐ Vent or Flare
☐ Fracture Treat or Acidize	□ Vent or Flare	☐ Fracture Treat or Acidize ☐ Water Shut-Off
☐ Multiple Completion	□ Water Shut-Off	☑ Other Weekly Report
☐ Other		Date of work completion
Approximate date work will start		Report results of Multiple Completions and Recompletions to different reservoirs on WE
••		COMPLETION OR RECOMPLETION REPORT AND LOG form.
12. DESCRIBE PROPOSED OR COMPLETED O	OPERATIONS (Clearly state all pertinent details, and	d give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true
vertical depths for all markers and zones pertine	nt to this work.)	
CEE ATTACHED		
SEE ATTACHED		
	NFIDENTIAL	
c_0	NFINEIALLING	
CO	141	The state of the s
		In)ECEIMED
		DIV DEDIL GAS & AND TO
		DIV. OF OIL, GAS & MINING
		Control of the second of the s
13.	^	
•	L -T.	
Name & Signature: <u>Laurie Tryon</u>	Jamelyn	Title: Administrative Asst. Date: 6/5/98
	/ 	
This enace for state use only)	V	

DAILY WELL REPORT

River Gas Corporation USA 6-207 825' FNL, 928' FEL NE/NE, Sec.6,T15S,R9E CARBON COUNTY, UTAH SURVEYED ELEVATION: 3720'

API# 43-007-30391

DRILLING CONTRACTOR: Pense Bros Rig#11

PAGE 1

Day 1. 5/19/98. Current Depth: 420'. Present Operations: Nipple Up BOP's. Drilling Fluid: Air. Total rotating hrs: 4 ½. Drilled in 24 hrs: 420'. Drilled in 0' to 23.1 with 14" tri-cone bit#1. Drilled from 23.1 to 420' with 11" hammer bit#2. 7a.m. to 7a.m.Moved & set up equipment, prepare to spud. Spud@2:05 p.m. 5/18/98. Drill conductor hole to 23.1'. POOH & set 23.1' of 12 ¾" conductor Nipple up to drill 11" hole. Drill to 420'. Clean hole, pulled out of hole, ran surface casing set @384.5'. Rig up Dowell. Mix & pump surface cement. Rig down Dowell. WOC.

Day 2. 5/20/98. Current Depth: 2060'. Present Operations: Drilling @2060'. Total rotating hrs: 16 ½. Drilled in 24 hrs: 1640'. 7a.m. to 7a.m. Wait on cement. Nipple up BOP's. Test BOP's. Nipple up flowline. Wait for mud tanks. Rig up to drill 7-7/8" hole. GIH, drill cement, drill to 700'. Drilling.

Day 3. 5/21/98. Current Depth: 3290'. Present Operations: Drilling@3290'. Total rotating hrs:34.5. Drilled in 24 hrs:1230'. Drilled from 420' to 2510' with 7-7/8" hammer bit#3. 7a.m. to 7a.m. Drilling. Trip out. Pick up drill collars. Tripping in. Drilling w/tri-cone @2510'. Drilling.

Day 4. 5/22/98. Current Depth:3525'. Present Operations: Pulling out of hole to log. Drilled in 24 hrs: 235'. Drilling fluid: Fresh Water gel. Drilled from 2510' to 3525' with 7-7/8" tri-cone Smith F-47 bit#4. 7a.m. to 7a.m. Drilling. Clean hole. Pull up to 2200'. Mix mud. Trip in. Circulate on bottom. Short trip up. Trip in and circulate to bottom. Circulate. Tripping out to log. **TD Time & Date 5/21/98 @12:00 p.m.**

Day 5. 5/23/98. Current Depth: 3525'. Present Operations: Waiting to run long string. Drilled in 24 hrs: 0'. 7a.m. to 7a.m Tripping out. Waiting on loggers to arrive & rig up. Logging. Rig down logger. Rig released. @12:15 p..m. 5/22/98. M/R. R/U. Set pipe racks & cat walk. Tally 5 ½" casing. Trip in hole to TD 3517.05'. & cemented long string. Rig down Dowell. Closed in for night.

Day 6. 5/24/98. Current Depth: 3517.05'. Present Operations: Ran 5 ½" production casing. Prepare for casing scraper run. 7a.m. to 7a.m.

DAILY WELL REPORT

River Gas Corporation
USA 6-207
825' FNL, 928' FEL
NE/NE, Sec.6,T15S,R9E
CARBON COUNTY, UTAH
SURVEYED ELEVATION: 3720'
API# 43-007-30391
DRILLING CONTRACTOR: Pense Bros Rig#11

PAGE 2

Change handling tools from casing to tubing & prepare for casing scraper run. Pull off B.O.P & made up tubing head. TIH with casing scraper to TD 3516'.

6/2/98. Well stimulated by Halliburton. Frac stages 1, 2 and 3. See Technical report. Total fluid volume: 97,191.00. Total sand volume:20/40-90,100.00. 12/20-129,900.00.

6/3/98. Move in. Rig up service rig & pump & tank. Pickup & RIH with plug catcher. Tallying pipe. Tag sand @2567'. Clean out sand to plug@3175' - 608' sand. Release plug. POOH with tubing & plug-Pick up & RIH with plug catcher & 82 jts tubing. SWIFN.

6/4/98. Finish RIH. 20 jts. Tag sand @3150'. Clean out sand to plug @3220'. POOH with tubing & plug. R.U. RIH with sand pump & tubing. Tag sand @3453'- clean out sand to PBTD@3503'. 50' sand. POOH with sand pump & tubing. P.U. RIH with 2 7/8" bull plug- 1 jt tubing-4' perf sub. Seat nipple, 98 jts tubing- Land donut Rig down BOP's. R.U. Wellhead. R.U. to P.U. rods. RIH with rods. 2 ½ x 2 x 16 pump. 71 ¾ 50 7/8" 1-8' x 7/8 1-6'x7/8 1-4' x 7/8" 1 ¼ x 22'polish rod. Hang off rods. Rig down. Clean location.

Form 3160-4 (November 1983) (formerly 9-330)

D STATES DEPARTMENT OF THE INTERIOR

BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICA

(See other instructions on reverse side)

Form approved. Budget Bureau No. 1004-0137 Expires August 31, 1985

ς,	13 4 63 13	DEGUAL AT LEET	 	

U	_	6	9	4	5	1

DATE

6. IF INDIAN, ALLOTTEE OR TRIBE NA
O. IF INDIAN, ALLUITEE OR TRIBE NA

WELL CO	DMPLETIO	N OR	RECO	MPLET	ION	REPORT	AN	ID LOG*		N, ALLOTTEE OR TRIBE NA
1a. TYPE OF WE		IL CELL	GAS WELL		DRY .	Other 🗻	NEIC	ENTIAL	$\frac{N/A}{7$ UNIT AGE	EEMENT NAME
b. TYPE OF CO				- -	·	· Other	PER		- .	ards WashUTU
WELL X		EEP-	PLUG BACK	DIF RES	F. svr.	Other	EXPI			LEASE NAME
2. NAME OF OPER						ON		8-99	USA	•
	as Corpo	ratio	n			*			9. WELL NO.	
3. ADDRESS OF OP								172 2 2 2	6-207	
	100 Eas								10. FIELD AN	ND POOL, OR WILDCAT
4. LOCATION OF W	25 FNL,			accordanc	e with as	y State requi	iremen	ts)*		rds Wash
	ZJ FNL,	920 F	Бħ					• 1	11. SEC., T., OR AREA	R., M., OR BLOCK AND SURVE
At top prod. in	terval reported	below			CO	NFIDE	VII	μ	NE/NE,	Sec.6,T15S,R9
At total depth					LU	AL IDE	4 1 1	, 1 	SLB & 1	P.
				14. PE	RMIT NO		DATE	ISSUED	12. COUNTY O	OR 13. STATE
				43-0	07-3	0391	4/	13/98	Carbon	Utah
15. DATE SPUDDED	16. DATE T.D.	REACHED	17. DAT	E COMPL.	(Ready t	o prod.) 18		ATIONS (DF, RKB		19. ELEV. CASINGHEAD
5-18-98	5-21-9	98	6-1	8-98				37.1 GR		N/A
20. TOTAL DEPTH, MD	A TVD 21. PL	UG, BACK		TVD 22	HOW M	TIPLE COMPL	.,	23. INTERVALS		
3525		3517						DRILLED B1	0-3525	
24. PRODUCING INTE			TION-TOP	, воттом,	NAME (MD AND TVD)	•			25. WAS DIRECTIONAL SURVEY MADE
Ferron-30	/8'-3261'	•								
00										
26. TYPE ELECTRIC HR Density	AND OTHER LOGS	RUN 6-3	-98	<u> </u>	TEC NIO	D	<u>.</u>		CDT	27. WAS WELL CORED
	, GR, Call	Jer, Co							CBL	no
28.	WEIGHT, LB	/FT 1	CASI			ort all string	s set in	cementing		
12 3/4	Conduct	·	23.1	(MD)	I	411	·	CEMENTING	RECORD	AMOUNT PULLED
8 5/8	24#/ft		384.	<u> </u>	ļ <u>-</u>	<u> </u>	1 40	2 - 1 - 0 + 20/0	2-02-1/41	
5 1/2	17#/ft		$\frac{364.}{3517.}$			<u>1"</u> 7/8"	270)SKSG+2%(Doz + 20/22	/skflocel
	17#/10	' - `	77140	50		17:0	80	sks30/30	nixotropi	1+10%extende
29.	<u> </u>	LINER I	RECORD				100	30.	TUBING RECO	
SIZE	TOP (MD)	воттом	(MD)	SACKS CE	MENT*	SCREEN (M	D)	SIZE	DEPTH SET (MD	
							-	2 7/8"	3084.67	
							-			
31. PERFORATION REC					01.40	32.	ACI	D, SHOT, FRAC	TURE, CEMENT	SQUEEZE, ETC.
Jpper-3078'	-82,3108	-3110	,312	8-34,	3146	DEPTH INT	TERVAL	(MD) A	MOUNT AND KIND	OF MATERIAL USED
56 41-11 - 2102		2202				Upp-30	78-	315625,3	300#20/40	68,900#12/2
4idd1e-3182 Lower-3228-				2 225	E C1	Mid-31	82-	320332,4	00#20/20	11,000#12/2
JOWEL - 3220-	30,3232-	30,32	50-5.	3,323	2-61	Low-32	28-	61 32,4	00#20/40	50,000#12/2
	<u>MEIUEN.</u>	TIAI-				<u> </u>				
DATE FIRST PRODUCT	IN ILI	LIAL W	THOD (F	lospina aa		UCTION mping—size				
6-18-98		mping		owing, gu	e ciji, pu	mpiny—size (una iy	pe of pump)	WELL S shut-	ratus (Producing or in) Producing
DATE OF TEST	HOURS TESTED		E SIZE	PROD'N	FOR	OIL-BBL.		GAS-MCF.	WATER-BBL.	GAS-OIL RATIO
5-18-98	24		/A	TEST P		N/A		255		
FLOW. TUBING PRESS.	CASING PRESSU	RE CALC	ULATED	011,B	BI.	TEAC	<u>सिं</u>		1033	N/A OIL GRAVITY-API (CORR.)
5-18-98	5 5		OUR RATE		/A		، سلم		A	N/A
34. DISPOSITION OF G	AS (Sold, used for	fuel, vent	ed, etc.)	1	-115	\\			TEST WITNESS	-
	SOLD					// JOF	0.8	1998	1 1	y Dietz
35. LIST OF ATTACHM	ENTS					니				
					וח	V DE DII	CV	ALIMINA & D	ic l	
36. I hereby certify	that the foregoin	g and att	ached inf	ormation	is compl	ete and corre	et as	determined 176m	all available rec	cords
SIGNED H	was Mu	0000-			el mineter	Drill	ing	Enginee	r	7-6-98

Continued.

32. 37,366 gal fluid-Upper 25,641 gal fluid-Middle 34,184 gal fluid-Lower





DIVISION	OF OIL, GAS AND MININ	lG	5. Lease Designation and Serial Number:
			ML - 48205
OUNDBY NOTICES	AND REPORTS ON V	WELLS	6. If Indian, Allottee or Tribe Name:
SUNDRY NOTICES	AND REPORTS ON	TTLLU	N/A
Do not use this form for proposals to drill new wells	doopon existing wells or to reenter plugge	ed and abandoned wells.	7. Unit Agreement Name:
Do not use this form for proposals to drill new wells Use APPLICATION FOR PERMI	TO DRILL OR DEEPEN form for such pro	posals.	UTU67921X Drunkards Wash
OIL EL CACET OTHER			8. Well Name and Number:
1. Type of Well: OIL LI GAS & OTHER.			Utah 06-207
2. Name of Operator:			9. API Well Number:
River Gas Corp	ooration		43-007-30391 10. Field or Pool, or Wildcat:
3. Address and Telephone		· (05.005/	
Number: 1305 South 100	East, Price, UT 84501 (435)) 63 /-88 / 6	Drunkards Wash
4. Location of Well Footages: 825' FNL, 928' FEL			county: Carbon County
QQ, Sec., T., R., M.: NE/NE SEC. 06, T1	5S, R09E, SLB & M		State: Utah
CHECK APPROPRIATE B	OXES TO INDICATE NAT	TURE OF NOTICE, RI	EPORT, OR OTHER DATA
11. CHECK APPROPRIATE D			
NOTICE OF INTE		3	SUBSEQUENT REPORT (Submit Original Form Only)
(Submit in Duplicat		□Abandon *	□New Construction
LIAbaridon =	ew Construction ull or Alter Casing	☐Repair Casing	□Pull or Alter Casing
Likepair Casing		☐Change of Plans	□Reperforate
Donainge of Figure	tecomplete	☐Convert to Injection	□Vent or Flare
Doublett to injection	eperforate ent or Flare	□Fracture Treat or Acidiz	ze □Water Shut-Off
Driacture freat of Acidize		ĎOther Chemical/I	Flush Treatment
Mindiable combination	Vater Shut-Off		
□Other		Date of work completion	10/22/99
Approximate date work will start		Report results of Multiple (COMPLETION OR RECOMPLET	Completions and Recompletions to different reservoirs on WELL ION REPORT AND LOG form.

Please be advised that the above referenced well was chemically treated with 4000 gallons of low Ph fluid and 250 gallons of 7 1/2% HCL on 10/22/99.

RECEIVED

DEC - 6 1999

DIVISION OF OIL, GAS & MINING

13.	
Name & Signature: Rochelle Crabtree Color Color Title: Administrative Assistant - Production Date	11/09/99
Name & Signature: Rochelle Crabtree	
This ages for state use only)	

(This space for state use only)

^{12.} DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

KIVER GAS CURPURATION OPERATOR 511 Energy Center Blvd ADDRESS Northport, Alabama 35476 OPERATOR ACCT. NO. N/1000

ACTION CURRENT NEH API NUMBER WELL NAME WELL LOCATION SPUD EFFECTIVE ENTITY NO. LENTITY NO. CODE 00 SC TP RG COUNTY DATE DATE 12375 4300730390 USA 05-206 9E 6/1/98 15S 11256 NWNW Carbon changed; (Drunkard8 WELL I COMMENTS: 990408 148 155 12376 4300730391 USA 06-207 9E 6/1/98 11256 NENE Carbon LL 2 COMMENTS: 990AD8 entity changed; (Dnunkards 12479 4300730392 USA 19-73 19 15S 10E 6/1/98 11256 SWNE Carbon HELL 3 COMMENTS: 990408 Intity changed; (Drunkards wash w/fer '4-c') CONFIDENTIAL 6/1/98 12411 4300730393 USA 19-222 19. 15S 10E 11256 NWSE Carbon WELL 4 COMMENTS: 990408 entity change 12446 8/1/98 4300730439 Utah 13-92 SESE 14S 9E 11256 Carbon Changed; (Drunkards wash u/ Fer WELL 5 COMMENTS:

ACTION CODES (See instructions on back of form)

A - Establish new entity for new well (single well only)


B - Add new well to existing entity (group or unit well)

C - Re-assign well from one existing entity to another existing entity

D - Re-assign well from one existing entity to a new entity

E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected. (3/89)



Signature

Production Tech.

Phone No.

Title

759-3282

Name and Signature:

STATE OF UTAH DIVISION OF OIL, GAS AND MINING

1594 West North Temple, Suite 1210, PO Box 145801, Salt Lake City, UT 84114-5801

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS	3						
DENNIS PLOWMAN RIVER GAS CORPORATIO	DΝ				OUNT NUMBER: ERIOD (MONT!		9 / 1999
511 ENERGY CENTER BI NORTHPORT, AL 35473	·VD		AMENDED REPORT [(Highlight Changes)				
WELL NAME	Producing	Well	Well	Days		Production Vo	olumes
API Number Entity Location	Zone	Status	Туре	Oper	OIL(BBL)	GAS (MCF)	WATER (BBL)
ROBERTSON 32-127 4300730374 11256 14S 10E 32	FRSD		GW				
## 24-87 UHCA 24-87 4300730375 11256 158 09E 24	L-48189 FRSD		GW		(fr. 4-652967		
WSA 04-216 Hab 04-216 4300730382 11256 155 09E 04	11-48179 FRSD		GW		(fr. 11-501HD)		
USA 5-205 Lyak 5-205 4300730384 11256 155 09E 05	1-48205 FRSD		GW		(fr. 4-652967 (fr. 4-50640) (fr. 4-69451) (fr. 4-69451) (fr. 4-4931)		
	1-48233 FRSD	(1	GW		(G. WW-51584)		
4300730387 11256 14S 09E 33	1178 FRSD		GW		(fr. 4-49931)		
USA 33-203 What 33-203 4300730388 11256 145 09E 33 M			GW		(fr. 4-49931) (fr. 4-69451) (fr. 4-69451)	: :	
	1. 48205		GW		(fr. U-69451)		
158 06-207 以上 06-207 4300730391 11256 155 09E 06 W	(4820S		GW		(fr. U-69451)		
USA 19-73 4300730392 11256 155 10E 19	FRSD		GW				
USA 19-222 4300730393 11256 155 10E 19	FRSD		GW				
4300730395 11256 14S 09E 27	11-48132 FRSD		GW		(fr. U-53872) (fr. U-53872)		
4300730396 11256 145 09E 28 V	48182 N FRSD		GW		(fr. 4-53872)		
COMMENTS :			r	OTALS			
COMMENTS:							
	 			···			


Telephone Number:



1305 South 100 East Price, Utah 84501-9637 (435) 637-8876 (435) 637-8924

RGC

: <u>To: /</u>	isha Cordova	From:	Don H	omilton
Fax:	1-801- 359-3940	Pages:	2	•
Phone:		Date:	3- z	- 99
Re: //pa	ated Land Swap Lease	cc:		
Urgent	in `	FYI	Please Reply	Please Recycle



From the Desk of
Don S. Hamilton -
Permit Specialist

FEDERAL LEASES INVOLVED IN THE TRANSFER FROM FED, TO STATE

UTU#16172 - NEW ML#48174 - RGO L#UT001-095 UTU#49631 - NEW ML#48177 - RGC L#UT001-007FO UTU#49931 - NEW ML#48178 - RGC L#UT001-026FO UTU#50846 - NEW ML#48179 - RGC L#UT001-030FO UTU#50941 - NEW ML#48180 - RGC L#UT001-039FO UTU#51584 - NEW ML#48181 - RGC L#UT001-099FO UTU#53872 - NEW ML#48182 - RGC L#UT001-135FO


UTU#60925 - NEW ML#48185 - RGC L#UT001-062AFO - 40.00 ACRES TRANSFERRED UTU#60925 - NO NEW ML# - RGC L#UT001-062FO - 40.00 ACRES REMAIN

UTU#81154 - NEW ML#48186 - RGC L#UTG01-071AFO - 640.00 AGRES TRANSFERRED UTU#81154 - NO NEW ML# - RGC L#UT001-071FO - 4189.08 ACRES REMAIN

UTU#61155 - NEW ML#48187 - RGC L#UT001-070AFO - 632.58 ACRES TRANSFERRED UTU#61155 - NO NEW ML# - RGC L#UT001-070FO - 1739.64 ACRES REMAIN

UTU#81156 - NEW ML#48188 - RGC L#UT001-073FO UTU#62623 - NEW ML#48189 - RGC L#UT01-0108FO UTU#65298 - NEW ML#48189 - RGC L#UT01-0124FO UTU#65297 - NEW ML#48197 - RGC L#UT01-0125FO UTU#65301 - NEW ML#48198 - RGC L#UT01-0128FQ UTU#65946 - NEW ML#48200 - RGC L#UT01-0133FO UTU#68543 - NEW ML#48203 - RGC L#UT001-0022 UTU#69450 - NEW ML#48204 - RGC L#UTD01-0028 UTU#69451 - NEW ML#48205 - RGC L#UT001-070 UTU#69452 - NEW ML#48206 - RGC L#UT001-0029 UTU#89453 - NEW ML#48207 - RGC L#UT001-0030 UTU#69454 - NEW ML#48208 - RGC L#UT001-071 UTU#72005 - NEW ML#48236 - RGC L#UT001-0230 UTU#72351 - NEW ML#48213 - RGC L#UT001-036 UTU#72378 - NEW ML#48215 - RGC L#UT001-041 UTU#72820 - NEW ML#48217 - RGC L#UT001-077 UTU#72624 - NEW ML#46219 - RGC L#UT001-076 UTU#72625 - NEW ML#48220 - RGC L#UT001-079 UTU#73003 - NEW ML#48222 - RGC L#UT001-093 UTU#73657 - NEW ML#48225 - RGC L#UT001-0201 UTU#73876 - NEW ML#48227 - RGC L#UT001-0152 UTU#75017 - NEW ML#48231 - RGC L#UT01-0124AFO

UTU#76333 - NEW ML#48233 - RGC L#UT001-0032A UTU#77350 - NEW ML#48234 - RGC L#UT01-0125AFO UTU#77352 - NEW ML#48235 - RGC L#UT001-093A





RIVER GAS CORPORATION

UTAH OPERATIONS 1305 South 100 East Price, Utah 84501 Bus. (435) 637-8876 FAX (435) 637-8924

November 9, 1999

STATE OF UTAH Division of Oil, Gas, & Mining 1594 West North Temple, Suite 1210 P.O. Box 145801 Salt Lake City, Utah 84114-5801

ATTN: Lisha Cordova

RE: AMENDMENTS TO WELL NAMES AND LEASES

helle Galetto

Enclosed you will find your Monthly Oil & Gas Production Report with the Well Name and Lease changes. In looking over your spreadsheet I found several that haven't been changed over to reflect the legal standing, in accordance with the land swap.

At this time, I would like to request that these changes be put into effect as soon as you and your staff can make them. Thank you for bringing this matter to our attention. If there should be further questions, please feel free to contact our office at the number provided.

Sincerely,

Rochelle Crabtree

Administrative Assistant - Production

NOV 1 2 1999
DIV. OF UIL, GAS & MINING

ORIGINAL

D.V.	ACTOR OF OIL CAS AND MINE	NG.	· •
DIV	/ISION OF OIL, GAS AND MIN		5. Lease Designation and Serial Number:
			ML - 48205
CUNDBY NOT	ICES AND REPORTS ON	WELLS	6. If Indian, Allottee or Tribe Name:
SUNDKT NOT	ICES AND REPORTS ON	VVLLLO	N/A
	n e tota e et e e e tota e e e e e e e e e e e e e e e e e e e		7. Unit Agreement Name:
Do not use this form for proposals to dri	il new wells, deepen existing wells, or to reenter plug OR PERMIT TO DRILL OR DEEPEN form for such pr	ged and apandoned wells. oposals.	UTU67921X Drunkards Wash
011 57 040 57 0	· · · · · · · · · · · · · · · · · · ·	·	8. Well Name and Number:
Type of Well: OIL GAS 🔯 O	IHER:		Utah 06-207
. Name of Operator:			9. API Well Number:
•	as Corporation		43-007-30391
	as corporation		10. Field or Pool, or Wildcat:
i. Address and Telephone lumber: 1305 Sot	th 100 East, Price, UT 84501 (435	5) 637-8876	Drunkards Wash
. Location of Well			
Footages: 825' FNL, 92	8' FEL		county: Carbon County
QQ, Sec., T., R., M.: NE/NE SEC.	06, T15S, R09E, SLB & M		State: Utah
1. CHECK APPROPRI	ATE BOXES TO INDICATE NA	TURE OF NOTICE, RI	EPORT, OR OTHER DATA
NOTICE (OF INTENT	s	SUBSEQUENT REPORT
(Submit in	n Duplicate)	ļ	(Submit Original Form Only)
□Abandon	□New Construction	□Abandon *	□New Construction
□Repair Casing	☐Pull or Alter Casing	☐Repair Casing	□Pull or Alter Casing
□Change of Plans	□Recomplete	☐Change of Plans	□Reperforate
□Convert to Injection	□Reperforate	☐Convert to Injection	□Vent or Flare
□Fracture Treat or Acidize	□Vent or Flare	□Fracture Treat or Acidiz	e 🗆 Water Shut-Off
☐Multiple Completion	□Water Shut-Off	HOther Chemical/F	lush Treatment
Other			
HOttlet		Date of work completion	10/22/99
Approximate date work will start		Report results of Multiple C COMPLETION OR RECOMPLETI	ompletions and Recompletions to different reservoirs on WELL ON REPORT AND LOG form.

Please be advised that the above referenced well was chemically treated with 4000 gallons of low Ph fluid and 250 gallons of 7 1/2% HCL on 10/22/99.

RECEIVED

DEC 1 7 1999

DIVISION OF OIL, GAS & MINING

Name & Signature: Rochelle Crabtree

(This space for state use only)

wind

^{12.} DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)



ORIGINAL

SUNDRY NOTICES AN	OIL, GAS AND MINING D REPORTS ON WELLS	Lease Designation and Serial Number: ML - 48205 If Indian, Allottee or Tribe Name:
Do not use this form for proposals to drill new wells, deep	D REPORTS ON WELLS	ML - 48205 6. If Indian, Allottee or Tribe Name:
Do not use this form for proposals to drill new wells, deep	D REPORTS ON WELLS	6. If Indian, Allottee or Tribe Name:
Do not use this form for proposals to drill new wells, deep	D REPORTS ON WELLS	
Do not use this form for proposals to drill new wells, deep		N/A
Do not use this form for proposals to drill new wells, deep	on eviating walls, or to reenter plugged and abandoned wells.	7. Unit Agreement Name:
Use APPLICATION FOR PERMIT TO D	ORILL OR DEEPEN form for such proposals.	UTU67921X Drunkards Wash
1. Type of Well: OIL GAS X OTHER:		8. Well Name and Number:
		Utah 06-207
2. Name of Operator:	ion.	43-007-30391
River Gas Corporat	IOII	10. Field or Pool, or Wildcat:
3. Address and Telephone Number: 1305 South 100 Eas	t, Price, UT 84501 (435) 637-8876	Drunkards Wash
4. Location of Well Footages: 825' FNL, 928' FEL		county: Carbon County
QQ, Sec., T., R., M.: NE/NE SEC.06, T15S, R	09E, SLB & M	State: Utah
11. CHECK APPROPRIATE BOX	ES TO INDICATE NATURE OF NOTIC	CE, REPORT, OR OTHER DATA
NOTICE OF INTENT		SUBSEQUENT REPORT (Submit Original Form Only)
(Submit in Duplicate)	onstruction □Abandon *	□New Construction
LIADARIOON	Alter Casing Repair Casing	□Pull or Alter Casing
Littopail Odollig		□Reperforate
	ipioto	
□Convert to Injection □Reper □Fracture Treat or Acidize □Vent or	r Flare □Fracture Treat o	r Acidize □Water Shut-Off
Li lactule ficat di Atoldizo	Shut-Off Dother Chen	nical/Flush Treatment
☐Multiple Completion ☐Water☐Other		
	Date of Mark comp	oletion11/19/99
Approximate date work will start	Report results of I COMPLETION OR REC	Multiple Completions and Recompletións to different reservoirs on WELL OMPLETION REPORT AND LOG form.

Please be advised that the above referenced well was chemically treated with 4000 gallons of low Ph fluid and 250 gallons of 7 1/2% HCL on 11/19/99.

RECEIVED

JAN n 4 7000

DIVISION OF OIL, GAS & MINING

13.							
		Λ .	A				
	Rochelle Crabtree	(100000)	11005100	Title	Administrative Assistant - Production	Date:	12/14/99
Name & Signature:	Rochelle Crabtree	1 House	and all	Title.			

(This space for state use only)



ORIGINAL

D 1) //	CLOST OF OH CAC AND MINIT	NC .	
ואוט	SION OF OIL, GAS AND MINI	NG	5. Lease Designation and Serial Number:
			ML - 48205
SUNDRY NOTE	CES AND REPORTS ON	WELLS	6. If Indian, Allottee or Tribe Name:
OUNDIN NOTICE	DEG AND NEI GIVIO GIV		N/A
Do not use this form for proposals to drill	new wells, deepen existing wells, or to reenter plug	ged and abandoned weils.	7. Unit Agreement Name:
Use APPLICATION FOI	R PERMIT TO DRILL OR DEEPEN form for such pr	oposals.	UTU67921X Drunkards Wash
1. Type of Well: OIL ☐ GAS Ø OT	HER:		8. Well Name and Number:
Type of Well.			Utah 06-207
2. Name of Operator:			9. API Well Number:
River Ga	s Corporation		43-007-30391
3. Address and Telephone	,	•	10. Field or Pool, or Wildcat:
Number: 1305 Sout	h 100 East, Price, UT 84501 (435	5) 637-8876	Drunkards Wash
4. Location of Well			County: Carbon County
Footages: 825' FNL, 928	' FEL .		County: Carbon County
	5, T15S, R09E, SLB & M		State: Utah
CHECK APPROPRIA	TE BOXES TO INDICATE NA	TURE OF NOTICE, RI	EPORT, OR OTHER DATA
NOTICE O	FINTENT	S	SUBSEQUENT REPORT
(Submit in	Duplicate)		(Submit Original Form Only)
□Abandon	□New Construction	□Abandon *	□New Construction
□Repair Casing	□Pull or Alter Casing	☐Repair Casing	□Pull or Alter Casing
□Change of Plans	□Recomplete	☐Change of Plans	□Reperforate
□Convert to Injection	□Reperforate	☐Convert to Injection	□Vent or Flare
□Fracture Treat or Acidize	□Vent or Flare	□Fracture Treat or Acidiz	
☐Multiple Completion	□Water Shut-Off	HOther Chemical/F	lush Treatment
□Other			11/10/00
		Date of work completion	
Approximate date work will start		Report results of Multiple C COMPLETION OR RECOMPLETI	completions and Recompletions to different reservoirs on WELL ION REPORT AND LOG form.
		<u> </u>	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Please be advised that the above referenced well was chemically treated with 4000 gallons of low Ph fluid and 250 gallons of 7 1/2% HCL on 11/19/99.

Name & Signature: Rochelle Crabtree Rochelle Cabttel

Administrative Assistant - Production Date: 12/14/99

(This space for state use only)

DIVISION OF OIL, GAS & MINING W

FORM 9 STATE OF UTAH		
DIVISION OF OIL, GAS AND MININ	NG -	5 Lease Designation and Serial Number:
SUNDRY NOTICES AND REPORTS ON	WELLS	6 If Indian, Allottee or Tribe Name:
Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugg Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such pro		7 Unit Agreement Name:
Type of Well: OIL 🗆 GAS 🖾 OTHER:		8 Well Name and Number:
Name of Operator: River Gas Corporation		9 API Well Number:
3 Address and felephone Number: 6825 S. 5300 W. P.O. Box 851 Price, Utah 84501 (4)	35) 613-9777	10 Field or Pool, or Wildcat:
Location of Well Footages: QQ, Sec , T , R , M : SLB & M		County: Carbon County State: Utah
1 CHECK APPROPRIATE BOXES TO INDICATE NA	TURE OF NOTICE, RI	EPORT, OR OTHER DATA
NOTICE OF INTENT (Submit in Duplicate) Abandon	☐ Abandon * ☐ Repair Casing ☐ Change of Plans ☐ Convert to Injection ☐ Fracture Treat or Acid ☐ Other ☐ Date of work completion	completions and Recompletions to different reservoirs on WELL ION REPORT AND LOG form
Please be advised that River Gas Corporation is transferring of Company 9780 Mt. Pyramid Court, Englewood, CO 80112. Please direct all correspondence and reports to: Phillips Petrol 3368. Effective 1/1/01	wnership of the attached	list of wells to Phillips Petroleum

Calborth 13 Tille: Development Manager Name & Signature: Cal Hurtt

(This space for state use only)

Drunkards Wash Total Well Count

(Through 2000 Drilling Season)

Well #	API#	Location	Section	Tship	Range
Utah 25-09-01	4300730130	1683 FSL, 877 FEL	25	14S	09E
Utah 36-01-02	4300730178	600 FNL, 620 FEL	36	14S	09E
Utah 31-03-03	4300730143	740 FNL, 1780 FWL	31	14S	10E
Utah 36-03-04	4300730142	822 FNL, 2176 FWL	36	14S	09E
Utah 36-09-05	4300730144	2050 FSL, 700 FEL	36	14S	09E
Utah 25-07-06	4300730156	2599 FNL, 1902 FEL	25	14S	09E
Utah 25-11-07	4300730157	1718 FSL, 2210 FWL	25	14S	09E
Utah 26-16-08	4300730181	800 FSL, 750 FEL	26	14S	09E
Utah 35-01-09	4300730180	650 FNL, 850 FEL	35	14S	09E
Utah 31-12-10	4300730183	1995 FSL, 745 FWL	31	14S	10E
Utah 36-11-11	4300730184	1837 FSL, 1903 FWL	36	14S	09E
Utah 19-14-12	4300730182	860 FSL, 1780 FWL	19	14S	10E
Utah 30-05-13	4300730179	1493 FNL, 728 FWL	30	148	10E
Utah 30-13-14	4300730185	612 FSL, 670 FWL	30	148	10E
Utah 24-01-15	4300730191	1320 FNL, 1320 FEL	24	14S	09E
Utah 24-03-16	4300730187	1310 FNL, 1525 FWL	24	14S	09E
Utah 24-12-17	4300730208	1320 FSL, 1320 FWL	24	14S	09E
Utah 24-16-18	4300730192	482 FSL, 940 FEL	24	14S	09E
Utah 23-02-19	4300730207	963 FNL, 1470 FEL	23	14S	09E
Utah 23-04-20	4300730194	1291 FNL, 1257 FWL	23	14S	09E
Utah 23-14-21	4300730200	739 FSL, 1716 FWL	23	14S	09E
Utah 23-09-22	4300730201	1320 FSL, 1320 FEL	23	14S	09E
Utah 26-01-23	4300730205	1320 FNL, 1320 FEL	26	14S	09E
Utah 26-06-24	4300730202	1480 FNL, 2000 FWL	26	14S	09E
Utah 26-11-25	4300730204	1500 FSL, 1500 FWL	26	14S	09E
Utah 35-03-26	4300730203	1085 FNL, 1805 FWL	35	14S	09E
Utah 35-10-27	4300730197	2567 FSL, 2151 FEL	35	14S	09E
Utah 35-13-28	4300730198	1236 FSL, 1152 FWL	35	14S	09E
Utah 27-08-29	4300730193	2134 FNL, 753 FEL	27	14S	09E
Utah 27-09-30	4300730186	1359 FSL, 707 FEL	27	148	09E
Utah 34-01-31	4300730196	464 FNL, 540 FEL	34	14S	09E
Utah 34-09-32	4300730195	1938 FSL, 435 FEL	34	148	09E
Utah 25-04-33	4300730206	920 FNL, 780 FWL	25	14S	09E
Prettyman 10-15-34	4300730211	842 FSL, 1419 FEL	10	14S	09E
Utah 10-36	4300730302	1213 FNL, 469 FEL	10	15S	09E
Utah 12-15-37	4300730210	1158 FSL, 1494 FEL	12	15S	09E
Utah 06-38	4300730217	899 FNL, 1730 FEL	6	15S	10E
Utah 06-39	4300730218	934 FNL, 819 FWL	6	15S	10E
Utah 06-40	4300730219	2180 FSL, 1780 FEL	6	15S	10E
Utah 06-41	4300730254	2124 FSL, 1054 FWL	6	15S	10E
Utah 01-42	4300730220	860 FNL, 1780 FEL	1	15S	09E
Utah 01-43	4300730221	808 FNL, 1451 FWL	1	15S	09E
Utah 01-44	4300730222	860 FSL, 1320 FWL	1	15S	09E
Utah 01-45	4300730223	1219 FSL, 1318 FEL	1	15S	09E
Utah 02-46	4300730224	860 FNL, 860 FEL	2	15S	09E

Utah 02-47 4300730225 1318 FNL, 1791 FWL 2 15S Utah 02-48 4300730226 1780 FSL, 860 FEL 2 15S Utah 02-49 4300730227 1320 FSL, 2080 FWL 2 15S Utah 11-50 4300730228 860 FNL, 860 FEL 11 15S Utah 11-51 4300730229 1000 FNL, 1900 FWL 11 15S Utah 11-52 4300730230 1400 FSL, 1100 FEL 11 15S Utah 11-53 4300730231 1780 FSL, 1800 FWL 11 15S Utah 12-54 4300730232 875 FNL, 1015 FWL 12 15S Utah 12-55 4300730233 1500 FNL, 1320 FWL 12 15S Utah 12-56 4300730234 1500 FSL, 1320 FWL 12 15S Utah 07-57 4300730235 1421 FNL, 1003 FWL 7 15S Utah 07-58 4300730236 1495 FNL, 2006 FEL 7 15S Utah 07-60 4300730237 1400 FSL, 2100 FEL 7 15S Utah 14-61 4300730249 9	09E 09E 09E 09E 09E 09E 09E 09E 10E 10E 10E 10E 10E 09E 09E 09E
Utah 02-49 4300730227 1320 FSL, 2080 FWL 2 15S Utah 11-50 4300730228 860 FNL, 860 FEL 11 15S Utah 11-51 4300730229 1000 FNL, 1900 FWL 11 15S Utah 11-52 4300730230 1400 FSL, 1100 FEL 11 15S Utah 12-53 4300730231 1780 FSL, 1800 FWL 11 15S Utah 12-54 4300730232 875 FNL, 1015 FWL 12 15S Utah 12-55 4300730233 1500 FNL, 1320 FEL 12 15S Utah 12-56 4300730234 1500 FSL, 1320 FWL 12 15S Utah 07-57 4300730235 1421 FNL, 1003 FWL 7 15S Utah 07-58 4300730236 1495 FNL, 2006 FEL 7 15S Utah 07-60 4300730237 1400 FSL, 2100 FEL 7 15S Utah 14-61 4300730239 1386 FNL, 931 FEL 14 15S Utah 14-62 4300730240 980 FNL, 1385 FWL 14 15S Utah 14-63 4300730241	09E 09E 09E 09E 09E 09E 09E 10E 10E 10E 10E 10E 09E 09E 09E
Utah 11-50 4300730228 860 FNL, 860 FEL 11 15S Utah 11-51 4300730229 1000 FNL, 1900 FWL 11 15S Utah 11-52 4300730230 1400 FSL, 1100 FEL 11 15S Utah 11-53 4300730231 1780 FSL, 1800 FWL 11 15S Utah 12-54 4300730232 875 FNL, 1015 FWL 12 15S Utah 12-55 4300730233 1500 FNL, 1320 FEL 12 15S Utah 12-56 4300730234 1500 FSL, 1320 FWL 12 15S Utah 07-57 4300730235 1421 FNL, 1003 FWL 7 15S Utah 07-58 4300730236 1495 FNL, 2006 FEL 7 15S Utah 07-69 4300730237 1400 FSL, 2100 FEL 7 15S Utah 14-61 4300730238 954 FSL, 1256 FWL 7 15S Utah 14-62 4300730240 980 FNL, 1385 FWL 14 15S Utah 14-63 4300730241 1780 FSL, 1320 FEL 14 15S Utah 13-66 4300730243	09E 09E 09E 09E 09E 09E 10E 10E 10E 10E 09E 09E 09E 09E
Utah 11-51 4300730229 1000 FNL, 1900 FWL 11 15S Utah 11-52 4300730230 1400 FSL, 1100 FEL 11 15S Utah 11-53 4300730231 1780 FSL, 1800 FWL 11 15S Utah 12-54 4300730232 875 FNL, 1015 FWL 12 15S Utah 12-55 4300730233 1500 FNL, 1320 FWL 12 15S Utah 12-56 4300730234 1500 FSL, 1320 FWL 12 15S Utah 07-57 4300730235 1421 FNL, 1003 FWL 7 15S Utah 07-58 4300730236 1495 FNL, 2006 FEL 7 15S Utah 07-59 4300730237 1400 FSL, 2100 FEL 7 15S Utah 07-60 4300730238 954 FSL, 1256 FWL 7 15S Utah 14-61 4300730240 980 FNL, 335 FWL 14 15S Utah 14-62 4300730241 1780 FSL, 1320 FEL 14 15S Utah 14-63 4300730242 907 FSL, 1320 FWL 14 15S Utah 13-66 4300730244	09E 09E 09E 09E 09E 09E 10E 10E 10E 10E 09E 09E 09E 09E
Utah 11-52 4300730230 1400 FSL, 1100 FEL 11 15S Utah 11-53 4300730231 1780 FSL, 1800 FWL 11 15S Utah 12-54 4300730232 875 FNL, 1015 FWL 12 15S Utah 12-55 4300730233 1500 FNL, 1320 FEL 12 15S Utah 12-56 4300730234 1500 FSL, 1320 FWL 12 15S Utah 07-57 4300730235 1421 FNL, 1003 FWL 7 15S Utah 07-58 4300730236 1495 FNL, 2006 FEL 7 15S Utah 07-59 4300730237 1400 FSL, 2100 FEL 7 15S Utah 07-60 4300730238 954 FSL, 1256 FWL 7 15S Utah 14-61 4300730239 1386 FNL, 931 FEL 14 15S Utah 14-62 4300730240 980 FNL, 1385 FWL 14 15S Utah 14-63 4300730241 1780 FSL, 1320 FEL 14 15S Utah 13-65 4300730243 1320 FNL, 1200 FEL 13 15S Utah 13-66 4300730244 <td< td=""><td>09E 09E 09E 09E 09E 10E 10E 10E 10E 09E 09E 09E 09E</td></td<>	09E 09E 09E 09E 09E 10E 10E 10E 10E 09E 09E 09E 09E
Utah 11-53 4300730231 1780 FSL, 1800 FWL 11 15S Utah 12-54 4300730232 875 FNL, 1015 FWL 12 15S Utah 12-55 4300730233 1500 FNL, 1320 FEL 12 15S Utah 12-56 4300730234 1500 FSL, 1320 FWL 12 15S Utah 07-57 4300730235 1421 FNL, 1003 FWL 7 15S Utah 07-58 4300730236 1495 FNL, 2006 FEL 7 15S Utah 07-59 4300730237 1400 FSL, 2100 FEL 7 15S Utah 07-60 4300730238 954 FSL, 1256 FWL 7 15S Utah 14-61 4300730239 1386 FNL, 931 FEL 14 15S Utah 14-62 4300730240 980 FNL, 1385 FWL 14 15S Utah 14-63 4300730241 1780 FSL, 1320 FEL 14 15S Utah 13-65 4300730242 907 FSL, 1392 FWL 14 15S Utah 13-66 4300730243 1320 FNL, 1200 FEL 13 15S Utah 13-67 4300730245	09E 09E 09E 09E 10E 10E 10E 10E 09E 09E 09E 09E
Utah 12-54 4300730232 875 FNL, 1015 FWL 12 15S Utah 12-55 4300730233 1500 FNL, 1320 FEL 12 15S Utah 12-56 4300730234 1500 FSL, 1320 FWL 12 15S Utah 07-57 4300730235 1421 FNL, 1003 FWL 7 15S Utah 07-58 4300730236 1495 FNL, 2006 FEL 7 15S Utah 07-59 4300730237 1400 FSL, 2100 FEL 7 15S Utah 07-60 4300730238 954 FSL, 1256 FWL 7 15S Utah 14-61 4300730239 1386 FNL, 931 FEL 14 15S Utah 14-62 4300730240 980 FNL, 1385 FWL 14 15S Utah 14-63 4300730241 1780 FSL, 1320 FEL 14 15S Utah 13-65 4300730242 907 FSL, 1392 FWL 14 15S Utah 13-66 4300730244 1276 FNL, 1301 FWL 13 15S Utah 13-67 4300730245 1800 FSL, 1500 FEL 13 15S Utah 13-68 4300730246	09E 09E 09E 10E 10E 10E 10E 09E 09E 09E 09E
Utah 12-55 4300730233 1500 FNL, 1320 FEL 12 15S Utah 12-56 4300730234 1500 FSL, 1320 FWL 12 15S Utah 07-57 4300730235 1421 FNL, 1003 FWL 7 15S Utah 07-58 4300730236 1495 FNL, 2006 FEL 7 15S Utah 07-59 4300730237 1400 FSL, 2100 FEL 7 15S Utah 07-60 4300730238 954 FSL, 1256 FWL 7 15S Utah 14-61 4300730239 1386 FNL, 931 FEL 14 15S Utah 14-62 4300730240 980 FNL, 1385 FWL 14 15S Utah 14-63 4300730241 1780 FSL, 1320 FEL 14 15S Utah 14-64 4300730242 907 FSL, 1392 FWL 14 15S Utah 13-65 4300730243 1320 FNL, 1200 FEL 13 15S Utah 13-66 4300730244 1276 FNL, 1301 FWL 13 15S Utah 13-68 4300730246 1320 FSL, 1500 FEL 13 15S Utah 18-69 4300730248 <td< td=""><td>09E 09E 10E 10E 10E 10E 09E 09E 09E 09E</td></td<>	09E 09E 10E 10E 10E 10E 09E 09E 09E 09E
Utah 12-56 4300730234 1500 FSL, 1320 FWL 12 15S Utah 07-57 4300730235 1421 FNL, 1003 FWL 7 15S Utah 07-58 4300730236 1495 FNL, 2006 FEL 7 15S Utah 07-59 4300730237 1400 FSL, 2100 FEL 7 15S Utah 07-60 4300730238 954 FSL, 1256 FWL 7 15S Utah 14-61 4300730239 1386 FNL, 931 FEL 14 15S Utah 14-62 4300730240 980 FNL, 1385 FWL 14 15S Utah 14-63 4300730241 1780 FSL, 1320 FEL 14 15S Utah 13-65 4300730242 907 FSL, 1392 FWL 14 15S Utah 13-66 4300730243 1320 FNL, 1200 FEL 13 15S Utah 13-67 4300730244 1276 FNL, 1301 FWL 13 15S Utah 13-68 4300730245 1800 FSL, 1500 FEL 13 15S Utah 18-69 4300730246 1320 FNL, 1320 FWL 18 15S Utah 18-70 4300730248 <td< td=""><td>09E 10E 10E 10E 10E 09E 09E 09E 09E 09E</td></td<>	09E 10E 10E 10E 10E 09E 09E 09E 09E 09E
Utah 07-57 4300730235 1421 FNL, 1003 FWL 7 15S Utah 07-58 4300730236 1495 FNL, 2006 FEL 7 15S Utah 07-59 4300730237 1400 FSL, 2100 FEL 7 15S Utah 07-60 4300730238 954 FSL, 1256 FWL 7 15S Utah 14-61 4300730239 1386 FNL, 931 FEL 14 15S Utah 14-62 4300730240 980 FNL, 1385 FWL 14 15S Utah 14-63 4300730241 1780 FSL, 1320 FEL 14 15S Utah 14-64 4300730242 907 FSL, 1392 FWL 14 15S Utah 13-65 4300730243 1320 FNL, 1200 FEL 13 15S Utah 13-66 4300730244 1276 FNL, 1301 FWL 13 15S Utah 13-68 4300730245 1800 FSL, 1500 FEL 13 15S Utah 18-69 4300730246 1320 FNL, 1320 FWL 18 15S Utah 18-70 4300730248 1110 FNL, 2127 FEL 18 15S	10E 10E 10E 10E 09E 09E 09E 09E 09E
Utah 07-58 4300730236 1495 FNL, 2006 FEL 7 15S Utah 07-59 4300730237 1400 FSL, 2100 FEL 7 15S Utah 07-60 4300730238 954 FSL, 1256 FWL 7 15S Utah 14-61 4300730239 1386 FNL, 931 FEL 14 15S Utah 14-62 4300730240 980 FNL, 1385 FWL 14 15S Utah 14-63 4300730241 1780 FSL, 1320 FEL 14 15S Utah 14-64 4300730242 907 FSL, 1392 FWL 14 15S Utah 13-65 4300730243 1320 FNL, 1200 FEL 13 15S Utah 13-66 4300730244 1276 FNL, 1301 FWL 13 15S Utah 13-67 4300730245 1800 FSL, 1500 FEL 13 15S Utah 13-68 4300730246 1320 FNL, 1320 FWL 13 15S Utah 18-69 4300730248 1110 FNL, 2127 FEL 18 15S	10E 10E 10E 09E 09E 09E 09E 09E
Utah 07-59 4300730237 1400 FSL, 2100 FEL 7 15S Utah 07-60 4300730238 954 FSL, 1256 FWL 7 15S Utah 14-61 4300730239 1386 FNL, 931 FEL 14 15S Utah 14-62 4300730240 980 FNL, 1385 FWL 14 15S Utah 14-63 4300730241 1780 FSL, 1320 FEL 14 15S Utah 14-64 4300730242 907 FSL, 1392 FWL 14 15S Utah 13-65 4300730243 1320 FNL, 1200 FEL 13 15S Utah 13-66 4300730244 1276 FNL, 1301 FWL 13 15S Utah 13-67 4300730245 1800 FSL, 1500 FEL 13 15S Utah 13-68 4300730246 1320 FNL, 1320 FWL 13 15S Utah 18-69 4300730248 1110 FNL, 2127 FEL 18 15S	10E 10E 09E 09E 09E 09E 09E
Utah 07-60 4300730238 954 FSL, 1256 FWL 7 15S Utah 14-61 4300730239 1386 FNL, 931 FEL 14 15S Utah 14-62 4300730240 980 FNL, 1385 FWL 14 15S Utah 14-63 4300730241 1780 FSL, 1320 FEL 14 15S Utah 14-64 4300730242 907 FSL, 1392 FWL 14 15S Utah 13-65 4300730243 1320 FNL, 1200 FEL 13 15S Utah 13-66 4300730244 1276 FNL, 1301 FWL 13 15S Utah 13-67 4300730245 1800 FSL, 1500 FEL 13 15S Utah 13-68 4300730246 1320 FSL, 1320 FWL 13 15S Utah 18-69 4300730248 1110 FNL, 2127 FEL 18 15S	10E 09E 09E 09E 09E 09E
Utah 14-61 4300730239 1386 FNL, 931 FEL 14 15S Utah 14-62 4300730240 980 FNL, 1385 FWL 14 15S Utah 14-63 4300730241 1780 FSL, 1320 FEL 14 15S Utah 14-64 4300730242 907 FSL, 1392 FWL 14 15S Utah 13-65 4300730243 1320 FNL, 1200 FEL 13 15S Utah 13-66 4300730244 1276 FNL, 1301 FWL 13 15S Utah 13-67 4300730245 1800 FSL, 1500 FEL 13 15S Utah 13-68 4300730246 1320 FSL, 1320 FWL 13 15S Utah 18-69 4300730248 1110 FNL, 2127 FEL 18 15S	09E 09E 09E 09E 09E
Utah 14-62 4300730240 980 FNL, 1385 FWL 14 15S Utah 14-63 4300730241 1780 FSL, 1320 FEL 14 15S Utah 14-64 4300730242 907 FSL, 1392 FWL 14 15S Utah 13-65 4300730243 1320 FNL, 1200 FEL 13 15S Utah 13-66 4300730244 1276 FNL, 1301 FWL 13 15S Utah 13-67 4300730245 1800 FSL, 1500 FEL 13 15S Utah 13-68 4300730246 1320 FSL, 1320 FWL 13 15S Utah 18-69 4300730427 1320 FNL, 1320 FWL 18 15S Utah 18-70 4300730248 1110 FNL, 2127 FEL 18 15S	09E 09E 09E 09E
Utah 14-63 4300730241 1780 FSL, 1320 FEL 14 15S Utah 14-64 4300730242 907 FSL, 1392 FWL 14 15S Utah 13-65 4300730243 1320 FNL, 1200 FEL 13 15S Utah 13-66 4300730244 1276 FNL, 1301 FWL 13 15S Utah 13-67 4300730245 1800 FSL, 1500 FEL 13 15S Utah 13-68 4300730246 1320 FSL, 1320 FWL 13 15S Utah 18-69 4300730427 1320 FNL, 1320 FWL 18 15S Utah 18-70 4300730248 1110 FNL, 2127 FEL 18 15S	09E 09E 09E
Utah 14-64 4300730242 907 FSL, 1392 FWL 14 15S Utah 13-65 4300730243 1320 FNL, 1200 FEL 13 15S Utah 13-66 4300730244 1276 FNL, 1301 FWL 13 15S Utah 13-67 4300730245 1800 FSL, 1500 FEL 13 15S Utah 13-68 4300730246 1320 FSL, 1320 FWL 13 15S Utah 18-69 4300730427 1320 FNL, 1320 FWL 18 15S Utah 18-70 4300730248 1110 FNL, 2127 FEL 18 15S	09E 09E
Utah 13-65 4300730243 1320 FNL, 1200 FEL 13 15S Utah 13-66 4300730244 1276 FNL, 1301 FWL 13 15S Utah 13-67 4300730245 1800 FSL, 1500 FEL 13 15S Utah 13-68 4300730246 1320 FSL, 1320 FWL 13 15S Utah 18-69 4300730427 1320 FNL, 1320 FWL 18 15S Utah 18-70 4300730248 1110 FNL, 2127 FEL 18 15S	09E
Utah 13-66 4300730244 1276 FNL, 1301 FWL 13 15S Utah 13-67 4300730245 1800 FSL, 1500 FEL 13 15S Utah 13-68 4300730246 1320 FSL, 1320 FWL 13 15S Utah 18-69 4300730427 1320 FNL, 1320 FWL 18 15S Utah 18-70 4300730248 1110 FNL, 2127 FEL 18 15S	
Utah 13-67 4300730245 1800 FSL, 1500 FEL 13 15S Utah 13-68 4300730246 1320 FSL, 1320 FWL 13 15S Utah 18-69 4300730427 1320 FNL, 1320 FWL 18 15S Utah 18-70 4300730248 1110 FNL, 2127 FEL 18 15S	N9F
Utah 13-67 4300730245 1800 FSL, 1500 FEL 13 15S Utah 13-68 4300730246 1320 FSL, 1320 FWL 13 15S Utah 18-69 4300730427 1320 FNL, 1320 FWL 18 15S Utah 18-70 4300730248 1110 FNL, 2127 FEL 18 15S	1 00-
Utah 13-68 4300730246 1320 FSL, 1320 FWL 13 15S Utah 18-69 4300730427 1320 FNL, 1320 FWL 18 15S Utah 18-70 4300730248 1110 FNL, 2127 FEL 18 15S	09E
Utah 18-70 4300730248 1110 FNL, 2127 FEL 18 15S	09E
Utah 18-70 4300730248 1110 FNL, 2127 FEL 18 15S	10E
	10E
	10E
Utah 18-72 4300730250 2100 FSL, 1100 FWL 18 15S	10E
USA 19-73 4300730392 1664 FNL, 1412 FEL 19 15S	10E
Utah 14-74 4300730529 1365 FSL, 1988 FEL 14 14S	09E
Utah 14-75 4300730263 1036 FSL, 1622 FWL 14 14S	09E
Utah 22-76 4300730251 1320 FNL, 660 FEL 22 14S	09E
Utah 19-77 4300730252 1780 FSL, 660 FWL 19 14S	10E
Williams 30-78 4300730279 460 FNL, 660 FEL 30 14S	10E
Utah 31-79 4300730253 1780 FSL, 1780 FEL 31 14S	10E
Utah 24-80 4300730255 590 FNL, 1612 FWL 24 15S	09E
Utah 24-81 4300730256 1067 FNL, 1361 FEL 24 15S	09E
Utah 32-82 4300730257 600 FNL, 2028 FEL 32 15S	09E
Utah 21-83 4300730259 1780 FNL, 460 FWL 21 15S	10E
H&A 07-84 4300730258 1780 FSL, 1780 FWL 7 15S	09E
Utah 27-85 4300730261 2173 FNL, 676 FWL 27 14S	08E
Utah 24-86 4300730267 1788 FSL, 1677 FEL 24 15S	09E
Utah 24-87 4300730375 1780 FSL, 1333 FWL 24 15S	09E
USA 15-88 4300730264 872 FSL, 875 FEL 15 14S	09E
Telonis 22-89 4300730266 836 FNL, 1766 FWL 22 14S	09E
Telonis 21-90 4300730328 1272 FNL, 1188 FEL 21 14S	09E
USA 13-91 4300730568 1443 FSL, 1017 FWL 13 14S	09E
Utah 13-92 4300730439 624 FSL, 899 FEL 13 14S	09E
Utah 18-93 4300730587 556 FSL, 673 FWL 18 14S	10E
Utah 05-95 4300730269 640 FNL, 580 FWL 5 15S	10E
Utah 05-94 4300730270 1520 FSL, 1320 FWL 5 15S	10E

Utah 05-96	4300730271	1780 FSL, 2180 FEL	5	15S	10E
Utah 08-97	4300730272	1495 FNL, 1273 FEL	8	15S	10E
Utah 08-98X	4300730285	1341 FNL, 1319 FWL	8	15S	10E
Utah 08-99	4300730274	1500 FSL, 1120 FWL	8	15S	10E
Utah 08-100	4300730275	1500 FSL, 1400 FEL	8	15S	10E
Utah 17-101	4300730416	460 FNL, 2180 FEL	17	158	10E
Utah 17-102	4300730277	810 FNL, 910 FWL	17	15S	10E
Utah 17-103	4300730278	1520 FSL, 1120 FWL	17	158	10E
Powell 19-104	4300730282	1327 FNL, 1458 FWL	19	15S	10E
Powell 19-105	4300730283	1239 FSL, 1325 FWL	19	15S	10E
Utah 23-106	4300730280	150 FNL, 1400 FEL	23	158	09E
Utah 23-107	4300730281	1252 FNL, 1255 FWL	23	15S	09E
Birkinshaw 19-108	4300730284	1305 FNL, 1192 FEL	19	15S	09E
Utah 36-109	4300730268	1800 FNL, 1800 FWL	36	15S	09E
Utah 16-110	4301530250	860 FSL, 2000 FWL	16	16S	09E
Fausett 09-111	4300730428	2215 FSL, 354 FEL	9	148	09E
Fausett 10-112	4300730426	1590 FSL, 1342 FWL	10	148	09E
Giacoletto 11-113	4300730315	500 FSL, 2070 FWL	11	148	09E
Prettyman 11-114	4300730333	471 FSL, 1828 FEL	11	14S	09E
Giacoletto 13-120	4300730340	1200 FNL, 1219 FWL	13	148	09E
Giacoletto 14-121	4300730407	1200 FNL, 1219 FVL	14	148	09E
USA 14-122	4300730343	1500 FNL, 1039 FWL	14	148	09E
Utah 30-125	4300730404	630 FSL, 1627 FEL	30	148	10E
Utah 31-126	4300730202	1954 FNL, 1291 FEL	31	148	10E
Robertson 32-127	4300730303	646 FNL, 349 FWL	32	148	10E
Utah 04-129	4300730374	700 FWL, 1850 FSL	4	15S	10E
Utah 04-130	4300730509	860 FSL, 2150 FEL	4	158	10E
Sampinos 16-131	4300730519	1201 FNL, 1016 FWL	16	15S	10E
Jensen 16-132	4300730518	1206 FSL, 1240 FWL	16	158	10E
LDS 17-133	4300730300	1500 FSL, 1700 FEL	17	15S	10E
Utah 25-134	4300730290	745 FNL, 1482 FWL	25	15S	09E
Utah 36-135	4300730399	850 FNL, 850 FEL	36	15S	09E
Utah 36-136	4300730341	465 FSL, 660 FWL	36	158	09E
Utah 36-137	4300730343	2180 FSL, 1800 FEL	36	15S	09E
Utah 02-138	4301530288	638 FNL, 1865 FEL	2	16S	09E
Utah 02-139	4301530289	1890 FNL, 850 FWL	2	16S	09E
Utah 02-140	4301530299	850 FSL, 1800 FWL	2	16S	09E
Utah 02-141	4301530290	1800 FSL, 1950 FEL	2	16S	09E
Telonis 15-142	4300730319	1320 FSL, 860 FWL	15	148	09E
Fausett 16-143	4300730319	1320 FNL, 1320 FEL	16	145	09E
Fausett 16-144	4300730320	1800 FNL, 860 FWL	16	145	09E
Telonis 16-145	4300730321	1320 FSL, 1320 FWL	16	145	09E
Paar 16-146	4300730322	843 FSL, 2157 FEL	16	148	09E
Christiansen 17-147	4300730323	860 FSL, 1800 FWL	17	145	09E
Christiansen 17-147	4300730324	1250 FSL, 1100 FEL	17	145	09E
	4300730325	500 FSL, 500 FEL		145	
Birkinshaw 18-149			18		09E
Telonis 19-150	4300730300	751 FNL, 1840 FWL	19	145	09E
Telonis 19-151	4300730299	860 FSL, 2000 FWL	19	148	09E
Telonis 20-152	4300730327	1320 FNL, 1900 FEL	20	14S	09E

Talonio 24 452	4200720220	860 FNL, 1800 FWL	21	148	09E
Telonis 21-153	4300730329	800 FNL, 1500 FWL	29	148	09E
Telonis 29-154	4300730330 4300730331	1800 FSL, 1250 FWL	29	148	09E
Telonis 29-155	4300730331	910 FNL, 868 FEL	30	148	09E
Telonis 30-156	4300730301	1800 FSL, 580 FEL	30	148	09E
Telonis 30-157			32	148	09E
Utah 32-158	4300730333	1038 FNL, 1768 FEL		148	09E
Utah 32-159	4300730334	2011 FNL, 1426 FWL	32		
Utah 32-160	4300730398	1500 FSL, 1780 FWL	32	148	09E
Utah 32-161	4300730336	415 FSL, 1408 FEL	32	148	09E
Utah 36-162	4300730315	2053 FNL, 685 FEL	36	148	08E
Utah 36-163	4300730316	860 FNL, 2100 FWL	36	148	08E
Utah 36-164	4300730317	1070 FSL, 2000 FWL	36	148	08E
Utah 36-165	4300730318	1100 FSL, 1500 FEL	36	148	08E
Utah 02-166	4300730337	1219 FNL, 1738 FEL	2	15S	08E
Utah 02-167	4300730338	660 FNL, 2075 FWL	2	158	08E
Utah 02-168	4300730339	1800 FSL, 2100 FWL	2	15S	08E
Utah 02-169	4300730308	754 FSL, 1000 FEL	2	15S	08E
Seamons 32-170	4300730291	700 FNL, 500 FWL	32	138	09E
Pinnacle Peak 19-171	4300730117	1320 FSL, 1320 FEL	19	148	09E
Telonis 20-172	4300730107	1980 FSL, 660 FEL	20	148	09E
Powell 30-173	4300730346	1200 FNL, 1200 FWL	30	158	10E
Stella-Hamaker 10-174	4300730116	852 FNL, 1971 FWL	10	15S	08E
Utah 31-175	4301530317	897 FNL, 1731 FWL	31	16S	09E
USA 15-176	4300730450	2588 FNL, 1155 FEL	15	148	09E
USA 09-178	4300730419	428 FSL, 2527 FWL	9	148	09E
USA 17-180A	4300730622	2563 FNL, 1383 FWL	17	148	09E
USA 18-182	4300730417	1068 FSL, 1972 FWL	18	145	09E
USA 24-183	4300730469	828 FNL, 624 FEL	24	14S	08E
Utah 27-187	4300730395	1400 FNL, 1400 FWL	27	148	09E
Utah 27-188	4300730292	477 FSL, 518 FWL	27	148	09E
Utah 28-189	4300730396	1707 FNL, 868 FEL	28	148	09E
Utah 28-190	4300730397	1969 FNL, 1324 FWL	28	148	09E
Utah 28-191	4300730293	693 FSL, 1623 FWL	28	148	09E
Utah 28-192	4300730294	1407 FNL, 1940 FWL	28	148	09E
Utah 29-193	4300730405	693 FNL, 1029 FEL	29	14S	09E
Utah 29-194	4300730427	951 FSL, 370 FEL	29	14S	09E
Utah 30-195	4300730265	1407 FNL, 1940 FWL	30	148	09E
Utah 30-196	4300730344	1056 FSL, 1984 FWL	30	148	09E
Kakatsidas 31-197	4300730420	619 FNL, 1361 FEL	31	148	09E
Utah 31-198	4300730406	1403 FNL, 1540 FWL	31	148	09E
Utah 31-199	4300730480	1125 FSL, 928 FWL	31	148	09E
Utah 31-200	4300730385	2118 FSL, 549 FEL	31	148	09E
Utah 33-201	4300730386	317 FNL, 1815 FEL	33	14S	09E
Utah 33-202	4300730387	1939 FNL, 1593 FWL	33	148	09E
Utah 33-202	4300730388	1373 FSL, 1140 FWL	33	148	09E
Utah 33-203	4300730389	2024 FSL, 1525 FEL	33	148	09E
Utah 05-205	4300730384	1485 FNL, 760 FEL	5	158	09E
Utah 05-206	4300730304	1300 FNL, 1352 FWL	5	15S	09E
Utah 06-207	4300730390	825 FNL, 928 FEL	6	15S	08E
Utan 00-207	4300730381	UZUTINE, 920 FEL	<u> </u>	100	JUL

	5S 09E
Utah 01-209 4300730467 2271 FSL. 1251 FEL 1 1	
	5S 09E
Utah 34-211 4300730114 1181 FSL, 1005 FWL 34 1-	4S 09E
	5S 09E
Utah 03-213 4300730381 1466 FNL, 2041 FWL 3 1	5S 09E
Utah 03-214 4300730295 813 FSL, 966 FWL 3 15	5S 09E
Utah 03-215 4300730297 988 FSL, 604 FEL 3 1	5S 09E
Utah 04-216 4300730382 1610 FNL, 810 FEL 4 1	5S 09E
Utah 04-217 4300730383 1343 FNL, 1119 FWL 4 1	5S 09E
Utah 04-218 4300730418 1084 FSL, 509 FEL 4 1	5S 09E
Utah 10-219 4300730298 805 FNL, 756 FWL 10 1:	5S 09E
Utah 10-220 4300730432 474 FSL, 372 FWL 10 1:	5S 09E
Utah 10-221 4300730303 1602 FSL, 2032 FEL 10 1	5S 09E
USA 19-222 4300730393 1574 FSL, 1647 FEL 19 1:	5S 10E
Utah 06-223 4300730430 1636 FSL, 1085 FEL 6 1	5S 09E
Utah 05-225 4300730440 421 FSL, 498 FEL 5 1	5S 09E
Utah 04-226 4300730408 571 FSL, 2331 FWL 4 1	5S 09E
Utah 09-227 4300730449 652 FNL, 1331 FEL 9 1	5S 09E
Utah 09-228 4300730413 1444 FNL, 1520 FWL 9 1	5S 09E
Utah 09-229 4300730414 1595 FSL, 2051 FWL 9 1	5S 09E
Utah 08-230 4300730410 2003 FNL, 960 FEL 8 1	5S 09E
Utah 08-231 4300730411 1321 FNL, 1738 FWL 8 1	5S 09E
H&A 08-232 4300730412 1135 FSL, 1497 FWL 8 1	5S 09E
	5S 09E
	5S 09E
Utah 07-235 4300730421 2098 FSL, 510 FEL 7 1	5S 09E
H&A 18-236 4300730459 896 FNL, 1511 FEL 18 1	5S 09E
Utah 18-237 4300730485 1867 FSL, 1920 FEL 18 1	5S 09E
Utah 17-238 4300730510 677 FNL, 1321 FEL 17 1	5S 09E
Utah 17-239 4300730511 1383 FNL, 1576 FWL 17 1	5S 09E
Utah 17-240 4300730512 1977 FSL, 1394 FWL 17 1	5S 09E
Utah 17-241 4300730513 1668 FSL, 2222 FEL 17 1	5S 08E
USA 12-242 4300730482 1738 FNL, 1505 FEL 12 1	5S 08E
USA 12-243 4300730486 950 FNL, 232 FWL 12 1	5S 08E
USA 11-244 4300730463 1151 FNL, 1690 FEL 11 1	5S 08E
USA 11-245 4300730462 1234 FNL, 1743 FWL 11 1	5S 08E
Utah 01-246 4300730566 1619 FNL, 170 FWL 1 1	5S 09E
Utah 01-247 4300730465 594 FSL, 266 FWL 1 1	5S 08E
USA 35-248 4300730582 828 FSL, 1245 FEL 35 1	5S 09E
USA 30-251 4300730403 1169 FSL, 913 FWL 30 1	5S 10E
Utah 25-252 4300730400 1937 FNL, 1416 FEL 25 1	5S 09E
	5S 09E
	5\$ 09E
	5S 09E
	5S 09E
Utah 26-257 4300730444 1263 FSL, 1368 FEL 26 1	5S 09E
	5S 09E
	5 S 09E
Utah 35-260 4300730447 814 FNL, 1900 FEL 35 1	5S 09E

Utah 35-261	4300730442	615 FNL, 818 FWL	35	15S	09E
Utah 35-262	4300730443	1657 FSL, 1850 FWL	35	15S	09E
Utah 35-263	4300730441	1785 FSL, 946 FEL	35	15S	09E
USA 01-264	4301530336	1055 FNL, 441 FWL	1	16S	09E
USA 01-265	4301530337	1739 FSL, 636 FWL	1	16S	09E
Woolstenhulme 05-266	4300730481	1389 FNL, 2179 FEL	5	15S	10E
Utah 26-267	4300730514	1836 FNL, 2130 FWL	26	15S	09E
Utah 27-268	4300730457	1125 FSL, 1682 FWL	26	15S	09E
Utah 27-269	4300730458	1661 FSL, 795 FEL	27	15S	09E
Utah 34-270	4300730347	774 FNL, 756 FWL	34	15S	09E
Utah 34-271	4300730496	1693 FSL, 965 FWL	34	15S	09E
Utah 33-272	4300730502	694 FNL, 2034 FEL	33	15S	09E
Utah 33-273	4300730493	1922 FNL, 328 FWL	33	15S	09E
Utah 33-274	4300730494	1098 FSL, 1673 FWL	33	15S	09E
Utah 33-275	4300730495	1401 FSL, 1029 FEL	33	15S	09E
Utah 32-276	4300730483	738 FL, 1318 FWL	32	15S	09E
Utah 32-277	4300730484	1613 FSL, 1931 FEL	32	15S	09E
Utah 05-278	4301530278	1665 FNL, 1923 FEL	5	15S	09E
Utah 04-279	4301530340	1020 FNL, 1757 FEL	4	16S	09E
Utah 04-280	4301530341	2087 FNL, 1627 FWL	4	16S	09E
Utah 04-281	4301530399	999 FSL, 896 FWL	4	16S	09E
Utah 04-282	4301530342	2188 FSL, 911 FEL	4	16S	09E
Utah 03-283	4301530349	461 FNL, 1772 FEL	3	16S	09E
Utah 03-284	4301530346	1218 FNL, 753 FWL	3	16S	09E
Utah 03-285	4301530345	1917 FSL, 546 FWL	3	16S	09E
Utah 03-286	4301530344	1690 FSL, 1958 FEL	3	16S	09E
USA 20-287	4300730448	1395 FNL, 979 FWL	20	15S	10E
. USA 20-288	4300730451	1566 FSL, 1125 FWL	20	15S	10E
USA 30-289	4300730452	1184 FNL, 1353 FEL	30	15S	10E
USA 30-290	4300730453	1080 FSL, 1508 FEL	30	14S	10E
USA 11-291	4300730501	2609 FNL, 1994 FEL	11	14S	09E
USA 11-292	4300730500	2483 FNL, 664 FWL	11	148	09E
USA 10-293	4300730498	2011 FNL, 847 FEL	10	14S	09E
USA 10-294	4300730497	1750 FNL, 769 FWL	10	14S	09E
USA 09-295	4300730499	696 FNL, 1198 FEL	9	14S	09E
Fausett 09-296	4300730455	2072 FNL, 798 FWL	9	148	09E
USA 08-297	4300730491	789 FNL, 958 FEL	8	14S	09E
Ritzakis 08-298	4300730475	798 FNL, 2018 FWL	8	148	09E
Ritzakis 08-299	4300730479	2187 FSL, 1885 FWL	8	14\$	09E
Ritzakis 08-300	4300730476	2485 FSL, 1522 FEL	8	148	09E
USA 04-302	4300730489	1076 FSL, 1860 FWL	4	14S	09E
USA 04-303	4300730490	597 FSL, 984 FEL	4	148	09E
Ritzakis 05-304	4300730473	688 FSL, 1888 FWL	5	14S	09E
Ritzakis 05-305	4300730474	1104 FSL, 1196 FEL	5	14S	09E
USA 06-306	4300730492	399 FSL, 306 FEL	6	148	09E
Helper 07-307	4300730487	672 FNL, 962 FWL	7	15S	09E
USA 31-310	4300730516	624 FNL, 1238 FWL	31	15S	10E
USA 31-311	4300730517	1934 FSL, 973 FWL	31	15S	10E
USA 01-312	4301530350	1453 FNL, 1881 FEL	1	16\$	09E

USA 11-314	4301530353	1262 FNL, 1136 FWL	11	16S	09E
USA 10-317	4301530352	1221 FNL, 1104 FEL	10	16S	09E
USA 12-322	4300730576	492 FSL, 495 FWL	10	15S	08E
USA 12-323	4300730577	540 FSL, 784 FEL	12	15S	08E
USA 11-324	4300730575	732 FSL, 1763 FEL	11	15S	08E
USA 14-325	4300730579	890 FNL, 1469 FEL	14	15S	08E
USA 13-326	4300730581	1065 FNL, 1563 FEL	13	15S	08E
USA 13-327	4300730578	1092 FNL, 941 FWL	13	15S	08E
USA 35-328	4300730583	964 FSL, 1999 FWL	35	14S	08E
Utah 09-329	4300730561	884 FSL, 1324 FEL	9	15S	09E
Utah 06-330	4300730562	938 FNL, 1564 FWL	6	15S	09E
Utah 20-333	4300730669	1069 FNL, 1460 FEL	20	15S	09E
Utah 20-334	4300730625	932 FNL, 1655 FWL	20	15S	09E
Utah 20-335	4300730626	2152 FSL, 1716 FWL	20	15S	09E
Utah 19-337	4300730623	926 FNL, 768 FEL	19	15S	09E
Utah 19-338	4300730624	1789 FSL, 1426 FEL	19	15S	09E
Utah 05-343	4301530400	1795 FNL, 1431 FWL	5	16S	09E
Utah 05-344	4301530401	1316 FSL, 1343 FWL	5	16S	09E
Utah 05-345	4301530402	908 FSL, 1449 FEL	5	16S	09E
Utah 08-354	4301530395	1073 FNL, 1914 FEL	8	16S	09E
Utah 08-355	4301530378	1673 FNL, 850 FWL	8	16S	09E
Utah 08-356	4301530379	1701 FSL, 799 FWL	8	16S	09E
Utah 08-357	4301530380	1722 FSL, 1599 FEL	8	16S	09E
Utah 09-358	4301530300	2097 FNL, 1634 FEL	9	16S	09E
Utah 09-359	4301530407	1787 FNL, 871 FWL	9	16S	09E
Utah 09-360	4301530397	1323 FSL, 881 FWL	9	16S	09E
Utah 09-361	4301530408	1564 FSL, 1998 FEL	9	16S	09E
USA 10-362	4301530424	2225 FNL, 494 FWL	10	16S	09E
USA 14-386	4300730634	592 FNL, 2236 FWL	14	15S	08E
USA 24-387	4300730612	1243 FSL, 2306 FWL	10	14S	08E
USA 24-388	4300730613	1177 FSL, 612 FEL	24	14S	08E
Utah 25-389	4300730600	737 FNL, 1976 FEL	25	14S	08E
Utah 25-390	4300730599	1540 FNL, 1354 FWL	25	14S	08E
Utah 25-391A	4300730658	1264 FSL, 1573 FWL	25	14S	08E
Utah 25-392	4300730602	2045 FSL, 1718 FEL	25	14S	09E
USA 26-393	4300730614	1666 FNL, 874 FEL	26	14S	08E
USA 26-394	4300730615	856 FSL, 2377 FWL	26	14S	08E
USA 26-395	4300730616	1927 FSL, 830 FEL	26	14S	08E
USA 35-396	4300730584	616 FNL, 1896 FEL	35	14S	08E
USA 35-397	4300730585	949 FNL, 1264 FWL	35	14S	08E
USA 20-398	4300730590	1374 FNL, 1387 FEL	20	15S	10E
USA 20-399	4300730591	1445 FSL, 1128 FEL	20	15S	10E
Utah 09-412	4300730580	1102 FSL, 1018 FWL	9	15S	10E
Utah 09-413	4300730605	1007 FNL, 1197 FWL	9	15S	10E
Utah 10-415	4301530391	1090 FNL, 557 FEL	10	16S	08E
USA 14-416	4300730646	892 FSL, 1311 FWL	14	15S	08E
USA 14-417	4300730647	1741 FSL, 1054 FEL	14	15S	09E
USA 13-418	4300730645	737 FSL, 793 FEL	13	15S	08E
USA 13-419	4300730631	2617 FSL, 1958 FEL	13	15S	08E
			· · · · · · · · · · · · · · · · · · ·		

USA 23-423	4300730611	408 FSL, 924 FEL	23	14S	08E
USA 34-434	4300730621	1342 FSL, 922 FEL	34	148	08E
USA 18-435	4300730619	1868 FNL, 793 FWL	18	148	09E
USA 07-436	4300730630	3121 FNL, 871 FEL	7	148	09E
USA 03-442	4300730710	899 FNL, 553 FEL	3	15S	08E
USA 24-443	4300730651	1780 FNL, 2247 FEL	24	15S	08E
USA 24-444	4300730648	1338 FNL, 1153 FWL	24	15S	08E
USA 24-446	4300730708	1377 FNL, 2340 FWL	24	148	08E
USA 13-447	4300730707	2044 FSL, 741 FEL	13	14S	08E
USA 24-448	4300730652	2146 FSL, 2021 FEL	24	15S	08E
Utah 34-456	4300730713	755 FNL, 1377 FEL	34	14S	08E
USA 13-470	4300730706	1741 FNL, 554 FEL	13	14S	08E
Utah 06-483	4300730716	2456 FSL, 988 FWL	6	15S	09E
American Quasar D1	4300730040	999 FSL, 1552 FWL	31	14S	10E
Arcadia-Telonis D2	4300730093	465 FSL, 560 FEL	19	148	09E
Utah D3	4300730290	1600 FSL, 1530 FEL	18	15S	10E
Utah D4	4300730314	600 FNL, 500 FWL	24	148	09E
Fausett D5	4300730351	467 FNL, 1461 FWL	16	14S	09E
Drew D6	4300730100	1300 FSL, 830 FWL	34	148	09E
Utah D7	4301530338	1371 FSL, 1530 FEL	2	14S	09E
Utah D8	4300730431	1342 FNL, 350 FWL	12	15S	09E
Utah D9	4300730438	1960 FNL, 1487 FWL	32	14S	09E
RGC D10	4300730520	162 FNL, 1557 FEL	28	15S	09E
USA D11	4301530356	1513 FNL, 2437 FEL	13	16S	09E
Sampinos D14	4300730567	1695 FSL, 2133 FEL	16	15S	10E

LAW OFFICES

PRUITT, GUSHEE & BACHTELL

SUITE 1850 BENEFICIAL LIFE TOWER
SALT LAKE CITY, UTAH 84111-1495
(801) 531-8446

TELECOPIER (801) 531-8468 E-MAIL: mail@pgblaw.com SENIOR COUNSEL:

ROBERT G PRUITT, JR OLIVER W GUSHEE, JR

OF COUNSEL:

ROBERT G PRUITT, III BRENT A BOHMAN

January 29, 2001

HAND DELIVERED

Mr. Jim Thompson Utah Division of Oil, Gas & Mining 1594 W. North Temple Salt Lake City, UT 84116

Re: River Gas/Phillips Merger

Dear Mr. Thompson:

THOMAS W BACHTELL
A JOHN DAVIS. III

JOHN W ANDERSON

ANGELA L FRANKLIN

MICHAEL S JOHNSON

JOHN S FLITTON

WILLIAM E WARD

FREDERICK M MACDONALD GEORGE S YOUNG

As you may know, River Gas Corporation ("RGC") merged into Phillips Petroleum Company ("Phillips") effective December 31, 2000 at 11:59 p.m. I have enclosed a Certificate of Articles of Merger issued by the Utah Department of Commerce and, although duplicative, a sundry notice formally evidencing the merger for your records, and a list of all wells, including injection wells, formerly operated by RGC.

Please change the Division's records to reflect the change in operator of these wells from RGC to Phillips. All operational questions should be directed to Phillips at the following address:

Phillips Petroleum Company Attn: Billy Stacy, Operations Manager P.O. Box 3368 Englewood, CO 80155-3368 Telephone No.: (720) 344-4984

Phillips currently has a bond on file with the Division (a copy of which is enclosed for your reference), but I understand an \$80,000 Letter of Credit is in the process of being substituted.

Mr. Jim Thompson January 29, 2001 Page 2

On behalf of Phillips, I thank you for your cooperation. Should you have any further questions or concerns, please do not hesitate to contact me.

Yours very truly,

Frederick M. MacDonald

FMM:cs 2078.16 Enclosures

cc: W. H. Rainbolt Billy Stacy



Utah Department of Commerce Division of Corporations & Commercial Code

160 East 300 South, 2nd Floor, Box 146705 Salt Lake City, UT 84114-6705 Phone: (801) 530-4849

Toll Free: (877) 526-3994 Utah Residents

Fax: (801) 530-6438

Web site: http://www.commerce.state.ut.us

Registration Number: 562960-0143

PHILLIPS PETROLEUM COMPANY

Business Name: Registered Date:


JUNE 14, 1946

01/12/01

CERTIFICATE OF ARTICLES OF MERGER

THE UTAH DIVISION OF CORPORATIONS AND COMMERCIAL CODE ("DIVISION") HEREBY CERTIFIES THAT

ARTICLES OF MERGER WERE FILED WITH THIS OFFICE ON DECEMBER 12, 2000 MERGING RIVER GAS CORPORATION, A CORPORATION OF THE STATE OF ALABAMA, INTO PHILLIPS PETROLEUM COMPANY, THE SURVIVING CORPORATION WHICH IS OF THE STATE OF DELAWARE, AS APPEARS OF RECORD IN THE OFFICE OF THE DIVISION.



Ric Campbell

Pi Campbell

Acting Division Director of

Corporations and Commercial Code

12-12-00P04:02 RCVD

State of Delaware

PAGE 1

Office of the Secretary of State



I, EDWARD J. FREEL, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECTED TO THE CERTIFICATE OF OWNERSHIP, WHICH MERGES:

"RIVER GAS CORPORATION", A ALABAMA CORPORATION,

WITH AND INTO "PHILLIPS PETROLEUM COMPANY" UNDER THE NAME OF "PHILLIPS PETROLEUM COMPANY", A CORPORATION ORGANIZED AND EXISTING UNDER THE LAWS OF THE STATE OF DELAWARE, AS RECEIVED AND FILED IN THIS OFFICE THE SIXTH DAY OF DECEMBER, A.D. 2000, AT 10 O'CLOCK A.M.

AND I DO HEREBY FURTHER CERTIFY THAT THE EFFECTIVE DATE OF THE AFORESAID CERTIFICATE OF OWNERSHIP IS THE THIRTY-FIRST DAY OF DECEMBER, A.D. 2000, AT 11:59 O'CLOCK A.M.

A FILED COPY OF THIS CERTIFICATE HAS BEEN FORWARDED TO THE NEW CASTLE COUNTY RECORDER OF DEEDS.

FILED

DEC 12 2000

Uses Blv. Of Corp. & Comm. Costs

State of Utah
Department of Commerce
Division of Corporations and Commercial Code

I Hereby certify that the toregoing has been field and approved on this day of 200 in the office of this Division and hereby issue this Certificate thereof.

Examiner_

RIC CAMPBELL ACTIVIS DIRECTOR

Edward J. Freel, Secretary of State
AUTHENTICATION: 0837738

DATE: 12-07-00

0064324 8100M

001609453

STATE OF DELAWARE SECRETARY OF STATE DIVISION OF CORPORATIONS FILED 10:00 AM 12/06/2000 001609453 - 0064324

CERTIFICATE OF OWNERSHIP AND MERGER

OF

RIVER GAS CORPORATION

(an Alabama corporation)

into

Phillips Petroleum Company

(a Delaware corporation)

It is hereby certified that:

- 1. Phillips Petroleum Company [hereinafter sometimes referred to as the "Corporation"] is a business corporation of the State of Delaware.
- 2. The Corporation is the owner of all of the outstanding shares of each class of stock of River Gas Corporation, which is a business corporation of the State of Alabama.
- 3. The laws of the jurisdiction of organization of River Gas Corporation permit the merger of a business corporation of that jurisdiction with a business corporation of another jurisdiction.
- 4. The Corporation hereby merges River Gas Corporation into the Corporation.
- 5. The following is a copy of the resolutions adopted on November 21, 2000 by the Board of Directors of the Corporation to merge the said River Gas Corporation into the Corporation:
 - "1. Phillips Petroleum Company, which is a business corporation of the State of Delaware and is the owner of all of the outstanding shares of River Gas Corporation, which is a business corporation of the State of Alabama, hereby merges River Gas Corporation into Phillips Petroleum Company pursuant to the provisions of the Alabama Business Corporation Act and pursuant to the

provisions of Section 253 of the General Corporation Law of Delaware.

- "2. The separate existence of River Gas Corporation shall cease at the effective time and date of the merger pursuant to the provisions of the Alabama Business Corporation Act; and Phillips Petroleum Company shall continue its existence as the surviving corporation pursuant to the provisions of Section 253 of the General Corporation Law of Delaware.
- "3. The Articles of Incorporation of Phillips Petroleum Company are not amended in any respect by this Plan of Merger.
- "4. The issued shares of River Gas Corporation shall not be converted or exchanged in any manner, but each said share which is issued immediately prior to the effective time and date of the merger shall be surrendered and extinguished.
- "5. Each share of Phillips Petroleum Company outstanding immediately prior to the effective time and date of the merger is to be an identical outstanding share of Phillips Petroleum Company at the effective time and date of the merger.
- "6. No shares of Phillips Petroleum Company and no shares, securities, or obligations convertible into such shares are to be issued or delivered under this Plan of Merger.
- "7. The Board of Directors and the proper officers of Phillips Petroleum Company are hereby authorized, empowered, and directed to do any and all acts and things, and to make, execute, deliver, file, and/or record any and all instruments, papers, and documents which shall be or become necessary, proper, or convenient to carry out or put into effect any of the provisions of this Plan of Merger or of the merger herein provided for."
- "This Company approves that the effective time and date of the merger herein provided for in the State of Alabama shall be 11:59 p.m. on December 31, 2000."
- "Any Vice President, the Treasurer, any Assistant Treasurer, the Secretary, any Assistant Secretary, and each of them severally, be and hereby is authorized to make, execute,

deliver, file, and/or record any and all instruments, papers, and documents which shall be or become necessary, proper, or convenient to carry out or put into effect any of the provisions of these resolutions and to do or cause to be done all such acts as are necessary to give effect to the purpose and intent of the approval herein set forth."

6. This Certificate of Ownership and Merger shall be effective at 11:59 p.m. on December 31, 2000.

Executed on November 27, 2000

Phillips Petroleum Company

1. A. Lofte



Usted States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

In Reply Refer To: 3106 UTU-47157 et al (UT-932)

JAN 3 0 2001

NOTICE

Phillips Petroleum Company

Attn: W. H. Rainbolt, Rocky Mtn. Region-Land

Box 1967

Houston, TX 77251-1967

Oil and Gas

Merger Recognized

Acceptable evidence has been filed in this office concerning the merger of River Gas Corporation into Phillips Petroleum Company with Phillips Petroleum Company being the surviving entity.

The oil and gas lease files and rights-of-way files identified on the enclosed exhibit have been noted as to the merger. The exhibit is the list supplied by the representative of the companies, and verified by our computerized records. We have not adjudicated the case files to determine if the entity affected by the merger holds an interest in the leases identified, nor have we attempted to identify leases where the entity is the operator on the ground, maintaining no vested record title or operating rights interest. We are notifying the Minerals Management Service and all applicable BLM offices of the merger by a copy of this notice. If additional documentation for a change of operator is required by our Field Offices, you will be contacted by them.

By recognition of the merger the obligor is automatically changed by operation of law from River Gas Corporation to Phillips Petroleum Company on Letter of Credit No. P-207337 (BLM Bond No. UT0829). A rider to BLM Bond No. ES0048 assuming any and all liabilities of BLM Bond No. UT0829 must be submitted for approval to the Eastern States Office, Attn: Bill Forbes, 7450 Boston Boulevard, Springfield, VA 22153. After the rider is approved, the Letter of Credit will be returned to the financial institution that issued it.

ROBERT LOPEZ

Robert Lopez Chief, Branch of Minerals Adjudication

Enclosure
Exhibit of Leases

COR27631

DIVISION CE
OIL, GRO/LD LILLIG

cc: Moab Field Office

Vernal Field Office Price Field Office

MMS-Reference Data Branch, MS 3130, P.O. Box 5860, Denver, CO 80217

State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC, UT 84114

The Chase Manhattan Bank, Attn: Standby Letter of Credit Dept., 4 Chase Metrotech Center, 8th Floor Brooklyn, NY 11245

Teresa Thompson (UT-931)

LaVerne Steah (UT-942)

Pruitt, Gushee & Bachtell, Attn: Frederick M. MacDonald, Suite 1850 Beneficial Life Tower,

Salt Lake City, Utah 84111-1495

BLM, Eastern States Office (Attn: Bill Forbes)

Division of Oil, Gas and Mining

OPERATOR CHANGE WORKSHEET

ROUTING

KOULING	
I. GLH	4-KAS
2. CDW U	518APV
3. JLT	6-FILE

GW

GW

GW

GW

P

 \overline{P}

STATE

STATE

STATE

STATE

01/29/2001

Enter date after each listed item is completed

Change of Operator (Well Sold)

Designation of Agent

Operator Name Change (Only)

X Merger

The operator of the well(s) listed below has chan	ged, effective: 12-31-2000
FROM: (Old Operator):	TO: (New Operator):
RIVER GAS CORPORATION	PHILLIPS PETROLEUM COMPANY
Address: 6825 S. 5300 W. P. O. BOX 851	Address: P. O. BOX 3368
PRICE, UT 84501	ENGLEWOOD, CO 80155-3368
Phone: 1-(435)-613-9777	Phone: 1-(720)-344-4984
Account N1605	Account N1475

CA No. Unit: DRUNKARDS WASH WELL(S)

	API	ENTITY	SEC. TWN	LEASE	WELL	WELL
NAME	NO.	NO.	RNG	TYPE	TYPE	STATUS
UTAH 06-483	43-007-30716	11256	06-15S-09E	STATE	GW	P
UTAH 06-207	43-007-30391	11256	06-15S-09E	STATE	GW	P
UTAH 06-223	43-007-30430	11256	06-15S-09E	STATE	GW	P
UTAH 06-330	43-007-30562	11256	06-15S-09E	STATE	GW	P
UTAH 07-234	43-007-30409	11256	07-15S-09E	STATE	GW	P
UTAH 07-235	43-007-30421	11256	07-15S-09E	STATE	GW	P
UTAH 8-230	43-007-30410	11256	08-15S-09E	STATE	GW	P
UTAH 08-231	43-007-30411	11256	08-15S-09E	STATE	GW	P
UTAH 08-233	43-007-30488	11256	08-15S-09E	STATE	GW	P
UTAH 09-227	43-007-30449	11256	09-15S-09E	STATE	GW	P
UTAH 9-228	43-007-30413	11256	09-15S-09E	STATE	GW	P
UTAH 9-229	43-007-30414	11256	09-15S-09E	STATE	GW	P
UTAH 09-329	43-007-30561	11256	09-15S-09E	STATE	GW	P
UTAH 10-01-36	43-007-30302	11256	10-15S-09E	STATE	GW	Р
UTAH 10-219	43-007-30298	11256	10-15S-09E	STATE	GW	P
UTAH 10-221	43-007-30303	11256	10-15S-09E	STATE	GW	P

OPERATOR CHANGES DOCUMENTATION

(R649-8-10) Sundry or legal documentation was received from the NEW operator on:

UTAH 11-50

UTAH 11-51

UTAH 11-52

UTAH 11-53

1.	(R649-8-10) Sundry or legal documentation was received from the FORMER operator on:	01/29/2001

43-007-30228

43-007-30229

43-007-30230

43-007-30231

11256

11256

11256

11256

11-15S-09E

11-15S-09E

11-15S-09E

11-15S-09E

The new company has been checked through the Department of Commerce, Division of Corporations Database on: 02/15/2001

4.	Is the new operator registered in the State of Utah: YES Business Number: 562960-0143
5.	If NO, the operator was contacted contacted on:
6.	Federal and Indian Lease Wells: The BLM and or the BIA has approved the (merger, name change, or operator change for all wells listed on Federal or Indian leases on: 01/30/2001
7.	Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for wells listed on: N/A
8.	Federal and Indian Communization Agreements ("CA"): The BLM or the BIA has approved the operator change for all wells listed involved in a CA on: N/A
9.	Underground Injection Control ("UIC") Pro: The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on:
$\overline{\mathbf{D}}_{A}$	ATA ENTRY:
1.	Changes entered in the Oil and Gas Database on: 02/28/2001
2.	Changes have been entered on the Monthly Operator Change Spread Sheet on: 02/28/2001
3.	Bond information entered in RBDMS on: N/A
4.	Fee wells attached to bond in RBDMS on: N/A
S 1	State well(s) covered by Bond No.: 5952189
FF	EE WELLS - BOND VERIFICATION/LEASE INTEREST OWNER NOTIFICATION:
1.	(R649-3-1) The NEW operator of any fee well(s) listed has furnished a bond: N/A
	The FORMER operator has requested a release of liability from their bond on: N/A The Division sent response by letter on: N/A
3.	(R649-2-10) The FORMER operator of the Fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A
	LMING: All attachments to this form have been MICROFILMED on: 3 - 2 じゅ o(
	LING: ORIGINALS/COPIES of all attachments pertaining to each individual well have been filled in each well file on:
CC	MMENTS:

FORM 9

STATE OF UTAH

ORLGINAL

DIVI	SION OF OIL, GAS AND MINI	ING	5. Lease Designation and Seria	
SUNDRY NOTIC	CES AND REPORTS ON	WELLS	6. If Indian, Allottee or Tribe Nar	
			N/A	
	new wells, deepen existing wells, or to reenter plug R PERMIT TO DRILL OR DEEPEN form for such p		7. Unit Agreement Name: UTU67921X Dru	ınkards Wash
1. Type of Well: OIL GAS 💆 OTHER	₹:		Well Name and Number:	ankaras wash
		UTH	9. API Well Number:	
2. Name of Operator: Phillips	Petroleum Company		9. API Well Number: 43-007-30391	
Address and Telephone Number: 6825 Sour	th 5300 West, P.O. Box 851, Price, U	JT 84501 (435) 613-9777	10. Field or Pool, or Wildcat: Drunkards Wash	
4. Location of Well Footages: 825' FNL, 928'	FEL		County: Carbon Coun	ntv
	T15S, R09E, SLB&M		State: Utah	,
11. CHECK APPROPRIATE BOX		OF NOTICE, REPORT		
NOTICE O			SUBSEQUENT REPORT (Submit Original Form Only)	
☐ Abandon	☐ New Construction	☐ Abandon *	,,,	□ New Construction
☐ Repair Casing	☐ Pull or Alter Csg	☐ Repair Casing		☐ Pull or Alter Csg
☐ Change of Plans	☐ Recomplete	☐ Change of Plans		☐ Reperforate
 ☐ Convert to Injection ☐ Fracture Treat or Acidize 	☐ Reperforate ☐ Vent or Flare	☐ Convert to Injection☐ Fracture Treat or Ac	idize	□ Vent or Flare□ Water Shut-Off
☐ Multiple Completion	□ Water Shut-Off		l/Flush Treatment	
□ Other		Date of work completion	02/1	3/02
Approximate date work will start		B	aria a de la Caracia de Pres	A CONTRACTOR OF THE CONTRACTOR
		COMPLETION OR RECOMPLET	etions and Recompletions to differe FION REPORT AND LOG form.	ent reservoirs on WELL
		* Must be accompanied by a cen	nent verification report.	
12. DESCRIBE PROPOSED OR COMPLETED OPE vertical depths for all markers and zones pertinent to Please be advised the 250 gallons of 15% if	this work.) at the above referenced well was o			fluid &
			68481014	
			OIL, GAS AND	
13. Name & Signature: Lynnette Allred	D. allsed	7 Title: Administrative	e Assistant Date	02/20/02

(4/94) (See Instructions on Reverse Side)

(This space for state use only)

ORIGINAL

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING
5. Lease Designation and Serial Number:
ML-48205
NOTICES AND REPORTS ON WELLS 6. If Indian, Allottee or Tribe Name:
N/A
posals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells. JCATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.
UTUU7921X Drunkards wash
OTHER: 8. Well Name and Number:
UTAH 06-207 9. API Well Number:
Phillips Petroleum Company 43-007-30391
40 Fills Park William
6825 South 5300 West, P.O. Box 851, Price, UT 84501 (435) 613-9777 Drunkards Wash
NL, 928' FEL county: Carbon County
E, Sec.6, T15S, R09E, SLB&M Utah
ATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA
THE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA
OTICE OF INTENT SUBSEQUENT REPORT
(Submit in Duplicate) (Submit Original Form Only)
□ New Construction □ Abandon * □ New Construction
☐ Pull or Alter Csg ☐ Repair Casing ☐ Pull or Alter Csg
☐ Recomplete ☐ Change of Plans ☐ Reperforate
☐ Reperforate ☐ Convert to Injection ☐ Vent or Flare ☐ Vent or Flare ☐ Fracture Treat or Acidize ☐ Water Shut Off
The state of Mode of M
□ Water Shut-Off □ Other Chemical/Flush Treatment □ Date of work completion 02/13/02
tart Date of work completion 02/13/02
Report results of Multiple Completions and Recompletions to different reservoirs on WELL
COMPLETION OR RECOMPLETION REPORT AND LOG form.
* Must be accompanied by a cement verification report.
LETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true spertinent to this work.) Evised that the above referenced well was chemically treated with 4000 gallons of low Ph fluid & of 15% HCL on 02/13/02.
vised that the above referenced well was chemically treated with 4000 gallons of low Ph fluid

MAR 14 2002

DIVISION OF OIL, CAS AND MINING

13.					
Name & Signature: Lynnette Allrec	! (J. allroal	Title:	Administrative Assistant	Date: 02/20/02
(This space for state use only)					



Re:

Notice of Address Change, Merger and Name Change

Address Change effective December 2, 2002

Merger and Name Change effective December 31, 2002

Divisions of Oil, Gas, and Mining Attn: Mr. John Baza 1594 West North Temple, Suite 1210, P. O. Box 145801

Salt Lake City, UT 84114-5801

Gentlemen:

- 1. Effective December 2, 2002, Phillips Petroleum Company will close its Englewood, Colorado Rocky Mountain Region office. After that time, all correspondence, notices and invoice for Land related matters should be directed to the address(es) noted below. Note that until December 31, 2002, all properties in which Phillips held an interest will continue to be operated by Phillips Petroleum Company, a wholly-owned subsidiary of ConocoPhillips.
- 2. On December 31, 2002, Phillips Petroleum Company and Conoco Inc. will merge, and the surviving corporation will be renamed "ConocoPhillips Company".

In accordance with the notice provisions of the Operating Agreements and other agreements, if any, between our companies, please adjust your company/organization records, effective for address purposes as of December 2, 2002, and for company name purposes, as of January 1, 2003, to reflect the following information for addressing and delivery of notices, invoicing and payment, and communications with ConocoPhillips Company. This will also apply to Lease Sale notices and other lease-related correspondence and notifications.

U.S. Mail Address:

ConocoPhillips Company P.O. Box 2197 Houston, Texas 77252 Attn: Chief Landman, San Juan/Rockies

Physical Address & Overnight Delivery:

ConocoPhillips Company 550 Westlake Park Blvd. Three Westlake Park 3WL, Room WL 9000 Houston, Texas 77079 Attn: Chief Landman, San Juan/Rockies

All ballots and official notices/responses sent by facsimile transmission should be sent to the following contact:

Attn: Chief Landman, San Juan/Rockies

Fax No.: 832-486-2688 or 832-486-2687

Weilian Painbai

Please contact the undersigned immediately if you have any questions. This notice does not apply to royalty inquiries, joint interest billings, or revenue remittances. Please continue to use the same addresses you are currently using for these matters

Sincerely,

RECLIVED

DEC 0 2 2002

DIVISION OF OIL, GAS AND MINING

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

		•

DIVI	ISION OF OIL, GAS AND MI	NING	5. LEASE DESIGNATION AND SERIAL NUMBER:			
SUNDRY NO	SUNDRY NOTICES AND REPORTS ON WELLS 6. IF INDIAN, ALLOTTEE OR TRIBE NAME:					
Do not use this form for proposals to drill new well drill horizontal laterals.	lls, significantly deepen existing wells below curr Use APPLICATION FOR PERMIT TO DRILL fo	ent bottom-hole depth, reenter plugged wells, or to orm for such proposals.	7. UNIT or CA AGREEMENT NAME:			
1. TYPE OF WELL OIL WELL	GAS WELL OTHER A	MI	8. WELL NAME and NUMBER: See Attached List			
2. NAME OF OPERATOR:			9. API NUMBER:			
Phillips Petroleum Company			See List			
3. ADDRESS OF OPERATOR: 980 Plaza Office CITY Ba	ırtlesville _{STATE} OK _{ZIP}	74004 PHONE NUMBER: (918) 661-4415	10. FIELD AND POOL, OR WILDCAT:			
4. LOCATION OF WELL		・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・	「神経・神経・神経・神経・神経・神経・神経・神経・神経・神経・神経・神経・神経・神			
FOOTAGES AT SURFACE: See Attach	ied List		COUNTY:			
QTR/QTR, SECTION, TOWNSHIP, RANGE, ME	ERIDIAN:		STATE: UTAH			
11. CHECK APPROP	RIATE BOXES TO INDICAT	E NATURE OF NOTICE, REP	ORT, OR OTHER DATA			
TYPE OF SUBMISSION		TYPE OF ACTION				
□ NOTICE OF INTENT □	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION			
(Submit in Duplicate)	ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL			
Approximate date work will start:	CASING REPAIR	NEW CONSTRUCTION	TEMPORARILY ABANDON			
	CHANGE TO PREVIOUS PLANS	OPERATOR CHANGE	TUBING REPAIR			
	CHANGE TUBING	PLUG AND ABANDON	VENT OR FLARE			
SUBSEQUENT REPORT	CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL			
(Submit Original Form Only) Date of work completion:	CHANGE WELL STATUS	PRODUCTION (START/RESUME)	WATER SHUT-OFF			
Date of work completion.	COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	OTHER:			
	CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATIO	N			
12. DESCRIBE PROPOSED OR COMPLE	ETED OPERATIONS. Clearly show all pe	ertinent details including dates, depths, volu	imes, etc.			
Conoco Inc. was merged into F with this merger and effective company". We are requesting	on the same date, the name o	of the surviving corporation wa				
Please send production reporti Bartlesville, OK 74004. Herb's			315 S. Johnstone, 980 Plaza Office,			
Current Operator Phillips Petroleum Company		New Operator ConocoPhillips Company	RECEIVED			
Gold Way		golanda Pereg	JAN 0 8 2003			
Steve de Albuque que		Yolanda Perez	DIV. OF OIL, GAS & MINING			
v <i>V</i>						
NAME (PLEASE PRINT) Yolanda Perez		TITLE Sr. Regulatory	Analyst			
SIGNATURE <i>Yolanda</i>	Perez	DATE 12/30/2002				

(This space for State use only)



SECRETARY'S CERTIFICATE

I, the undersigned, Jennifer M. Garcia, Assistant Secretary of ConocoPhillips Company, formerly Phillips Petroleum Company, organized and existing under and by virtue of the laws of the State of Delaware (the "Corporation"), hereby certify that:

- As Assistant Secretary I am authorized to execute this certificate 1. on behalf of the Corporation.
- 2. The attached photocopy of the Certificate of Amendment to the Restated Certificate of Incorporation of Phillips Petroleum Company (to be renamed ConocoPhillips Company) is a true and correct copy as filed in the office of the Secretary of State of Delaware on the 12th day of December 2002, with an effective date of January 1, 2003 and such Certificate of Amendment has not been modified, amended, rescinded or revoked and is in full force and effect as of the date hereof
- 3. The attached photocopy of the Certificate of Merger of Conoco Inc. with and into ConocoPhillips Company is a true and correct copy as filed in the office of the Secretary of State of Delaware on the 12th day of December 2002, with an effective date of December 31, 2002 and such Certificate of Merger has not been modified, amended, rescinded or revoked and is in full force and effect as of the date hereof

IN WITNESS WHEREOF, I have hereunto set my hand as Assistant Secretary and affixed the corporate seal of the Corporation this 7th day of January 2003.

ocoPhillips Company

Susan F. Shout Notary Public

STATE OF TEXAS

COUNTY OF HARRIS

This instrument was acknowledged before me on January 7, 2003, by Jennifer M. Garcia, Assistant Secretary of ConocoPhillips Company, a Delaware corporation, on behalf of said Corporation

RECEIVED

JAN n 8 2003

DIV. OF OIL, GAS & MINING



PAGE 1

The First State

I, HARRIET SMITH WINDSOR, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF AMENDMENT OF "PHILLIPS PETROLEUM COMPANY", CHANGING ITS NAME FROM "PHILLIPS PETROLEUM COMPANY" TO "CONOCOPHILLIPS COMPANY", FILED IN THIS OFFICE ON THE TWELFTH DAY OF DECEMBER, A.D. 2002, AT 1:41 O'CLOCK P.M.

AND I DO HEREBY FURTHER CERTIFY THAT THE EFFECTIVE DATE OF THE AFORESAID CERTIFICATE OF AMENDMENT IS THE THIRTY-FIRST DAY OF DECEMBER, A.D. 2002, AT 11 O'CLOCK P.M.

JAN 0 8 2003

DIV. OF OIL, GAS & MINING



Darriet Smith Hindson

Harriet Smith Windsor, Secretary of State

AUTHENTICATION: 2183360

DATE: 01-02-03

0064324 8100

030002793

HOU03:884504.1

STATE OF DELAWARE
(THU) | 2. | 2 | 02 | 3:32/ST. | 3:54074874876 675 67749EP 5
DIVISION OF CORPORATIONS
FILED 01:41 PM 12/12/2002
020763238 - 0064324

CERTIFICATE OF AMENDMENT

to the

RESTATED CERTIFICATE OF INCORPORATION

of

PHILLIPS PETROLEUM COMPANY (to be renamed ConocoPhillips Company)

Phillips Petroleum Company ("Phillips"), a corporation organized and existing under the General Corporation Law of the State of Delaware (the "DGCL"), hereby certifies that:

- 1. The amendments to Phillips' Restated Certificate of Incorporation set forth below were duly adopted in accordance with the provisions of Section 242 of the DGCL and have been consented to in writing by the sole stockholder of Phillips in accordance with Section 228 of the DGCL.
- 2. Phillips' Restated Certificate of Incorporation is hereby amended by deleting Article I thereof and replacing in lieu thereof a new Article I reading in its entirety as follows:

"The name of the corporation (which is hereinafter referred to as the "Corporation") is ConocoPhillips Company."

- 3. Phillips' Restated Certificate of Incorporation is hereby amended by deleting Section 1 of Article IV thereof and replacing in lieu thereof a new Section 1 reading in its entirety as follows:
 - "Section 1. The Corporation shall be authorized to issue 2,100 shares of capital stock, of which 2,100 shares shall be shares of Common Stock, \$.01 par value ("Common Stock")."
- 4. Pursuant to Section 103(d) of the DGCL, this amendment will become effective at 11:00 p.m., Eastern time, on December 31, 2002.

RECEIVED

JAN n 8 2003

IN WITNESS WHEREOF, Phillips has caused this certificate to be executed this 12th day of December, 2002.

PHILLIPS PETROLEUM COMPANY

Name:

Rick A. Harrington

Senior Vice President, Legal, and General Counsel Title:

HQU03:884504.1

RECEIVED JAN 0 8 2003 DIV. OF OIL, GAS & MINING



The First State

I, HARRIET SMITH WINDSOR, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF MERGER, WHICH MERGES:

"CONOCO INC.", A DELAWARE CORPORATION,

WITH AND INTO "CONOCOPHILLIPS COMPANY" UNDER THE NAME OF "CONOCOPHILLIPS COMPANY", A CORPORATION ORGANIZED AND EXISTING UNDER THE LAWS OF THE STATE OF DELAWARE, AS RECEIVED AND FILED IN THIS OFFICE THE TWELFTH DAY OF DECEMBER, A.D. 2002, AT 1:44 O'CLOCK P.M.

AND I DO HEREBY FURTHER CERTIFY THAT THE EFFECTIVE DATE OF THE AFORESAID CERTIFICATE OF MERGER IS THE THIRTY-FIRST DAY OF DECEMBER, A.D. 2002, AT 11:59 O'CLOCK P.M.

> **RECEIVED** JAN 0 8 2003

DIV. OF OIL, GAS & MINING



Darriet Smith Windson Harriet Smith Windsor, Secretary of State

AUTHENTICATION: 2183370

DATE: 01-02-03

0064324 8100M

030002793

STATE OF DELAWARE (THU) 12. 12 02 13:35/ST. 13:540AEVAR 64756739EF 16 DIVISION OF CORPORATIONS FILED 01:44 PM 12/12/2002 020763253 - 0064324

CERTIFICATE OF MERGER

of

Conoco Inc.
(a Delaware corporation)

with and into

ConocoPhillips Company (a Delaware corporation)

Phillips Petroleum Company, a Delaware corporation to be renamed ConocoPhillips Company prior to the effective time of this certificate of merger (the "Surviving Corporation"), in compliance with the requirements of the General Corporation Law of the State of Delaware (the "DGCL") and desiring to effect a merger of Conoco Inc., a Delaware corporation formerly incorporated under the name Du Pont Holdings, Inc. (the "Merging Corporation," and together with the Surviving Corporation, the "Constituent Corporations"), with and into the Surviving Corporation, and acting by its duly authorized officer, DOES HEREBY CERTIFY that:

First: As of the date hereof, the name and state of incorporation of each of the Constituent Corporations of the merger are as follows:

NAME

STATE OF INCORPORATION

PHILLIPS PETROLEUM COMPANY

Delaware

CONOCO INC.

Delaware

Second: An agreement and plan of merger has been approved, adopted, certified, executed and acknowledged by each of the Constituent Corporations in accordance with the requirements of Section 251 of the DGCL;

Third: The name of the Surviving Corporation will be ConocoPhillips Company;

Fourth: The Certificate of Incorporation of ConocoPhillips Company immediately prior to the merger shall be the Certificate of Incorporation of the Surviving Corporation until such time as it may be amended in accordance with applicable law and the provisions thereof;

Fifth: The executed agreement and plan of merger is on file at an office of the Surviving Corporation, the address of which is 600 North Dairy Ashford, Houston, Texas 77079;

RECEIVED

JAN 0 8 2003

Sixth: A copy of the agreement and plan of merger will be furnished by the Surviving Corporation, on request and without cost, to any stockholder of any Constituent Corporation; and

Seventh: Pursuant to Section 103(d) of the DGCL, this certificate of merger will become effective at 11:59 p.m., Eastern time, on December 31, 2002.

Dated: December 12, 2002

PHILLIPS PETROLEUM COMPANY

(a Delaware corporation)


•

Name: Rick A. Harrington

Title: Senior Vice President, Legal, and General Counsel

RECEIVED

JAN 0 8 2003



ooration - Foreign - Profit 562960-0143

REFERENCE NUMBER(S), CLASSIFICATION(S) & DETAIL(S)

UNITED STATES CORP CO CONOCOPHILLIPS COMPANY GATEWAY TOWER EAST STE 900 10 EAST SOUTH TEMPLE SLC UT 84133

RECEIVED JAN 0 8 2003

DIV. OF OIL, GAS & MINING

STATE OF UTAH DEPARTMENT OF COMMERCE DIVISION OF CORPORATIONS & COMMERCIAL CODE

REGISTRATION

EFFECTIVE DATE:

06/14/1946

EXPIRATION DATE:

*RENEWAL

ISSUED TO:

CONOCOPHILLIPS COMPANY



REFERENCE NUMBER(S), CLASSIFICATION(S) & DETAIL(S)

562960-0143

Corporation - Foreign - Profit

*RENEWAL

You will need to renew your registration each anniversary date of the effective date.

Exceptions: DBAs and Business Trusts renew every three (3) years from the effective date.



Utah Well List as of 12/26/02

4	
•	

API Well Number	Well Name	Well Type	Well Status	Sec	Twpn	Twpd	Rngn	Rnad
43-007-30887-00-00	ANDREEN 32-529	Gas Well	APD	32	14		10	
43-007-30865-00-00	COTNER 29-549	Gas Well	APD	29			10	
43-007-30837-00-00	DALLIN 32-615	Gas Well	APD	32	13	S		Ε
43-047-34551-00-00	FED 43-24-3 #1	Gas Well	APD	24	10	S	17	
43-047-33982-00-00	FEDERAL 12-17 #1	Gas Well	APD	17	10	S	18	
43-047-34471-00-00	FEDERAL 12-29-7 1	Gas Well	APD	29	9	S	19	
43-047-34472-00-00	FEDERAL 31-31-6 1	Gas Well	APD	31	9	S	19	
43-007-30864-00-00	MCKENDRICK 29-548	Gas Well	APD	29	14		10	E.
43-015-30512-00-00	PPCO 19-379	Gas Well	APD	19	16			Е
43-015-30515-00-00	PPCO 24-562	Gas Well	APD	24	16	s	8	E
43-015-30548-00-00	PPCO 30-605	Gas Well	APD	30	16		9	
43-007-30888-00-00	PRICE 32-438	Gas Well	APD	32	14	S	10	
43-007-30813-00-00	RITZAKIS 33-514	Gas Well	APD	33	13	s	9	
43-007-30766-00-00	RITZAKIS 33-516	Gas Well	APD	33	13	S	9	
43-007-30838-00-00	ROWLEY 32-616	Gas Well	APD	32	13		9	
43-007-30863-00-00	SCHMIDT 29-531	Gas Well	APD	29	14		10	
43-007-30797-00-00	SEELY 15-498	Gas Well	APD	15	14		8	
43-007-30798-00-00	SEELY 15-499	Gas Well	APD	15	14		8	
43-007-30799-00-00	SEELY 15-500	Gas Well	APD	15	14		8	
43-007-30796-00-00	SEELY 22-492		APD	22	14		8	
43-007-30801-00-00		Gas Well	APD	22	14		8	
43-007-30802-00-00	SEELY 22-503	Gas Well	APD	22	14		8	
43-007-30711-00-00	USA 09-452	Gas Well	APD	9	15		8	
43-015-30351-00-00			APD	11	16		9	E
43-015-30398-00-00		**************************************	APD	12	16		9	E
43-015-30409-00-00			APD	12	16		9	E
43-007-30805-00-00			APD	14	14		8	E
43-007-30806-00-00			APD	14	14		8	Ē
43-007-30676-00-00	USA 15-421		APD	15	15		8	E
43-015-30417-00-00	USA 21-427		APD	21	16		8	E
43-015-30416-00-00			APD	21	16		9	Ē
43-015-30415-00-00	USA 21-429		APD	21	16		9	
43-007-30515-00-00			APD	31	15		10	
43-007-30835-00-00	USA 33-515		APD	33	13		9	
43-007-30836-00-00	USA 33-624		APD	33	13		9	
43-007-30803-00-00	USA 34-518		APD	34	14		8	
43-007-30478-00-00	UTAH 05-224		APD	5	15		9	
43-015-30411-00-00	UTAH 16-365		APD	16	16		9	
43-015-30412-00-00	· · · · · · · · · · · · · · · · · · ·		APD	16	16		9	
43-015-30413-00-00			APD	16	16		9	
43-015-30299-00-00			APD	18	16		9 1	
43-015-30420-00-00			APD	19	16		9 1	
43-015-30492-00-00	***		APD	19	16		9 1	
43-007-30891-00-00			APD	19	14		10	
43-015-30414-00-00			APD	20	16		9 1	
43-015-30421-00-00			APD	20	16		9 1	
43-015-30518-00-00			APD	25	16		8	
43-015-30539-00-00	*		APD	25	16		8	
43-015-30540-00-00			APD	25	16		8 1	
43-007-30817-00-00			APD	25	13		9 1	
43-015-30543-00-00			APD	26	16		8 1	
43-015-30547-00-00			APD	29	16		9 1	
43-007-30889-00-00			APD	32	14 5		10	
43-007-30814-00-00			APD	35	13 8		9 [
10 007 000 14-00-00	37711 00-000	Cas VV CII	VI D	55	15		3 [



Utah Well List as of 12/26/02

4	
•	

API Well Number	Well Name	Well Type	Well Status	Sec	Twpn	Twpd	Rnan	Rnad
43-047-33750-00-00		Gas Well	P	29		S	19	
	GAROFOLA 26-482	Gas Well	Р	26	15			E
	GIACOLETTO 11-113	Gas Well	P	11	14		9	E
	GIACOLETTO 13-120	Gas Well	P	13	14		9	E
	GIACOLETTO 14-121	Gas Well	P	14	14			E
	HELPER & ASSOC 07-307	Gas Well	P	7	15			E
	HELPER & ASSOC 18-236	Gas Well	P	18	15	L		E
	HELPER & ASSOC 18-308	Gas Well	P	18	15			E
	HELPER & ASSOC 8-232	Gas Well	P	8	15			E
	HELPER & ASSOCIATES 7-84	Gas Well	P	7	15			E
43-007-30588-00-00		Gas Well	P	16	15		10	=
	KAKATSIDES 31-197	Gas Well	P	31	14		9	
43-007-30296-00-00		Gas Well	P	17	15		10	
43-007-30290-00-00		Gas Well	P	16	14		9	
	PETES WASH 23-12 #1	Gas Well	P	12	10		17	
43-007-30748-00-00		Gas Well	P	25	15		8	
43-007-30749-00-00		Gas Well	P	25	15	9	8	<u> </u>
43-007-30754-00-00		Gas Well	P	26	15		8	
43-007-30755-00-00		Gas Well	P	26	15		8	E
43-007-30755-00-00		Gas Well	P	26	15		8	E
	PINNACLE PEAK 19-171	Gas Well	P	19	14		9	E
43-007-30845-00-00		Gas Well	P	10	15		8	
		Gas Well	P	19	15		10	
43-007-30282-00-00				19	15		10	
43-007-30283-00-00		Gas Well	Р	30	15		10	
43-007-30346-00-00		Gas Well	P		16		8	
43-015-30279-00-00	l	Gas Well	P P	10 15	16		8	
43-015-30494-00-00		Gas Well	P	10	14		9	
l	PRETTYMAN 10-15-34	Gas Well Gas Well	P	11	14		9	
43-007-30340-00-00	PRETTYMAN 11-114	Gas Well	P	21	15		9	
43-007-30653-00-00		Gas Well	P	21	15		9	
43-007-30743-00-00	l	Gas Well	P	25	15		8	
43-007-30747-00-00		Gas Well	P	28	15		9	
43-007-30559-00-00			P	28	15		9	
		Gas Well Gas Well	P P	3	14		9	
43-007-30509-00-00 43-007-30473-00-00			P	5	14		9	
			P	5	14		9	
43-007-30474-00-00			P	8	14		9	
43-007-30475-00-00				- 8 8	14		9	
43-007-30479-00-00			P	8	14		9	듣
43-007-30476-00-00			P	32	14		10	
	ROBERTSON 32-127		Р		15			
43-007-30610-00-00			Р	16			10 10	
43-007-30723-00-00		Gas Well	Р	16	15			
43-007-30765-00-00	14 - 14 - 14 - 14 - 14 - 14 - 14 - 14 -		P	16	15		10	
43-007-30800-00-00			P	22	14		8	
43-007-30130-00-00			P	25	14		9	
43-007-30142-00-00			P	36	14		9	
	STELLA-HAMAKER 10-174		P	10	15		8	
43-007-30746-00-00			P	23	15		8	
43-007-30319-00-00			<u>P</u>	15	14		9	
43-007-30322-00-00			P	16	14		9	
43-007-30300-00-00			P	19	14		9	
43-007-30299-00-00		Gas Well	P	19	14		9	
43-007-30327-00-00	TELONIS 20-152	Gas Well	P	20	14	s	9	E



API Well Number	Well Name	Well Type	Well Status	Sec	Twpn	Twpd	Rnan	Rnad
43-007-30631-00-00		Gas Well	Р	13	15			E
43-007-30707-00-00		Gas Well	P	13				E
43-007-30706-00-00		Gas Well	P	13				E
43-007-30789-00-00		Gas Well	Р	13				E
43-007-30790-00-00		Gas Well	P	13	14	1		E
43-007-30568-00-00	<u> </u>	Gas Well	P	13	14			E
43-007-30404-00-00		Gas Well	P	14	14		9	
43-015-30418-00-00		Gas Well	P	1	16		9	
43-007-30579-00-00	<u> </u>	Gas Well	P	14	15		8	
43-007-30634-00-00	1	Gas Well	P	14	15		8	
43-007-30646-00-00		Gas Well	P	14	15		8	
43-007-30647-00-00		Gas Well	P	14	15		8	
43-007-30791-00-00		Gas Well	P	14	14		8	
43-007-30792-00-00		Gas Well	P	14	14		8	
43-007-30529-00-00		Gas Well	P	14	14		9	Ē
43-007-30263-00-00		Gas Well	P	14	14		9	Ē
43-007-30450-00-00		Gas Well	P	15	14		9	E
43-007-30423-00-00		Gas Well	Р	15	14		9	늗
43-007-30690-00-00		Gas Well	P	15	15		8	
43-007-30691-00-00		Gas Well	P	15	15		8	F
43-007-30264-00-00			P	15	14		9	=
43-007-30422-00-00		Gas Well	P	17	14		9	
43-007-30622-00-00			P	17	14		9	
43-007-30618-00-00		Gas Well	P	18	14		9	
43-007-30417-00-00			P	18	14		9	
43-007-30619-00-00			P	18	14		9	
43-007-30393-00-00			P	19	15		10	
43-007-30393-00-00			P	19	15		10	
43-007-30448-00-00			P	20	15		10	
43-007-30451-00-00		loans -	P	20	15		10	
43-007-30590-00-00			P	20	15		10	
43-007-30590-00-00			P	20	15		10	
43-007-30391-00-00			P	21	14		9	
43-007-30425-00-00			P	21	14		9	
43-007-30425-00-00			P	22	14		9	
43-007-30420-00-00		000	P	22	14		9	
43-007-30777-00-00			P	22	15		8	
43-007-30700-00-00			P	23	14		8	
43-007-30650-00-00			P	23	15		8	
43-007-30030-00-00			P	23	15		8	
43-007-30704-00-00			P	23	15		8	
43-007-30303-00-00			P	23	14		8	
43-007-30794-00-00			P	23	14		8	
43-007-30795-00-00		-	P	23	14		8	
43-007-30793-00-00			P	24	14		8 1	
43-007-30409-00-00			P	24	14			
							8	
43-007-30613-00-00			P	24	14		8	
43-007-30651-00-00			P	24	15		8	
43-007-30648-00-00			P	24	15		8 1	
43-007-30708-00-00			<u>P</u>	24	14		8	
43-007-30652-00-00			P	24	15		8 1	
43-007-30705-00-00			P	24	15		8 1	
43-007-30505-00-00			<u>P</u>	25	15		8 1	
43-007-30614-00-00	USA 26-393	Gas Well	P	26	14	<u>s</u>	8	=



API Well Number	Well Name	Well Typ	e \	Well Status	Sec	Twpn	Twpd	Rngn	Rngd
43-007-30430-00-00	UTAH 06-223	Gas Wel		Р	6	15			
43-007-30562-00-00	UTAH 06-330	Gas Well		Р	6	15	S	9	E
43-007-30716-00-00	UTAH 06-483	Gas Well		P	6	15		9	E
43-007-30409-00-00	UTAH 07-234	Gas Well		Р	7	15	S	9	Е
43-007-30421-00-00	UTAH 07-235	Gas Well	Ιİ	Р	7	15	S	9	Ε
43-007-30411-00-00	UTAH 08-231	Gas Well		P	8	15	S	9	E
43-007-30488-00-00		Gas Well		Р	8	15	S	9	Е
43-015-30464-00-00		Gas Well		Р	8	16		9	E
43-015-30378-00-00		Gas Well	-	Р	8	16	S	9	E
43-015-30379-00-00		Gas Well		Р	8	16	S	9	
43-015-30380-00-00		Gas Well	-	Р	8	16	S	9	E
43-007-30449-00-00		Gas Well		Р	9	15			
43-007-30561-00-00		Gas Well	-	Р	9	15		9	
43-015-30300-00-00		Gas Well		Р	9	16		9	
43-015-30407-00-00		Gas Well	- 1	P	9	16		9	
43-015-30397-00-00		Gas Well		Р	9	16		9	
43-015-30408-00-00		Gas Well	_	Þ	9	16		9	
43-007-30580-00-00		Gas Well		P	9	15		10	
43-007-30605-00-00		Gas Well		P	9	15		10	
43-007-30657-00-00		Gas Well		P	9	15	_	10	
43-007-30722-00-00		Gas Well		P	9	15		10	
43-007-30302-00-00		Gas Well		P	10	15		9	
43-007-30298-00-00		Gas Well	<u> </u>	P	10	15		9	
43-007-30432-00-00	The state of the s	Gas Well		P	10	15		9	
43-007-30303-00-00		Gas Well		P	10	15		9	
43-007-30228-00-00		Gas Well		P	11	15		9	
43-007-30229-00-00		Gas Well	-	P	11	15		9	
43-007-30230-00-00		Gas Well	-	5	11	15		9	
43-007-30231-00-00		Gas Well	_	P	11	15		9	E
43-007-30467-00-00		Gas Well		P	1	15	s	8	E
43-007-30210-00-00		Gas Well		> -	12	15	S	9	E
43-007-30232-00-00		Gas Well	-	5	12	15		9	E
43-007-30233-00-00		Gas Well	_	>	12	15	s	9	
43-007-30234-00-00		Gas Well		D	12	15	s	9	E
43-015-30493-00-00		Gas Well	_	>	13	16	S	8	Е
43-015-30301-00-00		Gas Well		>	13	16		8	E
43-007-30243-00-00		Gas Well		5	13	15		9	
43-007-30244-00-00		Gas Well	-		13	15		9	E
43-007-30245-00-00		Gas Well			13	15		9	
43-007-30246-00-00		Gas Well	_		13	15		9	
43-007-30439-00-00		Gas Well			13	14		9	
43-007-30220-00-00		Gas Well			1	15		9	E
43-007-30221-00-00		Gas Well			1	15		9	
43-007-30222-00-00		Gas Well	_		1	15		9	E
43-007-30223-00-00		Gas Well			1	15		9	
43-015-30330-00-00	The state of the s	Gas Well			14	16		8	E
43-015-30331-00-00		Gas Well	-	>	14	16		8	E
43-007-30239-00-00		Gas Well	_		14	15		9	Е
43-007-30240-00-00		Gas Well			14	15		9	E
43-007-30241-00-00		Gas Well			14	15		9	E
43-007-30242-00-00		Gas Well			14	15		9	E
43-015-30334-00-00		Gas Well	-	>	15	16		8	
	S	- 40 V V O II	· j'		. 🗸				
43-007-30416-00-00	UTAH 17-101	Gas Well		>	17	15	s I	10	E



API Well Number	Well Name	Well Type	Well Status	Sec	Twpn	Twpd	Rngn	Rngd
43-007-30255-00-00	UTAH 24-80	Gas Well	Р	24		S		E
43-007-30256-00-00	UTAH 24-81	Gas Well	Р	24		S		E
43-007-30267-00-00	UTAH 24-86	Gas Well	Р	24	15			Е
43-007-30375-00-00	UTAH 24-87	Gas Well	Р	24	15			Ε
43-007-30227-00-00	UTAH 2-49	Gas Well	Р	2	15			E
43-007-30157-00-00	UTAH 25-11-7	Gas Well	Р	25	14			E
43-007-30399-00-00	UTAH 25-134	Gas Well	Р	25	15			E
43-007-30400-00-00	UTAH 25-252	Gas Well	Р	25	15		9	E
43-007-30401-00-00	UTAH 25-253	Gas Well	Р	25	15		9	E
43-007-30402-00-00	UTAH 25-254	Gas Well	P	25	15		9	E
43-007-30600-00-00	UTAH 25-389	Gas Well	Р	25	14			Е
43-007-30599-00-00	UTAH 25-390	Gas Well	Р	25	14			Ε
43-007-30658-00-00		Gas Well	Р	25	14			E
43-007-30602-00-00	UTAH 25-392	Gas Well	Р	25	14			E
43-007-30206-00-00		Gas Well	P	25	14			E
43-015-30519-00-00		Gas Well	Р	25	16			E
43-007-30156-00-00		Gas Well	Р	25	14			E
43-007-30204-00-00		Gas Well	P	26	14			E
43-007-30205-00-00		Gas Well	Р	26	14			E
43-007-30181-00-00		Gas Well	Р	26	14			E
43-007-30446-00-00		Gas Well	P	26	15			E
43-007-30445-00-00		Gas Well	Р	26	15			E
43-007-30444-00-00		Gas Well	P	26	15			Ē
43-007-30514-00-00		Gas Well	P	26	15		<u>_</u> 9	Ē
43-015-30541-00-00		Gas Well	Р	26	16			E
43-015-30542-00-00		Gas Well	P	26	16			E
43-015-30544-00-00		Gas Well	P	26	16			E
43-007-30202-00-00		Gas Well	P	26	14		9	
43-007-30395-00-00		Gas Well	P	27	14		9	
43-007-30292-00-00		Gas Well	Р	27	14			<u>–</u> E
43-007-30457-00-00		Gas Well	P	27	15		9	
43-007-30458-00-00		Gas Well	Р	27	15		9	
43-007-30712-00-00		Gas Well	P	27	14		8	
43-007-30714-00-00		Gas Well	P	27	14		8	
43-007-30777-00-00		Gas Well	P	27	14		8	
43-015-30545-00-00			P	27	16		8	F
43-007-30193-00-00			P	27	14		9	
43-007-30186-00-00	~		P	27	14		9	
43-007-30396-00-00			P	28	14		9	
43-007-30397-00-00			P	28	14		9	F
43-007-30293-00-00			P	28	14		9	
43-007-30294-00-00			P	28	14		9	
43-007-30551-00-00			P	28	15		9	F
43-007-30560-00-00			P	28	15		9	F
13-007-30405-00-00			P	29	14		9	<u> </u>
43-007-30427-00-00 I			P	29	14		9	
13-007-30739-00-00			<u>'</u> P	29	15		9	<u> </u>
13-007-30740-00-00			P	29	15		9	 F
13-007-30741-00-00			P	29	15		9	
13-007-30742-00-00			P	29	15		9	
13-007-30262-00-00			P	30	14		10	
13-007-30202-00-00 (· · · · · · · · · · · · · · · · · ·			_				
			P	30	14		10	
3-007-30265-00-00 L			P	30	14		9	
3-007-30344-00-00	JTAH 30-196	Gas Well	P	30	14	S	9	ᆫ



Utah Well List as of 12/26/02

API Well Number	Well Name	Well Type	Well Status	Sec	Twpn	Twpd	Rngn	Rngd
43-007-30178-00-00	UTAH 36-1-2	Gas Well	Р	36	14			E
43-007-30341-00-00	UTAH 36-135	Gas Well	Р	36	15			Е
43-007-30343-00-00	UTAH 36-136	Gas Well	Р	36				Ε
43-007-30342-00-00	UTAH 36-137	Gas Well	P	36	15		9	E E
43-007-30315-00-00	UTAH 36-162	Gas Well	P	36	14		8	E
43-007-30316-00-00	UTAH 36-163	Gas Well	Р	36	14			Е
43-007-30317-00-00	UTAH 36-164	Gas Well	Р	36	14		8	Е
43-007-30318-00-00	UTAH 36-165	Gas Well	P	36	14			Ш
43-007-30144-00-00	UTAH 36-9-5	Gas Well	Р	36	14		9	Е
43-015-30341-00-00	UTAH 4-280	Gas Well	Р	4	16			Ε
43-015-30342-00-00	UTAH 4-282	Gas Well	Р	4	16			Е
43-007-30384-00-00	UTAH 5-205	Gas Well	Р	5	15			Е
43-007-30269-00-00	UTAH 5-94	Gas Well	Р	5	15		10	
43-007-30270-00-00	UTAH 5-95	Gas Well	Р	5	15		10	
43-007-30271-00-00	UTAH 5-96	Gas Well	Р	5	15		10	
43-007-30217-00-00	UTAH 6-38	Gas Well	Р	6	15		10	
43-007-30218-00-00	UTAH 6-39	Gas Well	Р	6	15		10	
43-007-30219-00-00	UTAH 6-40	Gas Well	Р	6	15		10	
43-007-30254-00-00	UTAH 6-41	Gas Well	Р	6	15		10	
43-007-30235-00-00	UTAH 7-57	Gas Well	Р	7	15		10	
43-007-30236-00-00	UTAH 7-58	Gas Well	Р	7	15		10	
43-007-30237-00-00		Gas Well	Р	7	15		10	
43-007-30238-00-00		Gas Well	Р	7	15		10	
43-007-30275-00-00		Gas Well	Р	8	15		10	
43-007-30410-00-00	UTAH 8-230	Gas Well	Р	8	15		9	
43-007-30272-00-00	UTAH 8-97	Gas Well	Р	8	15		10	
43-007-30285-00-00	UTAH 8-98X	Gas Well	P	8	15		10	
43-007-30274-00-00		Gas Well	P	8	15		10	
43-007-30413-00-00		Gas Well	Р	9	15	_	9	
43-007-30414-00-00			Р	9	15		9	
43-007-30279-00-00		Gas Well	P	30	14		10	
***	WOOLSTENHULME 05-266		Р	5	15		10	
43-015-30250-00-00	UTAH 16-110	Gas Well	Shut_In	16	16	S	9	Ε



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Eastern States Office 7450 Boston Boulevard Springfield, Virginia 22153

IN REPLY REFER TO 3106.8(932.34)WF

January 16, 2003

NOTICE

ConocoPhillips Company P.O. Box 7500

Bartlesville, Oklahoma 74005

Oil & Gas Leases

Merger/Name Change Recognized

Acceptable evidence was received in this office on January 14, 2003, concerning the change of name of Phillips Petroleum Company to ConocoPhillips Company and the merger of Conoco Incorporated into ConocoPhillips Company on Federal oil and gas leases, with ConocoPhillips Company being the surviving entity.

The Secretary of the State of Delaware certified the effective date of this merger effective December 31, 2002.

The oil and gas lease files identified on the enclosed exhibit have been noted to the merger. The exhibit was compiled from a list of leases obtained from your list of leases. Eastern States has not abstracted the lease files to determine if the entities affected by this merger hold an interest in the leases identified nor have we attempted to identify leases where the entities are the operator on the ground maintaining no vested record title or operating rights interest. We are notifying the Minerals Management Service and all applicable Bureau of Land Management offices of this merger and name change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify other leases in which the merging entity maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

By Operation of law the name of the principal on Nationwide Oil and Gas Bond held by Conoco Incorporated (ES0085) has been changed to ConocoPhillips Company.

If you have any questions, please contact Bill Forbes at 703-440-1536.

Shullet B. Facher

Wilbert B. Forbes
Land Law Examiner
Branch of Use Authorization
Division of Resources Planning, Use
and Protection

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH 2. CDW 3. FILE

Change of Operator (Well Sold)

5. If **NO**, the operator was contacted contacted on:

Designation of Agent/Operator

Operator Name Change

X Merger

The operator of the well(s) listed below has changed,	effective:	12-31-02									
FROM: (Old Operator):		TO: (New On	perator):		-						
PHILLIPS PETROLEUM COMPANY	CONOCOPHILLIPS COMPANY										
Address: 980 PLAZA OFFICE	1	Address: P O B	OX 2197,	WL3 4066							
	1										
BARTLESVILLE, OK 74004	1	HOUSTON, T	X 77252								
Phone: 1-(918)-661-4415]	Phone: 1-(832)									
Account No. N1475		Account No.	N2335		_						
CA No.		Unit:	DRUNKA	RDS WASI	H						
WELL(S)						-					
	SEC TWN	API NO	ENTITY	LEASE	WELL	WELL					
NAME	RNG		NO	TYPE	TYPE	STATUS					
UTAH 5-205	05-15S-09E	43-007-30384		STATE	GW	P					
UTAH 5-206	05-15S-09E	43-007-30390	11256	STATE	GW	P					
UTAH 5-225	05-15S-09E	43-007-30440	11256	STATE	GW	P					
UTAH 6-223	06-15S-09E	43-007-30430	11256	STATE	GW	P					
UTAH 6-207	06-15S-09E	43-007-30391	11256	STATE	GW	P					
UTAH 6-330	06-15S-09E	43-007-30562	11256	STATE	GW	P					
UTAH 6-483	06-15S-09E	43-007-30716	11256	STATE	GW	P					
HELPER & ASSOCIATES 7-84	07-15S-09E	43-007-30258	11256	FEE	GW	P					
UTAH 7-234	07-15S-09E	43-007-30409	11256	STATE	GW	P					
UTAH 7-235		43-007-30421		STATE		P					
HELPER & ASSOCIATES 7-307	07-15S - 09E	43-007-30487	11256	FEE	GW	P					
UTAH 8-230	08-15S-09E	43-007-30410	11256	STATE	GW	P					
UTAH 8-231	08-15S-09E	43-007-30411	11256	STATE	GW	P					
HELPER & ASSOCIATES 8-232		43-007-30412		FEE	GW	P					
UTAH 8-233		43-007-30488		STATE		P					
UTAH 9-228		43-007-30413		STATE		P					
UTAH 9-229		43-007-30414		STATE		P					
UTAH 9-227		43-007-30449		STATE		P					
UTAH 9-329		43-007-30561		STATE		P					
UTAH 10-219	10-15S-09E	43-007-30298	11256	STATE	GW	P					
OPERATOR CHANGES DOCUMENTATION Enter date after each listed item is completed											
1. (R649-8-10) Sundry or legal documentation was received f	rom the FOR	MER operator of	on:	01/08/2003							
		4			•						
2. (R649-8-10) Sundry or legal documentation was received f	rom the NEW	operator on:	01/08/2003	3							
3. The new company has been checked through the Departme	ent of Comm	erce, Division o	f Corpora	tions Datab	ise on:	02/03/2003					
4. Is the new operator registered in the State of Utah:	YES	Business Numb	er:	562960-014.	3						

6. (R649-9-2) Waste Management Plan has been received on:	IN PLACE		
7.	Federal and Indian Lease Wells: The BLM and or operator change for all wells listed on Federal or India			
8.	Federal and Indian Units: The BLM or BIA has approved the successor of unit or	perator for wells listed on:	01/14/2003	
9.	Federal and Indian Communization Agreen The BLM or BIA has approved the operator for all wel	` '	01/14/2003	
10.	Underground Injection Control ("UIC") for the enhanced/secondary recovery unit/project for the		d UIC Form 5, Transfer of Authorit on: N/A	y to Inject,
DA	TA ENTRY:			
1.	Changes entered in the Oil and Gas Database on:	02/10/2003		
2.	Changes have been entered on the Monthly Operator C	hange Spread Sheet on:	02/10/2003	
3.	Bond information entered in RBDMS on:	N/A		
4.	Fee wells attached to bond in RBDMS on:	N/A		
	ATE WELL(S) BOND VERIFICATION: State well(s) covered by Bond Number:	8140-60-24		
	DERAL WELL(S) BOND VERIFICATION: Federal well(s) covered by Bond Number:	8015-16-69		
	DIAN WELL(S) BOND VERIFICATION: Indian well(s) covered by Bond Number:	N/A		
FE	E WELL(S) BOND VERIFICATION:		· · · · · · · · · · · · · · · · · · ·	
1. (R649-3-1) The NEW operator of any fee well(s) listed of	overed by Bond Number	6196922	
	he FORMER operator has requested a release of liability he Division sent response by letter on:	y from their bond on: N/A	N/A	
3. (I	ASE INTEREST OWNER NOTIFICATION R649-2-10) The FORMER operator of the fee wells has been their responsibility to notify all interest owners of this continuous control of their responsibility to notify all interest owners of this control of their responsibility to notify all interest owners of this control of their responsibility to notify all interest owners of this control of their responsibility to notify all interest owners of the feet well as the control of the feet wel	been contacted and informed	by a letter from the Division	
CON	MMENTS:			
			7	
		·		

ORIGINAL

FORM 9	STA	TE OF UTAH			1	ZIVAL
	DIVISION OF C	DIL, GAS AND MIN	ling	5. Lease Designation and Seri	al Numi	per:
				ML-48205		
SUNDRY N	IOTICES AND	REPORTS OF	N WELLS	6. If Indian, Allottee or Tribe N	ame:	
001121111				N/A		· · · · · · · · · · · · · · · · · · ·
Do not use this form for proposa				7. Unit Agreement Name:		
Use APPLICA	TION FOR PERMIT TO DRI	LL OR DEEPEN form for such	proposals.	Drunkards Wash	UT	U-67921X
. Type of Well: OIL GAS A C	OTHER:			Well Name and Number:		
	UTAH 06-207					
Name of Operator: ConocoPhillips Company				9. API Well Number:		
	——————————————————————————————————————			43-007-30391		
 Address and Telephone Number: 68 	Address and Telephone Number: 6825 South 5300 West, P.O. Box 851, Price, UT 84501 (435) 613-9777					
	<u></u>	1.0. box 651, 11160,	(+33) 013-7111	Drunkards Wash		·
Location of Well Footages: 825' FNL, 9	982, EET			County: Carbon Cou	ntv	
	EC.6, T15S,R09E, S	SI B&M		State:	10)	
NE/NE, SE	.c.o, 1135,R09E, i	3LD&IVI		Utah		
1. CHECK APPROPRIAT	E BOXES TO IN	DICATE NATURE	OF NOTICE, REPORT	T, OR OTHER DATA	<u> </u>	
	TICE OF INTENT ubmit in Duplicate)			SUBSEQUENT REPOR (Submit Original Form Only)	Γ	
☐ Abandon		New Construction	☐ Abandon *			New Construction
☐ Repair Casing		Pull or Alter Csg	☐ Repair Casing			Pull or Alter Csg
☐ Change of Plans		Recomplete	☐ Change of Plans			Reperforate
☐ Convert to Injection		Reperforate	☐ Convert to Injection			Vent or Flare
☐ Fracture Treat or Acidize		Vent or Flare	☐ Fracture Treat or Ac			Water Shut-Off
☐ Multiple Completion		Water Shut-Off		id Treatment		
Other			Date of work completion	12/04/2003		
Approximate date work will sta	rt			eletions and Recompletions to diffe	erent re	servoirs on WELL
			COMPLETION OR RECOMPLE	TION REPORT AND LOG form.		
			* Must be accompanied by a ce	ment verification report.		
DESCRIBE PROPOSED OR COMPLE rertical depths for all markers and zones por		state all pertinent details, and	give pertinent dates. If well is direction	onally drilled, give subsurface loca	tions an	d measured and true
Dlassakaada	:		ahamiaally tuootad ssith	4000 collogs of love Di	. a:	d and
			chemically treated with	4000 gailons of low Pi	1 Hui	a and
200 gallons 4	% HCL on 12/04/2	2003.				

13. A-allred Date: 01/14/200 Lynnette Allred Operations Clerk-Production Name & Signature: (This space for state use only)

RECEIVED JAN 2 0 2004

ORIGINAL

3	STATE OF UTAH				
DIVISION O	F OIL, GAS AND M	INING	5. Lease Designation and Serie ML-48205	al Numb	per:
DDV NOTICES A	ND REPORTS (N WELLS	6. If Indian, Allottee or Tribe Na	me:	
DKT NOTICES A	SIN VVLLES	N/A			
n for proposals to drill new wells, de	epen existing wells, or to reenter	plugged and abandoned wells.	7. Unit Agreement Name:		
se APPLICATION FOR PERMIT TO	DRILL OR DEEPEN form for su	uch proposals.		UT	<u>J-67921X</u>
ASIX OTHER:			1		
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			<u> </u>		
ConocoPhillins (
Conocor minips Company					, <u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>
Address and Telephone Number: 6825 South 5300 West P.O. Box 851 Price IJT 84501 (435) 613-977					
0025 50dth 5500 11	001, 1.0. Bon 001, 1110		Drunkarus wash		
5' FNL. 928' FEL			county: Carbon Coun	nty	
•	E SLB&M		State:		
PRIATE BOXES TO	INDICATE NATUR	RE OF NOTICE, REPOR	I, OR OTHER DATA	·	
NOTICE OF INTENT (Submit in Duplicate)	•		SUBSEQUENT REPOR (Submit Original Form Only)	Γ	
	□ New Construction	☐ Abandon *			New Construction
	□ Pull or Alter Csg	□ Repair Casing			Pull or Alter Csg
	☐ Recomplete	☐ Change of Plans			Reperforate
ion	☐ Reperforate				Vent or Flare
· Acidize		1 =			Water Shut-Off
ion	☐ Water Shut-Off	[LEE CHIO!			
1		- Date of work completion	1.2/04/2003		
ork will start		Report results of Multiple Comp COMPLETION OR RECOMPLE	oletions and Recompletions to diffe	erent re	servoirs on WELL
		* Must be accompanied by a ce	ement verification report.		
and zones pertinent to this work.)					
in the second se	DIVISION O DRY NOTICES A In for proposals to drill new wells, de se APPLICATION FOR PERMIT TO GAS A OTHER: ConocoPhillips (Company) ConocoPhillips (Company) ConocoPhillips (Company) ConocoPhillips (Company) ConocoPhillips (Company) ConocoPhillips (Company) ConocoPhillips (ConocoPhillips (Cono	DRY NOTICES AND REPORTS On for proposals to drill new wells, deepen existing wells, or to reenter see APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such as APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such as APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such as APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such as APPLICATION FOR SASING PERMIT TO DRILL OR DEEPEN form for such as APPLICATION FOR SASING PERMIT TO DRILL OR DEEPEN form for such as APPLICATION FOR SASING PERMIT TO DRILL OR DEEPEN form for such as APPLICATION FOR SASING PERMIT TO DRILL OR DEEPEN form for such as APPLICATION FOR SASING PERMIT TO DRILL OR DEEPEN form for such as APPLICATION FOR SASING PERMIT TO DRILL OR DEEPEN form for such as APPLICATION FOR SASING PERMIT TO DRILL OR DEEPEN form for such as APPLICATION FOR SASING PERMIT TO DRILL OR DEEPEN form for such as APPLICATION FOR SASING PERMIT TO DRILL OR DEEPEN form for such as APPLICATION FOR SASING PERMIT TO DRILL OR DEEPEN form for such as APPLICATION FOR SASING PERMIT TO DRILL OR DEEPEN form for such as APPLICATION FOR SASING PERMIT TO DRILL OR DEEPEN form for such as APPLICATION FOR SASING PERMIT TO DRILL OR DEEPEN form for such as APPLICATION FOR SASING PERMIT TO DRILL OR DEEPEN form for such as APPLICATION FOR SASING PERMIT TO DRILL OR DEEPEN for such as APPLICATION FOR SASING PERMIT TO DRILL OR DEEPEN for such as APPLICATION FOR SASING PERMIT TO DRILL OR DEEPEN for such as APPLICATION FOR SASING PERMIT TO DRILL OR DEEPEN for such as APPLICATION FOR SASING PERMIT TO DRILL OR DEEPEN for such as APPLICATION FOR SASING PERMIT TO DRILL OR DEEPEN for such as APPLICATION FOR SASING PERMIT TO DRILL OR DEEPEN for such as APPLICATION FOR SASING PERMIT TO DRILL OR DEEPEN for such as APPLICATION FOR SASING PERMIT TO DRILL OR DEEPEN for such as APPLICATION FOR SASING PERMIT TO DRILL OR DEEPEN F	DIVISION OF OIL, GAS AND MINING DRY NOTICES AND REPORTS ON WELLS In for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells. See APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals. GASEX OTHER: ConocoPhillips Company Imber: 6825 South 5300 West, P.O. Box 851, Price, UT 84501 (435) 613-9777 5' FNL, 928' FEL VNE, SEC.6, T15S,R09E, SLB&M DPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPOR NOTICE OF INTENT (Submit in Duplicate) Pull or Alter Csg Recomplete Reperforate Pull or Alter Csg Repair Casing Change of Plans In Convert to Injection Praction Pate of Water Shut-Off Date of work completion Ork will start COR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is direction and zones pertinent to this work.)	DIVISION OF OIL, GAS AND MINING S. Lease Designation and Serie ML-48205	DIVISION OF OIL, GAS AND MINING 5. Lease Designation and Serial Numb ML-48205 6. If Indian, Allottee or Tribe Name: N/A 7. Unit Agreement Name: N/A 7. Unit Agreement Name: Drunkards Wash UTI 6. Well Name and Number: UTAH 06-207 9. API Well Number: 43-007-30391 10. Field or Pool, or Wildcat: Drunkards Wash 6. Trong PERMIT TO DRILL OR DEEPEN form for such proposals. 8. Well Name and Number: UTAH 06-207 9. API Well Number: 43-007-30391 10. Field or Pool, or Wildcat: Drunkards Wash 6. Utah 7. Unit Agreement Name: N/A 7. Unit Agreement Name: N/A 7. Unit Agreement Name: Drunkards Wash UTI 8. Well Name and Number: UTAH 06-207 9. API Well Number: 43-007-30391 10. Field or Pool, or Wildcat: Drunkards Wash 6. If Indian, Allottee or Tribe Name: N/A 7. Unit Agreement Valle 8. Well Name and Number: Unit Agreement Name: N/A 9. API Well Number: Unit Agreement Name: N/A 9.

13. J. allred Date: 01/14/2004 Operations Clerk—Production Lynnette Allred Name & Signature:

(This space for state use only)

